CELL FUSION: "UNITING CELLS FOR A WORLD OF POSSIBILITIES"

Abstract

Cell fusion is a captivating biological process that involves the merging of two or more cells to form a single hybrid cell. This phenomenon occurs naturally in various organisms, including plants, animals, and even humans. Cell fusion plays a crucial role in development, tissue repair, and reproduction. This fusion can occur between the similar type of cells (homotypic fusion) or between cells of different types (heterotypic fusion).

In the context of skeletal muscle and bone, cell fusion is also connected to tissue regeneration and repair. Multinucleated muscle fibers are created when skeletal muscle cells, or myoblasts, unite to form components that contribute to the general composition and functionality of muscles. Precursor cell fusion also forms osteoclasts, which are cells involved in bone remodeling. To fully comprehend cell fusions varied biological functions, one must grasp the molecular mechanisms that underlie it. Cell fusion events are frequently regulated by cell surface proteins, fusogenic proteins, and different signaling pathways. Beyond adding to our understanding of basic biology, these processes studving mav have consequences for therapeutic approaches like tissue engineering and regenerative medicine.

Keywords : Cell fusion, homotypic, heterotypic, myoblasts, fusogens, tissue engineering

Author

Dr. Monika Dhagat

Associate Professor Department of Botany Mata Gujri Mahila Mahavidyalaya (Autonomous) Jabalpur (MP) monikadhagat@gmail.com

I. CONCEPT OF CELL FUSION

- 1. Natural Occurrence: Cell fusion is a fundamental and naturally occurring phenomenon in biology. It can be observed in various contexts, including during the development of multicellular organisms, tissue repair, immune response, and even in certain unicellular organisms like yeast.
- **2. Multinucleation**: One of the key outcomes of cell fusion is the formation of multinucleated cells, also known as syncytia. These cells contain multiple nuclei within a single cytoplasmic membrane.
- **3. Developmental Processes**: In multicellular organisms, cell fusion is involved in various developmental processes. For example, during muscle development, myoblasts (muscle precursor cells) fuse to form multinucleated muscle fibers, which are essential for muscle function.
- 4. Immune Response: In the immune system, certain immune cells, such as macrophages and osteoclasts, can fuse together to form multinucleated cells. This fusion enhances their ability to engulf and digest pathogens or cellular debris.
- **5.** Fertilization: In sexual reproduction, the fusion of a sperm cell with an egg cell is a critical step in fertilization. This process combines the genetic material from two parents to form a new individual organism.
- **6. Pathological Implications**: Aberrant cell fusion can also have pathological implications. For instance, in cancer, tumor cells may fuse with other cells, including immune cells, which can contribute to the aggressiveness and heterogeneity of the tumor.
- **7. Regeneration and Repair**: In tissue repair and regeneration, cell fusion can occur to replace damaged or dead cells. This is seen in the liver, where hepatocytes can fuse to regenerate liver tissue after injury.
- **8. Biotechnological Applications**: Cell fusion has been used in biotechnology and cell biology research to create hybrid cells or to merge cells with specific properties for various purposes, including the production of monoclonal antibodies.
- **9. Experimental Techniques**: Researchers use experimental techniques such as electrical stimulation, viral vectors, or chemical agents to induce cell fusion in the laboratory, allowing them to study the process and its effects on cells and organisms.


II. TYPE OF CELL FUSION

There are two different types of cell fusion.

1. Homotypic Cell Fusion: It takes place between cells of the same type. For instance, myofibers and osteoclasts are joining forces with the cells of their respective types. When two nuclei combine, a synkaryon is created. Nuclear fusion is normally required for cell fusion, so if nuclear fusion isn't present, the cell is referred to as a binucleated

heterokaryon. Two or more cells combine to form a heterokaryon, which can continue to grow for several generations. (Ogle, Brenda M.; Platt, Jeffrey L. (2004)). If two of the same type of cells fuse, but their nuclei do not fuse, then the resulting cell is called a syncytium (Ogle,B. M.; Cascalho, M.; Platt, J. L. (2005)).

2. Heterotypic Cell Fusion: In contrast to homotypic cell fusion it involves the joining of cells of various types. Additionally, a synkaryon is created by the merging of the nuclei, and in the absence of nuclear fusion, a binucleated heterokaryon results from this fusion. For instance, the fusion of parenchymatous organs and bone marrow-derived cells (BMDCs) (Singec, Ilyas; Snyder, Evan Y. (2008))



Source : https://microbenotes.com/cell-fusion-types-and-significance/

III. METHODS OF CELL FUSION

It can be induced in various ways in the laboratory for research purposes or biotechnological applications. Some common methods of inducing cell fusionare:

1. Chemical Induction:

• **Polyethylene Glycol (PEG):** PEG is a chemical agent commonly used to induce cell fusion. It works by promoting the fusion of cell membranes. Cells are typically incubated with a PEG solution and fusion occurs when the cells are brought into close contact with each other (*Pedrazzoli, Filippo, et.al 2011*).

2. Electrolysis:

• **Electrochemical:** High-voltage electrical pulses are applied to two or more cells, causing transient holes to form in their membranes. When these cells are aggregated together, the electric field can facilitate the fusion of their membranes.

3. Virus Synthesis Protein:

• Virus-Mediated Envelope Fusion: Some enveloped viruses, such as Sendai virus or herpes simplex virus, have fusion proteins that can be modified to promote cell fusion. By expressing these viral fusion proteins in target cells, fusion can be induced when the cells come into contact. (Wainberg, M. A.; Howe, C. (1973).

4. Microinjection:

• **Cell-to-cell microinjection:** Microinjectors are used to physically inject the contents of onecell into another. This method is often used to clone or transfer specific cellular components.

5. Lipid vesicles:

• **Liposome combination:** Liposomes, which are artificial lipid vesicles, can be loaded with specific cellular components and then fuse with target cells. This technique is useful in delivering drugs or genetic material into cells.

6. Chemical synthesis reaction stimulants:

• **Polymer inducers:** Certain chemicals, such as inactivated Sendai virus, can be used to promote cell fusion. These agents disrupt cell membranes and stimulate fusion.

7. Microfluidic device:

• **Microfluidic platform:** Microfluidic devices can be designed to expose cells under controlled conditions, thereby facilitating fusion. These devices can precisely control factors such as cell concentration and fusion promoters.

8. Optical tweezers:

• **Laser induced fusion:** Optical tweezers use a focused laser beam to manipulate and bring cells together, thereby promoting cell fusion.

9. Bio-synthesized proteins:

• **SNARE Proteins:** In some cases, the natural cell fusion machinery, such as the SNARE proteins involved in synaptic vesicle fusion, can be exploited to induce cell fusion when expressed in target cells.

10. Nucleic acid-mediated fusion:

• Formation of hybrid cells: In hybridoma technology for monoclonal antibody production, B cells and myeloma cells are fused using polyethylene glycol or electrical stimulation. This leads to the formation of hybrid cells that produce antibodies.

The choice of method depends on the specific research or biotechnological application, the cell types involved, and the desired outcome. It is based on factors such as efficiency, cell viability, and the need for precision and control over the fusion process

IV. FUSOGENS

The fusion of two or more cells or cellular compartments is made possible by the presence of substances or molecules known as "fusogens" that help the fusion of cell membranes. Plasma membrane fusion between various cells is encouraged by proteins called cell-cell fusogens. In addition to performing auto-fusion, neuron repairs, and phagosome sealing, these fusogens mediate cell-cell fusion. Although they each have unique mechanisms, these proteins help cells perform similar tasks. These are called unilateral (require the presence of a single fusing membrane) and bilateral mechanisms (the same or different fusogens are present at both membranes)—require the presence of a single fusing membrane. The mechanism for cell-cell fusogens consists of four distinct steps in contrast to the majority of fusogen mechanisms, which start with hemi fusion. (Brukman NG, Uygur B, Podbilewicz B, Chernomordik LV (May 2019).

1. Step

- Cells must be near each other.
- Hemi fusion occurs.
- Fusion pore in hemi fusion structure opens, thus allowing for cell contents to merge.
- Cells completely join from pore expansion.

V. TYPES OF FUSOGEN

There are various types of fusogens,

- 1. Viral Fusogens: Enveloped viruses often use viral fusogens to enter host cells (Harrison S.C., 2015) and (Sapir A., Avinoam O., Podbilewicz B., Chernomordik L.V., 2008).. Examples include:
 - Hemagglutinin (HA) in influenza viruses.
 - Glycoprotein 120 (gp120) and Glycoprotein 41 (gp41) in HIV.
 - **Spike protein** in coronaviruses like SARS-CoV-2.
 - **F protein** in paramyxoviruses like measles virus.
- **2.** Cellular Fusogens: These are naturally occurring proteins in cells that mediate membrane fusion duringvarious physiological processes.
 - SNARE proteins are involved in synaptic vesicle fusion in neurons.
 - Syncytins are involved in the fusion of placental cells during pregnancy.

- **3. Lipid Fusogens:** Certain lipids can act as fusogens, altering membrane properties to facilitate fusion.
 - **Phospholipids**, such as phosphatidic acid, can promote fusion by changing membrane curvature and fluidity.
- 4. Artificial Fusogens: Scientists have created synthetic fusogens for various purposes, including genedelivery and cell-cell fusion.
 - Liposomes can be engineered to carry fusogenic agents, making them useful in drug delivery.
 - **Peptide-based fusogens** can be designed to induce membrane fusion forresearch or therapeutic applications.
- **5. Protein Fusogens:** Some proteins have been engineered or discovered for their ability to induce cellmembrane fusion.
 - **Fusogenic peptides** derived from viral or synthetic sources can be used to promote membrane fusion.
 - Fusogenic proteins like the ones found in certain bacteria can facilitatefusion.
- **6. Inorganic Fusogens:** In some cases, inorganic materials can be used to induce membrane fusion.
 - Electrofusion involves using electric fields to induce fusion of cellmembranes.
 - **Chemical fusogens**, such as polyethylene glycol (PEG), can be used to promote cell fusion in the laboratory.

VI. KEY ASPECTS OF PLASMA MEMBRANE FUSION

- 1. Membrane Lipids: The plasma membrane is primarily composed of lipids, including phospholipids and cholesterol. These lipids play a critical role in membrane fusion by providing the structural basis for the formation of lipid bilayers and facilitating membrane curvature during fusion.
- 2. Membrane Proteins: Specialized proteins that bring the lipid bilayers together and facilitate their fusion are responsible for mediating membrane fusion. These proteins can be classified as:
 - **SNARE Proteins**: A family of membrane proteins known as soluble Nethylmaleimide-sensitive factor attachment protein receptors (SNAREs) is essential for membrane fusion. They are divided into target membrane (t-SNARE) and vesicle (v-SNARE) SNAREs. One of the crucial steps in membrane fusion is the interaction between v-SNAREs and t-SNAREs.
 - **SNARE-Associated Proteins**: Several proteins, such as Munc18, complexin, and synaptotagmin, interact with SNARE proteins and regulate their function during membrane fusion. For example, synaptotagmin acts as a calcium sensor and triggers

fusion in response to calcium influx.

- **Fusion Pores and Fusion Machinery**: In order to recycle SNARE complexes for subsequent fusion events, other proteins, such as NSF (N- ethylmaleimide-sensitive factor) and SNAPs (soluble NSF attachment proteins), are involved in disassembling SNARE complexes.
- **3. Regulation by Calcium**: Calcium ions (Ca2+) are essential regulators of many membrane fusion events. Increased intracellular calcium levels can trigger the fusion of vesicles with the plasma membrane. Synaptotagmin, is one example of a calcium-sensing protein involved in fusion regulation.
- 4. Lipid Rafts and Microdomains: Membrane fusion can be influenced by lipid rafts, which are cholesterol-rich microdomains within the plasma membrane. These microdomains can concentrate fusion machinery and facilitate fusion events.
- **5.** Vesicle Docking and Priming: Vesicles must dock at the target membrane and go through priming, a process that gets them ready for fusion, before they can fuse. These processes entail various protein-protein interactions as well as conformational alterations.
- 6. Force Generation: Membrane fusion often requires the generation of mechanical forces to overcome the repulsive forces between the lipid bilayers. These forces can be generated by the SNARE complex and other proteins involved in the fusion process.
- **7.** Endocytosis and Exocytosis: Membrane fusion is a fundamental process in endocytosis (internalization of materials into the cell) and exocytosis (release of materials from the cell). These processes are involved in nutrient uptake, cell signaling, neurotransmitter release, and other cellular functions.

The cell biology of plasma membrane fusion is highly specific to different cell types and processes. For example, synaptic vesicle fusion in neurons involves a distinct set of proteins and mechanisms compared to the fusion of endocytic vesicles with the plasma membrane in non-neuronal cells.

VII. GENETICS OF CELL FUSION

Cell fusion, also known as cellular fusion, is a process by which two or more cells combine to form a single cell with multiple nuclei. This can occur in various biological contexts, and the genetics of cell fusion can vary depending on the cell types involved and the purpose of the fusion. Here are some key aspects of the genetics of cell fusion:

- 1. Fusion Proteins: In some cases, cell fusion may be mediated by specific fusion proteins or receptors on the cell surface. These proteins play a role in recognizing and binding to other cells, initiating fusion. For example, in muscle cell development, fusion between myoblasts is mediated by proteins like myoblast fusion 1 (MyoF) and myomaker.
- 2. Membrane Fusion Proteins: The process of membrane fusion itself relies on specialized proteins that facilitate the merger of lipid bilayers from different cells. These proteins, such

as syncytins in placental development, are often encoded by specific genes and play a crucial role in the fusion process.

- **3. Regulation by Signaling Pathways**: Various signaling pathways can regulate cell fusion events. For example, in myoblast fusion, the Notch and Wnt signaling pathways are involved in regulating the fusion process.
- **4. Genetics of Syncytial Tissues**: Some tissues in the body are syncytial, meaning they are formed by the fusion of multiple cells to create a multinucleated structure. Examples include skeletal muscle and placental syncytiotrophoblasts. In these tissues, the genetics of cell fusion are essential for proper development and function. Mutations in genes involved in cell fusion can lead to developmental disorders or diseases.
- **5. Viral-Induced Cell Fusion**: Viruses can induce cell fusion as part of their life cycle. Viral fusogenic proteins, such as those found in enveloped viruses like HIV, play a role in merging the viral envelope with the host cell membrane, allowing the virus to enter the host cell. These fusion processes are governed by the genetics of the virus and the host cell.
- 6. Cancer and Cell Fusion: In cancer, cell fusion can contribute to tumor heterogeneity and the development of aggressive phenotypes. Fusion between cancer cells and normal cells can lead to hybrid cells with altered genetics, potentially influencing tumor progression and treatment response.
- 7. Stem Cell Therapy: Cell fusion can be used intentionally in stem cell therapy to introduce specific genetic material into target cells. This is done by fusing stem cells with target cells, allowing the transfer of genetic material.
- 8. Gene Editing: Cell fusion can also be used in gene editing techniques. For instance, hybrid cells can be created by fusing cells with genetically modified properties, allowing researchers to study gene function or create therapeutic cell lines.

The genetics of cell fusion can be complex and context-dependent. It involves the interplay of genes and proteins that regulate cell recognition, adhesion, membrane fusion, and the subsequent genetic and functional consequences of cell fusion events. Understanding the genetics of cell fusion is important in various fields of biology and has implications for development, disease, and therapeutic applications

VIII. REGULATION OF CELL FUSION

The regulation of cell fusion is a compactly controlled process in various biological contexts, and it involves a combination of molecular, cellular, and environmental factors. The mechanisms governing cell fusion can vary depending on the specific cell types and processes involved. Some key regulatory aspects of cell fusion are:

1. Cell-Cell Recognition and Adhesion: Cell fusion typically begins with the recognition and adhesion of two or more cells. Cell surface proteins, receptors, and adhesion molecules play a crucial role in this initial step. These molecules mediate interactions between cells and promote their close apposition.

- 2. Fusion Proteins and Membrane Fusion: Membrane fusion itself is governed by specialized fusion proteins. These proteins facilitate the merger of lipid bilayers from different cells. For example, in muscle cell fusion, proteins like myomaker and myomixer are involved in this process. The formation of fusion pores is a critical step in allowing the exchange of cytoplasmic contents between cells.
- **3. Signaling Pathways**: Several signaling pathways can regulate cell fusion events. These pathways often involve the activation of specific genes and proteins in response to environmental cues or developmental signals. Examples of signaling pathways involved in cell fusion include the Notch pathway and the Wnt pathway.
- **4. Calcium and Ionic Regulation**: Calcium ions (Ca2+) can play a role in cell fusion regulation. An increase in intracellular calcium levels can trigger fusion events in some cell types. For example, in the fusion of muscle cells (myoblasts) to form multinucleated myotubes, calcium signaling is essential.
- **5.** Cell Cycle and Differentiation: The regulation of cell fusion can also be tied to the cell cycle and differentiation state. In some cases, cell fusion may only occur when cells are in a specific phase of the cell cycle or when they have reached a particular level of differentiation.
- 6. Hormones and Growth Factors: Hormones and growth factors can influence cell fusion events. For instance, in placental development, hormones like human chorionic gonadotropin (hCG) and growth factors like insulin-like growth factor (IGF) can regulate syncytial formation in trophoblast cells.
- **7. Cell-Environment Interactions**: The extracellular environment can impact cell fusion. Factors such as pH, temperature, and mechanical forces can influence the likelihood and efficiency of fusion. For example, in the fusion of sperm and egg cells during fertilization, changes in pH and the presence of specific molecules are essential for successful fusion.
- 8. Cell Fusion in Disease: Aberrant regulation of cell fusion can be associated with various diseases. For instance, in cancer, cell fusion can lead to the formation of hybrid cells with altered genetic characteristics, potentially contributing to tumor heterogeneity and aggressiveness.
- **9.** Therapeutic Applications: Cell fusion is also being explored in therapeutic contexts, such as stem cell therapy and gene editing. Researchers are studying ways to regulate and control cell fusion to introduce specific genetic material or create desired cell types for therapeuticpurposes.

Overall, the regulation of cell fusion is a complex and highly orchestrated process that involves multiple factors and pathways. Understanding the precise mechanisms and regulatory cues governing cell fusion is crucial for various biological processes and has implications for both basicbiology and clinical applications.

Cell fusion is a biological process where two or more cells merge into a single cell with a shared cytoplasm. This phenomenon occurs naturally in various physiological

processes, such as fertilization and muscle development, and can also be induced artificially for research and therapeutic purposes. While cell fusion holds great potential in various fields, it also presents several challenges and future perspectives.

IX. CHALLENGES OF CELL FUSION

- 1. Efficiency and Specificity: Achieving efficient and specific cell fusion can be challenging. In many cases, only a fraction of the cells merge successfully, and ensuring that the fusion occurs between the desired cell types can be difficult.
- **2.** Cell Viability: The process of cell fusion can be stressful for cells, potentially leading to reduced viability and function of the fused cells. Maintaining cell viability post-fusion is crucial, especially in therapeutic applications.
- **3.** Contamination: Contamination with other cell types or impurities can occur during cell fusion procedures. This can lead to unintended outcomes and complicate research or therapeutic applications.
- 4. Ethical and Safety Concerns: In therapeutic contexts, such as stem cell-based therapies, ethical and safety concerns arise. Ensuring that cell fusion procedures are safe and ethically sound is essential.
- 5. **Regulation:** Regulatory agencies need to establish guidelines and standards for cell fusion-based therapies to ensure safety, efficacy, and quality control.

X. FUTURE PERSPECTIVES OF CELL FUSION

- 1. Stem Cell Therapies: Cell fusion holds potential in regenerative medicine. Researchers are exploring the fusion of stem cells with differentiated cells to create hybrid cells with regenerative properties. These hybrid cells could be used to repair damaged tissues or organs.
- 2. Cancer Therapy: Inducing fusion between cancer cells and immune cells can enhance the immune system's ability to recognize and attack cancer cells. This approach, known as cell-based immunotherapy, is a promising avenue for cancer treatment.
- **3. Tissue Engineering:** Cell fusion can be used to create artificial tissues and organs for transplantation. By fusing cells from different tissue types, researchers can develop functional tissues in the lab.
- **4. Biotechnology and Research Tools:** Cell fusion techniques are valuable tools in cell biology research. They allow scientists to study cell interactions, gene expression, and protein trafficking, among other processes.
- **5.** Genetic Manipulation: Fusion between cells can also facilitate the introduction of genetic material, such as genes or CRISPR/Cas9 components, into target cells. This can be used for gene therapy and genome editing applications.

- 6. Disease Modeling: Researchers can use cell fusion to create disease models. By fusing healthy and diseased cells, they can better understand disease mechanisms and screen potential drug candidates.
- 7. Infectious Disease Research: Cell fusion can be used to study viral entry mechanisms, particularly in the case of enveloped viruses, which rely on membrane fusion for cell entry.

XI. SIGNIFICANCE OF CELL FUSION

- Cell fusion may alter the phenotype and/or function of cells. Therefore, cell fusion might provide an explanation for the trans differentiation of committed somatic cells.
- Cell fusion can reverse or repair tissue damage. In this situation, cell fusion makes tissue regeneration easier.
- Viral transmission may be aided by cell fusion. Fusion of cells from individual belonging to different species could explain how viruses spread between them and how new pathogens form.
- Chromosome DNA can be re-sorted and recombined as a result of cell fusion and nuclear fusion that take place during the formation of synkaryons. Proliferation and malignancy may result from the nuclei of a mature cell and a stem cell fusing together. (https://www.nature.com/articles/nrm1678)

In summary, cell fusion is a fundamental biological process with diverse roles in development, immunity, regeneration, and disease. Understanding the mechanisms and consequences of cell fusion is crucial for both basic biology research and potential applications in medicine and biotechnology. Cell fusion presents both challenges and promising future perspectives. Overcoming technical hurdles and addressing ethical and safety concerns will be crucial for realizing the full potential of cell fusion in areas such as regenerative medicine, cancer therapy, tissue engineering, and basic research. Unlocking Boundless Possibilities in the Life Sciences through Advancing Cell Fusion Techniques.

REFERENCES

- Brukman NG, Uygur B, Podbilewicz B, Chernomordik LV (May 2019). "How cells fuse". The Journal of Cell Biology. 218 (5):1436–1451.
 - a. doi:10.1083/jcb.201901017. PMC 6504885. PMID 30936162
- [2] H. Harris: Cell fusion, 1970, Harvard University Press, Mass
- [3] Harrison S.C. Viral membrane fusion. Virology. 2015;479–480:498– 507.doi: 10.1016/j.virol.2015.03.043.
- [4] https://microbenotes.com/cell-fusion-types-and-significance/
- [5] https://www.nature.com/articles/nrm1678
- [6] Ogle, B. M.; Cascalho, M.; Platt, J. L. (2005). "Cells derived by fusion". Nature Reviews Molecular Cell Biology. 6 (7): 567–575. doi:10.1038/nrm1678. PMID 15957005. S2CID 22584685
- [7] Ogle, Brenda M.; Platt, Jeffrey L. (1 January 2004). "The Biology of Cell Fusion: Cells of different types and from different species can fuse, potentially transferring disease, repairing tissues and taking part in development". American Scientist. 92 (5): 420–427. doi:10.1511/2004.49.943. JSTOR 27858450.
- [8] Pedrazzoli, Filippo; Chrysantzas, Iraklis; Dezzani, Luca; Rosti, Vittorio; Vincitorio, Massimo; Sitar, Giammaria (1 January 2011). "Cell fusion in tumor progression: the isolation of cell fusion products by

physical methods". Cancer Cell International. **11**: 32. doi:10.1186/1475-2867-11-32. PMC 3187729. PMID 21933375

- [9] Ringertz, N. R. & Savage, R. E. Cell Hybrids (Academic Press, New York, 1976)
- [10] Sapir A., Avinoam O., Podbilewicz B., Chernomordik L.V. Viral and developmental cell fusion mechanisms: Conservation and divergence. Dev. Cell. 2008;14:11–21. doi: 10.1016/j.devcel.2007.12.008.
- [11] Singec, Ilyas; Snyder, Evan Y. (2008). "Inflammation as a matchmaker: Revisiting cell fusion". Nature Cell Biology. 10 (5): 503–505. doi:10.1038/ncb0508-503. PMID 18454127. S2CID 30269058.
- [12] Wainberg, M. A.; Howe, C. (1 October 1973). "Factors Affecting Cell Fusion Induced bySendai Virus". J Virol. 12 (4): 937–939. doi:10.1128/JVI.12.4.937-939.1973. PMC 356713. PMID 4359961
- [13] Yiming Yang^{*} and Nandini Nagarajan Margam, 2021. Structural Insights into MembraneFusion Mediated by Convergent Small Fusogens. Cells. 2021 Jan; 10(1): 160.doi: 10.3390/cells10010160