

## **A HYBRID APPROACHES FOR CBIR USING GABOR AND SVM, HSV COLOR HISTOGRAM**

### **Abstract**

This study proposes a new approach for color image indexing that takes use of the Histogram equalization method's ease of use. This method proposes a combination of color, shape, and texture characteristics. This strategy improves on earlier efforts to achieve more accuracy. In this study, we suggest histogram equalization as a means of restoring picture quality and using a distance matrix to get better results than previous work. Do the math for precision and recall.

**Keywords:** CBIR, HE, HSV histogram, Feature extraction, Distance matrix, SVM, DCD-YCBCR etc.

### **Author**

**Kahkashan Rehman Qureshi**  
Department of Computer Science & Engineering  
Poornima University,  
Jaipur, India.

## I. INTRODUCTION

With the use of visual characteristics, content-based image retrieval (CBIR) may extract meaningful pictures from a query image that has been provided. It is more helpful than bringing up graphics that were constructed using human-made word describers. Each picture in the data is projected to a feature vector along with its abstract, structural, and visual attributes. To extract relevant images, the feature vector of the question image and the image in the information are compared for similarity. The feature extraction techniques and similarity metrics are where the earlier CBIR systems made the majority of their contributions. Options for colour and texture are examples of low-level options that are often used in CBIR. The colour is often used in CBIR systems since it may sometimes be extracted simply and because it performs well while obtaining data. Applied mathematics, structural, and spectrum approaches are used to extract and define texture choices. It is anticipated that a number of CBIR systems would include colour and texture choices [1].

These issues result in the terribly capable CBIR methodology. A CBIR framework executes two fundamental capacities: first, picture includes extraction where a list of capabilities (picture marks, highlight vectors) is created. This set uses less storage space while carrying picture data and displaying it in a database. The measurement of similarity comes next. It determines the distance between the image under consideration and all of the database's images, together with their component vectors. The results of the search procedure are the photographs that are most similar to the search term shown [2].

## II. USING TECHNIQUES

- 1. Similarity Matching:** The information The data in regards to each picture is keep in its element vectors for calculation technique and these element vectors are coordinated with the component vectors of question image (the image to be search within the image information whether or not the identical image is gift or not or what percentage are similar kind pictures are exist or not) which helps in measuring the similarity. This step involves the matching of the higher than expressed options to yield a result that's visually similar with the utilization of similarity live methodology referred to as Distance methodology. Here is completely different distances methodology on the market like Euclidean distance, area Distance, Canberra Distance. [3]
- 2. Histogram Equalization (HE):** It is a procedure for adjusting photograph intensities to decorate assessment. The intensity conveyance of a picture showed graphically. It measures the quantity of pixels for every profundity expense taken into thought. It is a manner that improves the comparison in a photograph, so one can stretch out the depth range. Equalisation is the process of transferring a single source (the provided histogram) to every different distribution (a much wider and more equal distribution of depth standards), speeding up the qualitative attributes across the whole decision- making process [4].
- 3. Gabor Filter:** The most used method for extracting texture information for picture retrieval is the gabor filter. It is often utilised for texture analysis because to the fact that it has many traits with human perception. A curved plane wave of a certain frequency and direction (Carrier) makes up a 2D Gabor operation ( $g(x, y)$ ).To modify it, a Gaussian Envelope is used.

4. **Support Vector Machine:** In this supervised learning process, information is analysed to identify patterns that will be utilised to classify objects. In grouping, the input set is read, the yield for every ideal information is structured, and whenever the yield is persistent, relapse is carried out [5]. The capabilities of support vector machines in antecedent affirmation have been shown. Finding the optimum hyper-plane isolating significant and symmetrical vectors while enlarging the edge (between each class) is the goal of the SVM organisation technique. The first method implies that orthogonal and pertinent vectors may be divided linearly. The SVM divides the whole picture data into two groups. The untagged photos come in two different varieties: relevant untagged photos and orthogonal untagged photos. Within the image information, the pertinent untagged image is explained to the pertinent tagged images. Comparatively speaking, the useless unlabeled image and the pointless named image in the database. Additionally, this SVM is precisely sorting the unlabeled images.
  
5. **HSV Color histogram:** Colour capacity is one of the key factors in dividing the picture. The well-known colour spaces like RGB, XYZ, YIQ, L\*a\*b, U\*V\*W, YUV, and HSV speak to the shade of an image. Among the many colour areas, the HSV colour area offers the most efficient CH feature. The HSV colour gap is shown by the three accessories Hue (H), Saturation (S), and Value (V) [6].

$$H = \cos^{-1} \left\{ \frac{1}{\sqrt{2}} \frac{(R-G) + (R-B)}{\sqrt{(R-G) + (R-B)(G-B)}} \right\}$$

$$V = \frac{1}{3} [R + G + B]$$

$$S = 1 - \frac{3}{R+G+B}$$

$$[\min(R, G, B, )]$$

### III. LITERATURE SURVEY

Behzad Merhrbakhsh Choobaretal. [2017] The novel approach employed in this study for CBIR is a local full- directional pattern. Additionally, rather of applying the method to the original picture, we create a new image by assigning a mean grey value from 3TM3 sub-regions to each pixel. The suggested technique defines eight unique directions. Each person receives one of the directions based on their proximity to their immediate neighbours, which is determined using first-order derivatives in the vertical, horizontal, and two diagonal directions. We typically utilise Corel 1000 data to evaluate our approach using the LBP and local characid sample (LTrP). Our anticipated technique demonstrates significant improvements in average exactitude and recall. Since the algorithm was applied to the average of nine pixel-windows, the proposed technique yields better retrieval outcomes for images that are buzzing [7].

Abdolreza Rashno et al. [2017] Neutropic (NS) space has been used as a novel CBIR conspire in this study. For this purpose, RGB images are first separated into a few subsets in the NS domain. Colour choices, dominant colour descriptors (DCD), bar graphs, and datum items are retrieved for each phase of an image. A component vector is created by combining all of the deleted highlights from the split image or the complete image. ACO makes choosing using feature vectors, which chooses the most relevant alternatives. The ultimate retrieval technique is chosen from hand-selected choices. On the Corel picture dataset, the projected CBIR theme is assessed. The projected strategy beats our prior methodology (using the same characteristic vector and having assortment procedure) according to experimental findings by 2% and 1%, respectively, when it comes to accuracy and recall. Additionally, the proposed technique improves both accuracy and recall by 13% and 2%, respectively, when compared to earlier methods [8].

Savita, et. al. [2017] This study examines specific methods for dealing with form and surface in CBIR. In our work, we have assembled five highlights that are prepared and arranged using an SVM classifier that makes use of AI technology. We combined factual highlights, wavelet features, gaborfeatures, surface features (GLCM features), and histogram highlights, which make use of local and global features. The features vector for each image is extracted from a database of 1000 photos (the Wang database), divided into 10 separate classes, and saved in our database so that SVM may use it to arrange the target image. We can get an arrangement accuracy of up to 97.53% by using this collection of characteristics [9].

Mohd. Aquib Ansari, et.al. [2017] In this study, we used HSV CH with quantized non-uniform 72 canisters to extract the shading data of the image, DWT on each component (H, S, and V), HSV, to remove the complex texture pattern of the image, and V, HSV to extract the geometry information of the image. In this case, Euclidean distance is employed as a similarity metric to determine how similar the user picture is to the database image. When compared to previous combining schemes, the experimental examination of 600 photos from the Wang image library demonstrates that this strategy performs well in terms of accuracy and adaptability [10].

Muhammad Fachrurrozi, et al. [2017] The three stages of the three-phased consistent face affirmation system procedure are extraction, packaging, recognisable evidence, and affirmation. Each phase makes use of the Local Binary Pattern (LBP), Agglomerative Hierarchical Clustering (AHC), and Euclidean Distance alternative strategies. The searching approach is CBIR, an image search for frameworks based on picture feature. Review and exactness esteems based on testing results and trials are 65.32% and 64.93%, respectively [11].

Amjad Shah1, et al. [2017] CBIR becomes an incredibly challenging task as a result of the rapid development in visual and acoustic quality and its visual dispersevalue. CBIR contains many stages, ranging from image-based querying through image retrieval of pertinent pictures. However, one of the crucial stages is feature extraction from photos. The capacity of Convolutional Neural Network (CNN) to extract characteristics from pictures has recently led to excellent achievements in the area of computer vision. In the CBIR system, CNN is introduced in this study for features extraction from pictures. Using the retrieved features, Euclidean distance is employed to associate the query and stored photos. The

suggested work's performance is assessed with accuracy. Comparing the proposed work to the current works, the outcomes are better [12].

Katta Sugamya et al. [2016] The use of CBIR in the DI process to search and retrieve the question picture from a variety of databases may be a growing trend. The following restrictions apply to standard CBIR plans: First, it's mild two. Negative antecedents are difficult to indicate; three; accuracy is subpar in a very little step; and four; users might insert some buzzing instances into the inquiry. This in turn looks at remedies for a recent problem with picture retrieval using dirty positive instances. In this study, a novel ballroom dancing approach is proposed, where the first step is feature extraction using low level features (colour, shape, and texture), and the second step involves the use of an SVM classifier to handle the numerous positive points of reference. In order to extract colour features, Associate in Nursing inexpensive image retrieval rule supported color-correlogram, ripple transformation to extract form choices, and Gabor ripple to extract texture features are proposed. To generate an image similarity classifier using SVM, additional choices and various distance metrics are incorporated. Results that support this technique are found to be powerful in terms of surface picture order accuracy and shading, frame, and composition. After the alternatives are chosen, an SVM classifier is trained to distinguish between photographs that are relevant and those that are irrelevant. [13].

#### IV. PROPOSED WORK

**1. Propose Methodology:** We have now suggested a combination of colour, shape, and texture characteristics for this method. With this strategy, the earlier work is improved to provide higher accuracy. In this study, we recommend histogram equalisation to enhance the quality of the images and use a distance matrix to get superior results than previous studies.

#### 2. Propose Algorithm

Step. 1. Browse an query image.

Step. 2. Apply histogram equalization for image smoothness. Step. 3. Apply HSV Histogram on query image.

Step. 4. Apply YCBCR color moment on query image. Step.5. Color string comparison apply on query image. Step.6. Feature extraction using Gabor filter.

Step.7. Image similarity matching using Distance matrix and support vector machine.

Step.8. Calculate precision, and recall of retrieved images.

Precision =


No. of relevant image retrieved / Total number of image retrieved

Step. 9. Stop

Recall =

No. of relevant image retrieved / number of image in the database

## Flowchart



**Figure 1:** Flow chart of propose work

## V. RESULT ANALYSIS

Matlab2013a is used in this part to assess performance. In this study, a performance test was conducted on the Corel-500 database. This database also includes images of Africa, flowers, elephants, shorelines, horses, dinosaurs, buildings, surfaces, and food. All courses have images with a 384\*256 resolution. The first check uses varying numbers of returned images that range from 10 to 50.




**Figure 2:** First run the code and get gui .



**Figure 3:** Similarity matching using distance matrix.



**Figure 4:** Similarity matching using support vector machine.




**Figure 5:** Plot distance matrix using svm.

Utilizing several images, determine Precision and Recall.

**Table 1: Comparison on Base Precision and Propose Precision.**

Base Precision	Propose Precision
0.8000	0.8400
0.8400	0.9000
0.7400	0.8200
0.7400	0.8600
0.7400	0.7600




**Figure 6:** Comparison on Base Precision and Propose Precision.



**Table 2: Comparison on Base Recall and Propose Recall.**

Base Recall	Propose Recall
0.8400	0.7200
0.8400	0.7800
0.7800	0.7400
0.8800	0.8400
0.8400	0.8400



**Figure 7:** Base Recall and Propose Recall Comparison is Shown

## VI. CONCLUSION

CBIR is described as a method that finds and returns images from a large amount of data based on inferred shading, texture, and structural judgements. It's a research area that draws experts from a variety of fields, including law enforcement, medical, design, fashion, and business. The earlier work is improved in this manner to attain higher accuracy. With the use of histogram equalisation, we increase the picture quality and the functional distance matrix in this study to get better results than the baseline. When compared to the method of image retrieval, the results produced by this methodology are excellent implementation.

## REFERENCES

- [1] Abdolreza Rashno, Saeed Sadri, "Content-based Image Retrieval with Color and Texture Features in Neutrosophic Domain, 3rd International Conference on Pattern Recognition and Image Analysis (IPRIA 2017) April 19-20, 2017. 978-1-5090-6454-0/17/\$31.00 c IEEE
- [2] Stella vetova, ivanivanov, "Image Features Extraction Using The Dual-Tree Complex Wavelet Transform". Advances in Applied and Pure Mathematics 2015
- [3] Mohd. Danish, Ritika Rawat , Ratika Sharma, "A Survey: Content Based Image Retrieval Based On Color, Texture, Shape & Neuro Fuzzy ".Mohd. Danish et al. Int. Journal Of Engineering Research And Applications ISSN : 2248-9622, Vol. 3, Issue 5, Sep-Oct 2013, Pp.839-844
- [4] Rupneet Kaur Hanspal, Kishor Sahoo, "A Survey of Image Enhancement Techniques". International Journal of Science and Research (IJSR)ISSN (Online): 2319-7064 Index Copernicus Value (2015): 78.96 | Impact Factor (2015): 6.391, Volume 6 Issue 5, May 2017
- [5] Pooja Devil and Mahesh Parmar, "A SURVEY ON CBIR TECHNIQUES AND LEARNING ALGORITHM COMPARISON". International Journal of Latest Trends in Engineering and Technology Vol.(8)Issue(1), pp.197-205 DOI: <http://dx.doi.org/10.21172/1.81.026> e-ISSN:2278- 621X.
- [6] R. Usha , K. Perumal , "Content Based Image Retrieval using Combined Features of Color and Texture Features with SVM Classification".International Journal of Computer Science & Communication Networks.2014
- [7] Behzad Merhrbakhsh Choobar, Saeed Mozaffari " A Robust Content Based Image Retrieval Using Local Full-Directional Pattern (LFDP)" 2017 IEEE.
- [8] Abdolreza Rashno, Saeed Sadri "Content-based Image Retrieval with Color and Texture Features in Neutrosophic Domain" 3rd International Conference on Pattern Recognition and Image Analysis (IPRIA 2017) April 19-20, 2017.
- [9] Savita, Mr. Sandeep Jain ,Prof. (Dr.) K. K. Paliwal, "CBIR by Cascading Features &SVM".International Conference on Computing,Communication and Automation (ICCCA2017).ISBN: 978-1-5090-6471-7/17/\$31.00 ©2017 IEEE
- [10] Mohd. Aquib Ansari, Manish Dixit, "An Enhanced CBIR using HSV Quantization, Discrete Wavelet Transform and Edge Histogram Descriptor". International Conference on Computing, Communication and Automation (ICCCA2017)ISBN: 978-1-5090-6471-7/17/\$31.00©2017 IEEE
- [11] Muhammad Fachrurrozi, Erwin, Saparudin, Mardiana, "Multi-Object Face Recognition Using Content Based Image Retrieval (CBIR)".International Conference on Electrical Engineering and Computer Science (ICECOS) 2017.
- [12] Amjad Shah1, Rashid Naseem1, Sadia2, Shahid Iqball, and Muhammad Arif Shah1, "Improving CBIR Accuracy using Convolutional Neural Network for Feature Extraction".IEEE 2017
- [13] KattaSugamya1 ,SureshPabboju2 , Dr.A.VinayaBabu, "A CBIR CLASSIFICATION USING SUPPORT VECTOR MACHINES" , 978-1- 4673-8810-8/16/\$31.00 ©2016 IEEE .