

# Current Advancement in Wearable Healthcare Device (WHD)

## Abstract

Healthcare, a fundamental aspect of human well-being, faces numerous challenges stemming from technological limitations and accessibility barriers. Leveraging the burgeoning trend of Internet-of-Things (IoT), wearable devices emerge as promising solutions to bridge these gaps. This paper presents a systematic review of various advancements in wearable healthcare devices, emphasizing their roles in disease detection, monitoring, and treatment. Wearable technologies offer innovative solutions for disease prevention, health maintenance, patient management, and clinical decision-making. They enable real-time monitoring of vital signs, physical activity, and facilitate remote patient rehabilitation, potentially improving patient care quality and reducing healthcare costs. However, challenges such as user acceptance, security, ethics, and the management of big data generated by wearable devices remain. Future research directions include leveraging artificial intelligence techniques for data analysis and addressing these challenges to enhance the usability and functionality of wearable devices in practical healthcare settings.

## Authors

### **Shivangi Sharma**

Btech  
Department of ECE-AI  
Indira Gandhi Delhi Technical University for Women

### **Kavyaa Kohli**

Btech  
Department of ECE-AI  
Indira Gandhi Delhi Technical University for Women

### **Priyanka Behera**

PhD scholar  
Department of IT  
Indira Gandhi Delhi Technical University of Women

### **Dr. A.K.Mohapatra**

Professor  
Department of IT  
Indira Gandhi Delhi Technical University of Women

### **Dr. Brijesh Kumar**

Professor  
Department of IT  
Indira Gandhi Delhi Technical University of Women

## I. INTRODUCTION

Wearable technologies have emerged as innovative solutions in healthcare, enabling continuous monitoring of various physiological parameters and behaviors during daily activities. These devices, ranging from on-body sensors to environmental embedded sensors, offer a wide array of data, including vital signs like heart rate and blood pressure, as well as physical activities and posture. With the advancements in materials and electronics, wearable devices have become more flexible, lightweight, and user-friendly, facilitating their integration into everyday life. This review paper aims to explore the applications of wearable technologies in healthcare, focusing on their impact, functionality, and future challenges, including advancements in artificial intelligence (AI) that further enhance their capabilities.

The adoption of wearable devices in healthcare has led to numerous applications, including disease prevention, patient management, and clinical decision-making. These devices play a crucial role in monitoring chronic illnesses such as cardiovascular diseases and diabetes, offering continuous and real-time data to healthcare professionals. Additionally, wearable sensors have evolved from invasive laboratory devices to non-invasive, point-of-care solutions, providing insights into various biopotentials like ECG, EMG, EEG, and EOG. The integration of communication modules further enhances the utility of wearable devices by enabling real-time data visualization and sharing.

Furthermore, advancements in artificial intelligence (AI) have significantly augmented the capabilities of wearable technologies in healthcare. AI algorithms can analyze the vast amounts of data collected by wearables, providing insights into trends, anomalies, and predictive analytics. Machine learning models can detect patterns in physiological data, facilitating early detection of health issues and personalized interventions. For example, AI-powered wearable devices can analyze subtle changes in heart rate variability to predict the onset of cardiac events or detect anomalies in blood glucose levels for early diabetes management.

The integration of artificial intelligence further enhances the capabilities of wearable technologies, enabling advanced analytics, predictive modeling, and personalized interventions. Despite their numerous benefits, challenges such as data security, interoperability, and user acceptance remain. Future research should focus on addressing these challenges to unlock the full potential of wearable technologies in revolutionizing healthcare delivery and improving patient outcomes.

## II. TYPES OF WEARABLE DEVICES FOR HEALTHCARE SYSTEM

Wearable healthcare devices (WHD) encompass various types tailored to monitor and improve health in innovative ways. Categories include Biofluidic based WHD, skin-based sensors, and wearable drug delivery systems, which offer innovative solutions for personalized health monitoring and medication delivery. These devices reflect the intersection of technology and medicine.

- 1. Skin-based Health and Wellness Devices (WHDs):** These devices are designed to be worn directly on the skin, offering comfort and convenience. Examples include textile-

based sensors embedded in clothing or fabrics, temporary tattoos containing sensors for monitoring vital signs, and patches with biofluidic sensors for sweat or tear analysis.

2. **Biofluidic-based Health and Wellness Devices (WHD):** These devices utilize biofluids such as sweat or tears to gather physiological information. Sweat-based wearable devices can monitor hydration levels, electrolyte balance, and even detect certain biomarkers related to health conditions. Tear-based sensors can provide insights into ocular health and detect markers for diseases such as diabetes.
3. **Wearable Drug Delivery Systems (WHDs):** These devices are designed to administer medication or therapeutic agents in a controlled and personalized manner. Examples include smart contact lenses capable of delivering medication directly to the eye for conditions like glaucoma, smart rings equipped with drug reservoirs for continuous delivery, and badges or patches for transdermal drug administration.

In conclusion, wearable technologies represent a promising avenue for transforming healthcare delivery by providing personalized, continuous monitoring and management solutions. The evolution of materials and electronics has made wearable devices more flexible, lightweight, and cost-effective, expanding their applications in healthcare.

### III. TARGET PARAMETERS FOR WHD

Reference papers	Parameter	Wearable Device
[1],[4],[5]	Blood Pressure	Smart Watch, Smart Rings, Smart Lenses etc
[2],[7],[9]	Cardiovascular Diseases	Smart Textile
[8]	Sleep Quality	Smart watches and smart rings
[3],[6]	Breast Cancer	Ultrasound device
[15],[19]	Breathing	Textile sensor, Acoustic sensor, Smart watch
[20],[23],[24]	Diabetes	CGM system
[21]	Scoliosis	Force sensors
[10],[14]	Stroke	Motion sensors, EMG sensor
[17],[18],[25]	Parkinson and Tremor	Smart gloves, tremor sensors
[11],[22]	Nutrition Monitoring	Smart bands
[12],[13]	Mental Status Monitoring	Smart watch, smart ring
[16]	Physiotherapy	Motion sensors, EMG sensors, smart watch

1. **Blood Pressure:** Blood pressure monitoring emerges as a focal point within wearable healthcare devices research. Various iterations of these devices exist, ranging from smartwatches and smart glasses embedded with optical sensors to circuit boards positioned on the abdomen, finger-wearable contraptions, and inconspicuous body-worn sensors attached to different body parts such as the hand, arm, and chest. While some devices may exhibit limitations in accurately measuring blood pressure, others have demonstrated efficacy in providing precise readings. These findings underscore the

ongoing advancements in wearable technology, aimed at refining the accuracy and convenience of blood pressure monitoring for improved healthcare outcomes.

- 2. Heart Attack:** As a highly concerning health issue, heart attacks have garnered significant attention from researchers striving to address the high incidence rates of this disease. Among the innovative solutions developed for heart attack monitoring systems is smart textile technology. This wearable device boasts a low-power design, offering a promising alternative to traditional healing methods. Another notable advancement in this field involves the development of wearable devices designed to increase the accuracy of blood pressure measurements. Research indicates that aortic model simulators, focusing on cardiovascular dynamics, can be effectively translated into pressure transfer functions. Additionally, studies have explored wearable cardiorespiratory monitoring devices equipped with real-time monitoring capabilities. Furthermore, wearable devices for monitoring heart rate during physical activity have been implemented, boasting impressive accuracy rates of up to 99.7%. These advancements underscore the ongoing efforts to leverage wearable technologies in improving heart attack detection and management, ultimately enhancing patient outcomes.
- 3. Breast Cancer:** In the realm of breast cancer detection, there's a growing interest in healthcare wearable devices designed to enhance early detection capabilities. One notable innovation is the development of wearable ultrasound devices tailored for this purpose. These devices offer the potential to detect tumors in the breast during their early stages, providing valuable insights and opportunities for intervention. Particularly beneficial for individuals at high risk of developing breast cancer, wearable ultrasound devices offer a proactive approach to monitoring breast health between routine mammograms. By facilitating early detection, these wearable devices empower patients and healthcare providers to initiate timely interventions, thereby improving treatment outcomes and potentially saving lives. The convenience and accessibility of wearable ultrasound technology further enhance its appeal, making it a promising tool in the fight against breast cancer.
- 4. Sleep Quality:** Wearable devices such as smartwatches, wristbands, smartRings, GPS shoes are increasingly used for fitness and wellness as they allow users to monitor their daily health. These devices have sensors for accumulating user activity data. Clinical actigraph devices fall in the category of wearable devices worn on the wrist determined to estimate sleep parameters by recording movements during sleep. For example, the Fitbit Sense and Apple Watch Series 6 are renowned for their advanced sleep tracking features, providing users with detailed insights into their sleep cycles, duration, and disturbances. Additionally, devices like the Oura Ring offer personalized recommendations to optimize sleep habits, further enhancing the overall sleep quality and well-being of users. These wearable technologies empower individuals to proactively manage their sleep health and make informed decisions to improve their overall lifestyle.
- 5. Mental Status Monitoring:** Wearable devices coupled with advanced algorithms are paving the way for innovative mental status monitoring techniques. These devices leverage various physiological signals like heartbeat, blood pressure, and body temperature, alongside complex vital signs such as electrocardiograms, to monitor mental conditions, with stress detection being a primary focus. Choi, Jeon, Wang, & Kim (2017)

proposed a framework utilizing wearable devices and machine learning to detect stress patterns in children, demonstrating promising potential for remote monitoring of child safety. The study combined audio and heart rate signals, achieving superior noise signal filtering compared to audio-only methods, with a notable accuracy of 93.47% using Support Vector Machine (SVM) algorithms

- 6. Parkinson's Disease:** To manage Parkinson's disease, wearable devices offer huge potential to collect rich sources of data that provide insights into the diagnosis and the effects of treatment interventions. Ten-second whole-hand-grasp action is widely used to assess bradykinesia severity, since bradykinesia is one of the primary symptoms of Parkinson's disease. In a study an objective dyskinesia score was developed using a motion capture system to collect patient kinematic data (Delrobaei, Baktash, Gilmore, McIsaac, & Jog, 2017). The portable wearable technology can be used remotely to monitor the full-body severity of dyskinesia, necessary for therapeutic optimization, especially in the patients' home environment.
- 7. Diabetes:** Diabetes management requires careful monitoring of various factors affecting blood glucose levels. Recent advancements in consumer technologies like smartphone apps and wearable devices offer personalized, real-time data-driven solutions for diabetes care. For example, closed-loop systems combining wearable glucose monitors and insulin pumps show promise in optimizing glucose control. Studies indicate that closed-loop control improves glycemic control in type 1 diabetes patients. Additionally, wearable bioelectronic technologies enable non-invasive monitoring of glucose levels, potentially enhancing self-care and prevention efforts amidst rising healthcare costs.

#### IV. CHALLENGES AND FUTURE OUTLOOK

Future challenges in wearable healthcare devices encompass a broad spectrum of improvements, spanning sensor enhancement for optimal data collection in varied conditions, algorithm refinement to maximize data processing efficiency, and the development of compact IoT devices to ensure user comfort and seamless integration into daily life. Contactless sensors, a novel frontier, pose a significant yet promising challenge, with ongoing research focusing on their potential applications in unobtrusive health monitoring. Addressing network and data management challenges is crucial, particularly in scenarios requiring real-time mass monitoring and response, such as emergency situations. Ensuring efficient server management and data processing capabilities are essential for delivering timely interventions to patients, especially in remote or signal-challenged environments.

The limitations of current wearable healthcare devices underscore the need for continuous improvement, particularly in stability, sensitivity, privacy, power source, and applicability to psychological disorders. Challenges persist in optimizing sensor accuracy amidst body motion and skin-related factors, with a particular emphasis on expanding the diagnostic capabilities of wearable devices beyond monitoring to encompass diagnostic functionalities. Integration with biological samples remains a key hurdle, necessitating advancements in platform compatibility and algorithmic techniques for comprehensive health tracking.

User acceptance emerges as a critical consideration, necessitating device designs that prioritize user preferences, simplicity, and non-intrusiveness, particularly for older adults and individuals with chronic conditions. Security concerns regarding patient confidentiality and data integrity underline the importance of robust encryption and secure communication protocols, ensuring compliance with privacy regulations such as HIPAA. Ethical considerations regarding data collection and interpretation in real-world environments underscore the need for responsible research practices and informed consent procedures.

The advent of big data in wearable healthcare devices presents both opportunities and challenges, with vast amounts of personalized data facilitating personalized interventions and population-level insights. However, managing the volume, variety, and velocity of data poses significant computational and analytical challenges, requiring innovative approaches to data processing, integration, and interpretation. Integration of multimodal and multiscale health data from wearable sensors remains a formidable task, necessitating advanced algorithms and infrastructure for clinical diagnosis and treatment.

In summary, while wearable healthcare devices have made significant strides, numerous challenges persist, ranging from technical enhancements to ethical and regulatory considerations. Addressing these challenges is essential for unlocking the full potential of wearable technologies in improving healthcare delivery and patient outcomes.

## V. CONCLUSION

In conclusion, this review paper highlights the significant strides made in utilizing wearable technologies, particularly Health and Wellness Devices (HWDs), for monitoring and diagnosing various disease conditions. The discussion encompasses skin-based and biofluidic-based HWDs, along with other competing wearable technologies, emphasizing their role in noninvasive and minimally invasive monitoring of critical physiological parameters such as blood pressure, heart rate, and perspiration rate. Furthermore, the paper explores the applications of HWDs in tracking diverse physiological and psychological parameters, underscoring their potential in enhancing healthcare outcomes. Additionally, insights into the use of different materials for monitoring, diagnosing, and treating diseases, as well as the emerging techniques for employing HWDs as drug delivery systems, are presented. While acknowledging the inherent limitations of wearable devices, the review underscores the ongoing research efforts aimed at overcoming these challenges and outlines future prospects for the integration of wearable technologies in healthcare to improve patient care and increase life expectancy.

## REFERENCES

- [1] Lazazzera R, Belhaj Y, Carrault G. A new wearable device for blood pressure estimation using photoplethysmogram. *Sensors*. 2019;19(11):2557.
- [2] 2019;19(11):2557.
- [3] Winokur ES, He DD, Sodini CG. A wearable vital signs monitor at the ear for continuous heart rate and pulse transit time measurements. *Annu Int Conf IEEE Eng Med Biol Soc*. 2012;2012:2724-7. doi: 10.1109/EMBC.2012.6346527. PMID: 23366488; PMCID: PMC4395519.
- [4] Vinitha Sree S, Rob Royea, Kevin J. Buckman, Matt Benardis, Jim Holmes, Ronald L. Fletcher, Ng EYK, U. Rajendra Acharya, Joshua D.I. Ellenhorn,

- [5] An introduction to the Cyncardia Breast Monitor: A wearable breast health monitoring device, *Computer Methods and Programs in Biomedicine*, Volume 197, 2020, 105758, ISSN 0169-2607
- [6] Ghosh, J. M. M. Torres, M. Danieli and G. Riccardi, "Detection of essential hypertension with physiological signals from wearable devices," 2015 37th Annual International Conference of the IEEE Engineering in Medicine and Biology Society (EMBC), Milan, Italy, 2015, pp. 8095-8098, doi: 10.1109/EMBC.2015.7320272. keywords: {Biomedical monitoring; Feature extraction; Hypertension; Monitoring; Skin; Heart rate; Temperature measurement },
- [7] Iwasaki YW, Siomi MC, Siomi H. PIWI-Interacting RNA: Its Biogenesis and Functions. *Annu Rev Biochem.* 2015;84:405-33. doi: 10.1146/annurev-biochem-060614-034258. Epub 2015 Mar 5. PMID: 25747396.
- [8] Fadhillah UDL, Afikah ZAN, Safiee NEN, Asnida AW, Rafiq AKM, Ramlee MH. Development of A Low-Cost Wearable Breast Cancer Detection Device. In: 2018 2nd International Conference on BioSignal Analysis, Processing and Systems (ICBAPS). 2018. p. 41–6.
- [9] Prawiro EAPJ, Yeh C-I, Chou N-K, Lee M-W, Lin Y-H. Integrated wearable system for monitoring heart rate and step during physical
- [10] activity. *Mob Inf Syst.* 2016;2016.
- [11] Arora, A., Chakraborty, P. & Bhatia, M.P.S. Analysis of Data from Wearable Sensors for Sleep Quality Estimation and Prediction Using Deep Learning . *Arab J Sci Eng* **45**, 10793–10812 (2020). <https://doi.org/10.1007/s13369-020-04877-w>
- [12] Roh T, Hong S, Yoo H-J. Wearable depression monitoring system with heart-rate variability. In: 2014 36th Annual International Conference of the IEEE Engineering in Medicine and Biology Society. 2014. p. 562–5.
- [13] Ballester BR, Lathe A, Duarte E, Duff A, Verschure PFMJ. A Wearable Bracelet Device for Promoting Arm Use in Stroke Patients. In: *NEUROTECHNIX*. 2015. p. 24–31.
- [14] S. Hovan George, Aakifa Shahul, & Dr. A. Shaji George. (2023). Wearable Sensors: A New Way to Track Health and Wellness. *Partners Universal International Innovation Journal*, 1(4), 15–34.
- [15] Robinson, T.; Condell, J.; Ramsey, E.; Leavey, G. Self-Management of Subclinical Common Mental Health Disorders (Anxiety, Depression and Sleep Disorders) Using Wearable Devices. *Int. J. Environ. Res. Public Health* **2023**, *20*, 2636.
- [16] Choi, Y.; Jeon, Y.-M.; Wang, L.; Kim, K. A Biological Signal-Based Stress Monitoring Framework for Children Using Wearable Devices. *Sensors* **2017**, *17*, 1936.
- [17] Jia-Min Wu, Hsin-Shui Chen, Hsin-Han Chen, Bor-Wen Cheng, Chiu-Wen Huang, Ming-Hung Chung, Enhancing patient self-management after a first stroke: An application of the wearable devices and the health management platform, *Disability and Health Journal*, Volume 16, Issue 1, 2023, 101392, ISSN 1936-6574.
- [18] Hussain, T.; Ullah, S.; Fernández-García, R.; Gil, I. Wearable Sensors for Respiration Monitoring: A Review. *Sensors* **2023**, *23*, 7518.
- [19] Rodgers MM, Alon G, Pai VM, Conroy RS. Wearable technologies for active living and rehabilitation: Current research challenges and future opportunities. *J Rehabil Assist Technol Eng.* 2019 Apr 26;6:2055668319839607. doi: 10.1177/2055668319839607. PMID: 31245033; PMCID: PMC6582279.
- [20] Tam W, Alajlani M, Abd-alrazaq A An Exploration of Wearable Device Features Used in UK Hospital Parkinson Disease Care: Scoping Review *J Med Internet Res* 2023;25:e42950
- [21] Huen D, Liu J, Lo B. An integrated wearable robot for tremor suppression with context aware sensing. In: 2016 IEEE 13th International conference on wearable and implantable body sensor networks (BSN). 2016. p. 312–7.
- [22] Kroll RR, Boyd JG, Maslove DM. Accuracy of a Wrist-Worn Wearable Device for Monitoring Heart Rates in Hospital Inpatients: A Prospective Observational Study. *J Med Internet Res.* 2016 Sep 20;18(9):e253. doi: 10.2196/jmir.6025. PMID: 27651304; PMCID: PMC5050383.
- [23] Agmasie Damtew Walle, Adamu Takele Jemere, Binyam Tilahun, Berhanu Fikadie Endehabtu, Sisay Maru Wubante, Mequannent Sharew Melaku, Masresha Derese Tegegne, Kassahun Dessie Gashu, Intention to use wearable health devices and its predictors among diabetes mellitus patients in Amhara region referral hospitals, Ethiopia: Using modified UTAUT-2 model, *Informatics in Medicine Unlocked*, Volume 36,
- [24] 2023, 101157, ISSN 2352-9148.
- [25] Lou E, Zbinden D, Mosberger P, Hill DL, Raso VJ. A wireless personal wearable network system to understand the biomechanics of orthotic for the treatment of scoliosis. In: 2008 30th Annual International Conference of the IEEE Engineering in Medicine and Biology Society. 2008. p. 3426–9

- [26] Alshurafa N, Kalantarian H, Pourhomayoun M, Liu JJ, Sarin S, Shahbazi B, et al. Recognition of nutrition intake using time-frequency decomposition in a wearable necklace using a piezoelectric sensor. *IEEE Sens J*. 2015;15(7):3909–16.
- [27] Nathaniel Heintzman, Samantha Kleinberg, Using uncertain data from body-worn sensors to gain insight into type 1 diabetes, *Journal of Biomedical Informatics*, Volume 63, 2016, Pages 259-268, ISSN 1532-0464.
- [28] R. Dudde, Thomas Vering, G. Piechotta and R. Hintsche, "Computer-aided continuous drug infusion: setup and test of a mobile closed-loop system for the continuous automated infusion of insulin," in *IEEE Transactions on Information Technology in Biomedicine*, vol. 10, no. 2, pp. 395-402, April 2006, doi: 10.1109/TITB.2006.864477. keywords: {Drugs; Automatic testing; System testing; Mobile computing; Insulin; Sugar; Automatic control; Pancreas; Diabetes; Biomedical monitoring; Diabetes; glucose monitor; insulin infusion}
- [29] Zhirong Lin, Houde Dai, Yongsheng Xiong, Xuke Xia, Shi-Jinn Horng. Quantification assessment of bradykinesia in Parkinson's disease based on a wearable device. *Annu Int Conf IEEE Eng Med Biol Soc*. 2017 Jul;2017:803-806. doi: 10.1109/EMBC.2017.8036946. PMID: 29059994.