

LSTM AND CNN-BASED FUSION BIOMETRIC RECOGNITION

Abstract

Biometrics, which is a description of used to describe a computerized recognition of people using their special physical features for safety reasons. Biometric authentication is extremely challenging, necessitating the creation of new, more effective methods in order to distinguish between a genuine, valid feature and a false, self-manufactured, synthetic, or reconstituted sample. The development of biometric detection technology has fuelled by means of recent advancements in computer vision, machine learning, and the process of recognizing patterns. By combining two authentications, the suggested solution aims in order to improve the security of biometric recognition systems. Each modality has a particular set of challenges. When it made sense, adults were employed to assess how well software and technology geared for new-borns performed. The reliability of systems for biometric authentication depends on the type of biometric feature employed, the quality of the data acquired, and the efficiency of the algorithm. The suggested method outperforms prior state-of-the-art methods, and additional biometric data exposes highly critical information that can be utilized to successfully distinguish real features from imitations. Study authors huddled adult iris, retina, fingerprint, and other biometric data in preparation for putting adult biometric identity systems into practice. The pictures were captured using modern day technology, and the iris modality's preliminary analysis procedures were modified to take into consideration the location and slicing of adult lids.

Keywords: CNN, LSTM, Fingerprint, Iris, Biometrics, Authentication.

Authors

G. Karthiha

Assistant Professor
Department of Artificial Intelligence and Data Science
Karpaga Vinayaga College of Engineering and Technology
Chengalpattu, India.

Swetha

Student
Department of Artificial Intelligence and Data Science
Karpaga Vinayaga College of Engineering and Technology
Chengalpattu, India.

G. Radhika

Assistant Professor
Department of computer Science and Engineering
Annai Vailankanni College of Engineering
Azhaapuram, Kanyakumari, India.

I. INTRODUCTION

Biometric information about the enrollee is collected during enrolment and maintained in a database. The recorded biometric data is compared to the data that has been preserved in order to demonstrate a person's identity later on during verification or identification. The usage of biometric identification spans several industries, applications, and sectors. It is frequently used for security and access. Control functions include things like opening locks on devices, entering restricted areas, and approving transactions. Border executives, law enforcement, medical care, and financial services are just a few of the numerous industries that use biometrics. The goal of biometric recognition is to identify people using distinctive physiological or behavioral traits. Biometric identification has received substantial interest in the fields of computer vision and machine learning.

Long short-term memory (LSTM) algorithms and convolution neural networks (CNNs) have lately come into prominence as effective approaches for biometric identification applications. Accuracy, dependability, and effectiveness of biometric recognition systems have all been significantly improved as a consequence of the inclusion of these algorithms.

The goal of this project is to establish a trustworthy system for identifying and confirming people based on their biometric data and to investigate how CNN and LSTM algorithms may be utilized for biometric recognition, as illustrated in figure 1. The suggested system will be created using deep learning techniques and sizable biometric data sets, and it will make use of observable biological or behavioural variables including fingerprints, facial features, iris, and retinal patterns. It gives a precise and accurate mechanism for certifying a person's identify and substantially improves the security of numerous apps.



Figure 1: Fingerprint and Iris (source: astarmathsandphysics.com)

II. LITERATURE SURVEY

1. J. Daugman proposed in 2006 that an automated biometric system may identify a person based on a unique feature or attribute. The most reliable and precise biometric technique currently available is iris recognition. Due of its qualities, the iris is a particularly desirable biometric. The distinctive iris pattern of each eye is captured digitally, encoded into a biometric template, and stored in a database. A biometric template, which makes

template comparisons easier, is an impartial mathematical representation of the distinctive data stored in the iris. On clean data sets, existing algorithms that extract and match iris characteristics have shown incredibly high recognition rates. The "Iris Recognition System through sparse modelling" research from the present publication describes the development of a system for iris recognition utilizing sparse recognition.

2. Algorithms for identifying persons based on their iris patterns were developed by J. Daugman in 2004, and they have subsequently been tested in several field deployments with no false matches in millions of iris comparisons. The recognition principle is the failure of a statistical independence test on the iris phase structure as captured by multi-scale quadrature 2D Gabor wavelets. In order to make extremely certain real-time decisions about personal identity, the combinatorial complexity of this phase information across various persons encompasses around 249 Degrees of freedom and generates discrimination entropy of about 3.2 bits/mm² across the iris.

These high confidence levels are important because they enable extensive searching (one-to-many "identification mode") of very large datasets, even on a national scale, without producing false matches despite the abundance of possibilities. Without this functionality, biometrics can only tolerate one-to-one ("verification") or a limited number of comparisons. This paper gives the results of 9.1 million eye image comparisons from trials in the United Kingdom, the United States, Japan, and Korea and discusses the iris identification algorithms.

3. A prototype system for person verification based on automated iris recognition was proposed by R. P. Wildes and other researchers. The discovery that the human iris offers a particularly intriguing structure on which to construct a technique for non-invasive biometric monitoring served as the impetus for this endeavour. Particularly irises are recognized in the biological field as being as distinctive as fingerprints or patterns of blood vessels in the retina. Additionally, since the iris is an exposed body, a computer vision system can assess its appearance from a distance. This paper's main argument discusses how such a system is created and run. The results of an empirical study, in which the system flawlessly evaluates 520 iris photos, are also presented.
4. In 2010, H. Proença stated that "Continuous efforts have been made to improve the robustness of iris coding methods since Daugman's pioneering work on iris recognition was published." Iris recognition is now being used with excellent success in a variety of contexts (airport check-in, refugee control, etc.). However, several imaging restrictions are applied in order to achieve acceptable error rates, which reduce the flexibility of iris recognition systems.

The majority of published iris recognition algorithms employ phase, zero-crossing, or texture-analysis methodologies to encode iris texture information utilizing a statistical pattern recognition paradigm. In this paper, we present a method for recognizing structural (syntactic) patterns. The results we obtained demonstrate how the proposed method operates akin to the statistical approach that forms the basis of virtually all deployed systems, in addition to the inherent advantages of this technique (intuitive description and human interpretation of system functioning).

5. Even though iris recognition technology has been said to be more stable and reliable than other biometric systems, B. J. Kang and K. R. Park proposed that performance can be affected by a number of things, such as small eyes, camera defocusing, eyelash occlusions, and specular reflections on the surface of glasses. In this study, we provide a novel multi-unit iris authentication technique based on score level fusion and an assessment method for mobile phone quality. Two new discoveries are added to previous research in this inclusion. To reduce the false rejection rate and improve the accuracy of iris identification, we first employed iris quality evaluation.

Second, we re-recorded the iris pictures without using a recognition method if even two iris shots were judged to be of low quality. The left and right irises' combined iris images were used for identification if just one of them was considered sufficient. To accomplish multi-unit iris recognition, we used score tier fusion utilizing an SVM when both the primary left and right iris images were excellent. Experimental results showed that the proposed method worked better than previous systems that used only one good ocular shot or technologies that used ordinary fusion algorithms.

6. According to an estimate made in 2008 by K. Nandakumar and his coworkers, multibiometric systems use data from several sources to make up for the limitations of individual matchers. We offer an equation based on the probability ratio test for the optimal arrangement of match scores. A finite Gaussian mixed model represents the probability distributions of sincere and fake match scores. The proposed fusion method is comprehensive in that it can handle,

- Independent values in the histogram of biometric match scores
- Unreliable match score ranges and increases
- The association of numerous matchers' ratings, and
- Superior quality samples from several biometric sources. Three multibiometric datasets were employed in the experiments, and the results consistently outperformed commonly used scores.

7. In 2014, P. Wiggin and L. Ericson analysed commercial off-the-shelf contactless technology. Fingerprint devices are typically used for staff access control for a local database of registrants. Although it is feasible that these gadgets may be adapted for use in an emergency, increased capacity, further investment, and development would be necessary. The Government bodies those are particularly involved in sponsoring the development of improved contactless. The National Institute of Justice, the United States Ministry of Fairness, the Department of Homeland Safety and Security, and the Ministry of Defence.

Moreover, several Manufacturers do internally supported research and development, and there is Academic research activity. Contactless fingerprint scanning systems provide various potential benefits over traditional fingerprint collecting techniques, including higher quality fingerprint photos, quicker capture times, unattended fingerprint gathering, and a lower probability of pollutants spreading among participants. Only the FS3D devices completed a comprehensive 3D scan of the fingerprint topography, as stated in this paper. Others employed a variety of approaches, ranging from estimating the curve of the real finger to deciding the optimal way to unroll the scan.

Because scanning technology varies among manufacturers, as do unrolling and distortion techniques, it will be critical to inform stakeholders about the validity, repeatability, and match ability of the fingerprints produced by different systems. Furthermore, for this technology to be used, stakeholders and end-users must be confident in the interoperability of the new systems with current fingerprint databases.

8. A revised definition of the quality of fingerprint impressions and thorough techniques for evaluating image quality for fingerprints were offered by E. Tabassi and his associates in 2004. We define fingerprint image quality as a predictor of matcher performance prior to implements a matcher method. This means that giving the matcher high-quality fingerprint images will lead to superior matcher achievement, in contradiction to low-quality fingerprint images that will lead to decreased matcher performance. We also performed an unbiased evaluation of the fingerprint image quality. Our C-written quality metric has been verified using 20 different live scan and paper fingerprint datasets collected under diverse operational circumstances. Our solution is included in the NIST biometrics programs and is freely accessible, although export is banned.
9. J. Daugman's recommended algorithms for identifying persons based on their iris patterns in 2009 have now been put to the test in a variety of arena and laboratory investigations, and millions of checks for comparison have resulted in no false matches. The recognition concept is based on the failure of a statistical independence test on the multi-scale quadrature wavelet-based iris phase structure. Combinatorial complexity of this phase information across many persons is approximately 249 degrees of freedom, and it generates discrimination entropy of about 3.2 b/mm/sup2/ throughout the iris, allowing for incredibly confident real-time decisions regarding personal identity.

Due to the enormous databases' ability to be extensively searched (in "one-to-many" "identification mode") without returning any false matches, the high levels of trust are important. Without it, biometrics can only tolerate one-to-one ("verification") or a limited number of comparisons. The paper provides an overview of the iris algorithm for recognition and presents the results of 9.1 million scans of eye images from studies conducted in the UK, Japan, and Korea.

III. PROPOSED WORK

1. **Input Design:** The user and the information system are connected via the input design. To get transaction data into a form that can be processed, it also entails creating guidelines and processes for data preparation. To achieve this, either have users directly enter the data into the system by keying it in or inspecting the computer to read the data from a written or printed document. Input design places a high priority on reducing the amount of input required, minimizing errors, saving time, removing unnecessary steps, and simplifying the process. The input is created in a way that maintains privacy while ensuring security and ease. The following elements were considered by Input Design.:
 - What information has to be supplied as input?
 - In what way should the data be labelled or laid out?
 - The debate that directs the operational staff as they provide feedback.
 - Techniques for creating input validations and actions to do in the event of a mistake.

Intentions are,

- The process of converting a user-focused description of the input into a computer-based system is known as input design. This design is essential for preventing errors during the data entry process and guiding management as to the appropriate direction for getting reliable information from the computerized system.
- It is done by creating data entry panels that are user-friendly and capable of processing massive volumes of data. The goal of input design is to eliminate errors and enhance entering data. The structure of the data entry page makes it easy to manipulate the contents in any manner you desire. You can additionally view the recordings you've made.
- The info will be verified when it is input. Panels may be used to input data. When necessary, specific indicators are sent, keeping the user out of the maze. As a result, the objective of input design is to offer a straightforward input layout.

IV. PREPROCESSING AND POSTPROCESSING IMAGES:

The reference-standard pre-processing and post-processing techniques in the Image Processing Workbench handle typical system problems such as interfering noise, a small dynamic range, out-of-focus optics, and changes in colour representation across input and output devices. By altering an image's colours or intensities, visual enhancement techniques in Image Processing Workbench let you increase signal-to-noise ratio and showcase visual elements,

- You might apply linear, median, or adaptive filtering
- Histogram equalization
- Decorrelation stretching
- Dynamic range remapping
- Gamma value adjustment and decorrelation stretching.

In addition to a general multidimensional filtering function that accepts integer image types, offers a variety of boundary-padding options, and performs convolution and correlation, specialized filtering methods are also available. Additionally, preset filters and functions are available for creating and using your own linear filters. Image Processing Toolkit contains deconvolution methods for blind, Lucy-Richardson, Wiener, and regularized filters, as well as converters for point spread and optical transfer functions. With the use of these capabilities, blurring brought on by out-of-focus lenses, camera or subject movement during image capture, atmospheric conditions, brief

exposure times, and other problems may be corrected. All debarring functions work with photographs that are in multiple dimensions.




Figure 2: Architecture Diagram

Regardless of input and output devices, Image Processing Toolbox's tone oversight permits you to faithfully convey color. This is crucial for researching a device's characteristics, measuring color accuracy, or developing algorithms for a variety of gadgets. Dedicated toolbox routines may be used to convert images between device-independent color spaces including sRGB, XYZ, xyY, L*a*b*, uvL, and L*ch. The toolkit enables profile-based color space conversions using an ICC version 4 color management system for better versatility and control. Create new or modify established ICC color profiles for specified input and output devices, specify the rendering goal, and locate all complying profiles on your system. Import n-dimensional ICC color profiles.

Image processing tasks including picture enhancing, analysis, restoration, and compression all require image transformations like FFT and DCT. Many image modifications, including Radon and fan beam projections, are available in the Image Processing Toolbox. It is feasible to recreate images using data from parallel-beam and fan-beam projections (common in tomography applications). The Wavelet Toolbox and MATLAB both provide image transforms. Imaging programs typically need to convert images between different picture formats and data classes. For example, the single- and double-precision floating-point and signed or unsigned 8-, 16-, and 32-bit integer data types may all be converted using the tools in the Image Processing Toolbox. The toolkit offers image conversion methods for real color, indexed color, binary, and monochromatic pictures. The toolkit especially supports Bayer pattern encoding and high dynamic range images for color imaging, alongside an assortment of color spaces (including YIQ, HSV, and YCrCb).

V. ANALYSING IMAGES

The Image Processing Toolbox is a complete set of graphical tools and industry-standard methodologies for image processing tasks including statistical analysis, feature extraction, and property evaluation. You may study the essential components of a photograph using functions from statistics by:

- The mean or standard deviation can be calculated.
- Plotting a profile of the value of intensity Edge-detection processes.
- Being able to see a photographic heatmap.
- Assessing the value of intensity readings along a line segment.

The Gaussian Sobel, Prewitt, Roberts, Canny, and Laplacian techniques are some of these algorithms. The efficient canny method avoids being "fooled" by noise and can identify real weak edges. Picture area borders are determined by picture segmentation algorithms.

Investigate a variety of methods for image segmentation, such as automated thresholding, edge-based techniques, and morphology-based techniques like the watershed transform, which is widely employed to segment touching objects.




Figure 3: Activity Diagram for Biometric Recognition

You may segment a picture into regions, thin regions, or thin regions using morphological operators, as well as recognize edges, enhance contrast, get rid of noise, and do all of these things. Skeletonize the sections as seen in picture 3. Morphological characteristics of the Picture Processing Toolbox include:

- Degradation and enlargement
- Reopening and closure as well
- Tagging of associated elements
- Basin categorization
- Restitution
- Distance conversion Extensive image analysis tools in the Visual Analysis Workbench empower you to:
- Quantify an image region's characteristics, such as its area, center of mass, and boundary circle
- Identify lines in an image and quantify chunks of line based on its Hough restructure. You may measure attributes like surface via inspection of textures functions roughness colour variation.

VI. WORKING WITH LARGE IMAGES

Some pictures are so large that it is impossible to display and process them using standard methods. There are processes in Image Processing Toolbox that make it possible to work with larger images than would otherwise be possible. Despite maintaining the entire image in remembering, you can establish a reduced-resolution analysis (R-collection) that divides an image into spatially tiles and recalculates it at various frequency levels. The ability to navigate and video presenting get better by this method. Applying a function to each individual block of a large picture using a block-based processing methodology can use a lot less memory. To work with large snapshots, a further option is the computational Toolbox. Each toolbox has already been covered in detail.




Figure 4: Flow Diagram for Biometric Recognition

Large photographs may be challenging to deal with due to their size and memory requirements. Here are some pointers and ways for dealing with large images effectively. Image Compression when working with huge photographs, processing and memory resources might rapidly run out. Use image compression technologies to minimize file size without losing quality. JPEG and PNG are two common image compression formats. Adjust the compression level to achieve a reasonable balance between image qualities and file size. Memory Optimization: It may not be feasible to put a large image into memory all at once. Consider employing techniques such as tiling or memory mapping to load and analyse smaller bits or sections of the picture at a time.

This allows you to alter specific sections of the image without needing to use memory enhancement. If you regularly work with the same large image, try caching treated copies or interim discoveries to avoid duplicating calculations. The image should be pre-processed for a few actions, and the results preserved for faster access in subsequent operations. Keep an eye on memory utilization and performance throughout image processing operations to ensure optimal performance and minimize memory-related issues? Experiment with different techniques and approaches based on your specific needs and the capabilities of the hardware and software environment you're working with algorithms. The flow diagram for Biometric Recognition has shown in figure4.

VII. EXPERIMENTAL RESULT

A high-quality output is one that fulfils the end user's demands and effectively conveys the data. Any technique's outputs express the results of processing to users and other systems. Both the hard copy output and how information is to be transferred for immediate use are determined by the output design. It starts MATLAB Verification and is the most important.

The Allowed Fingerprint Identification Comparison Authentication will be clearly identified each week if the Eye Tracking is successful. It is prohibited. The user receives the information directly from the source. The system-user interaction is enhanced and users are assisted in making decisions through streamlined and adaptive output design.

1. Computer output must be organized and well-thought-out; appropriate outcome must be generated while making sure that every output portion is made in a way that users will find the entire system logical and efficient. They have to pinpoint the precise output needed to satisfy the criterion while analyzing computer output.
2. Find the most effective means of communication.
3. Make a document, report, or other format containing the data the system created. A minimum of one of the objectives listed below should be satisfied by utilizing a mechanism's presentation form,
 - Signal significant events, opportunities, issues, or warnings
 - Provide information about previous actions, current conditions.
 - Predictions of the future
 - Trigger or confirm an action.

- **Front End Page**




Figure 5: LSTM and CNN-Based Fusion Biometric Recognition

- **Iris Processing**




Figure 6: Iris Pre-Processing

- **Iris Output**




Figure 7: Iris Output

- **Fingerprint Processing**




Figure 8: Fingerprint Pre-Processing

- **Fingerprint Output**




Figure 9: Fingerprint Output

- **Fusion Recognition Result**




Figure 10: Fusion Recognition Result

VIII. CONCLUSION

Finally, in a number of sectors, including security, identity verification, and access control, biometric recognition technologies have grown in acceptance and significance. These systems employ distinctive physical or behavioural characteristics like fingerprints, iris patterns, face traits, or voiceprints to precisely identify individuals. The use of biometric recognition technology has produced a number of advantages. Starting off, biometric characteristics provide a higher level of security than more conventional figuring out techniques like passwords or ID cards since they are challenging to copy or falsify. As a result, the chances of identity theft and illicit entry are lessened. Second, by removing the need to memorize credentials or carry physical credentials, biometric systems offer convenience and effectiveness.

By displaying their biometric traits users may quickly recognise themselves, resulting in faster operations and more security. Systems for biometric recognition face an assortment of obstacles, though. Because biometric information is so private, privacy issues arise. To prevent misuse or unauthorized access, certain security measures are required for the transfer and retention of biometric data. The dependability and preciseness of a biometric system may also depend on the standard of the biological specimens that were retrieved, the system architecture, and contextual variables. To increase accuracy and lower incorrect decision-making rates, ongoing development and research needs to be done.

Despite all of this, biometric authentication technologies have been successful in a number of fields, including banking, healthcare, and border control. As technology advances, we should anticipate major advancements in biometric algorithms, sensor technologies, and communication with other systems, leading to ever more dependable and secure biometric identification solutions. Generally speaking, biometric recognition technologies provide a possible route for enhancing security and convenience in a range of industries, and their further development and implementation will most likely define the future of authentication and identification.

Future Works

We may include an adult ear biometric module in the future. This may be combined with the modules. Biometric identification technologies provide immense promise for increasing security, usability, and personalisation in a range of industries. To ensure the ethical and beneficial Addressing ethical, privacy, and regulatory problems will be critical in the deployment of these technologies.

REFERENCES

- [1] J. Daugman, "Probing the uniqueness and randomness of iriscodes: Results from 200billion iris pair comparisons," *Proc. IEEE*, vol. 94, no. 11, pp. 1927–1935, Nov. 2006.
- [2] J. Daugman, "Recognizing persons by their iris patterns," in *Advances in Biometric Person Authentication*. Springer, 2005, pp. 5–25.
- [3] R. P. Wildes, J. C. Asmuth, G. L. Green, S. C. Hsu, R. J. Kolczynski, J. R. Matey, and S.E. McBride, "A system for automated iris recognition," in *Proc. IEEE Workshop Appl.Comput. Vis.*, Dec. 1994, pp. 121–128.
- [4] H. Proença, "An iris recognition approach through structural pattern analysis methods," *Expert Syst.*, vol. 27, no. 1, pp. 6–16, Feb. 20.

- [5] B. J. Kang and K. R. Park, "A new multi-unit iris authentication based on quality assessment and score level fusion for mobile phones," *Mach. Vis. Appl.*, vol. 21, no. 4, pp.541–553, Jun. 2010.
- [6] K. Nandakumar, Y. Chen, S. C. Dass, and A. K. Jain, "Likelihood ratio based biometrics score fusion," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 30, no. 2, pp. 342–347, Feb. 2008.
- [7] P. Wiggin and L. Ericson, "Contactless fingerprint technologies assessment," *Nat. Criminal Justice Reference Service, ManTech Int. Corp., Fairmont, WV, USA, TechRep.*, 2014.
- [8] B. C. Stanton, M. F. Theofanos, S. M. Furman, and P. J. Grother, "Usability testing of a contactless fingerprint device: Part 2," *NIST, Gaithersburg, MD, USA, Tech. Rep. NISTIR 8158*, 2016.
- [9] J. Daugman, "How iris recognition works," in *The Essential Guide to Image Processing*. Amsterdam, The Netherlands: Elsevier, 2009, pp. 715–739.
- [10] E. Tabassi, C. Wilson, and C. Watson, "Fingerprint image quality," *Nat. Inst. Sci. Technol., Gaithersburg, MD, USA, Tech. Rep. 7151*, 2004.
- [11] C. Gottschlich, T. Hotz, R. Lorenz, S. Bernhardt, M. Hantschel, and A. Munk, "Modeling the growth of fingerprints improves matching for adolescents," *IEEE Trans. Inf. Forensics Security*, vol. 6, no. 3, pp. 1165–1169, Sep. 2011.
- [12] *Matric Pupil Gets Back His Identity*. eNCA. [Online]. Available: <https://www.enca.com/south-africa/matric-pupil-gets-back-his-identity>.
- [13] *A Message for Parents: How to Protect Your Kids with ID Kits*, Federal Bureau of Investigation (FBI), Washington, DC, USA, 2006.
- [14] A. Sussman, K. Becker, B. Cukic, G. Zektser, P. McKeown, and C. Bataller, "Biometrics fundamentals," in *IEEE Certified Biometrics Professional (CBP) Learning System. Module 1: Biometrics Fundamentals*. 2012.
- [15] S. Tiwari, A. Singh, and S. Singh, "Integrating faces and soft-biometrics for newborn recognition," *Int. J. Adv. Compute. Eng. Archit*, vol. 2, no. 2, pp. 201–209, 2012.
- [16] S. Tiwari, A. Singh, and S. Kumar Singh, "Intelligent method for face recognition of infant," *Int. J. Compute. Appl.*, vol. 52, no. 4, pp. 36–50, Aug. 2012.
- [17] S. Siddiqui, M. Vatsa, and R. Singh, "Face recognition for newborns, toddlers, and pre school children: A deep learning approach," in *Proc. 24th Int. Conf. Pattern Recognit. (ICPR)*, Aug. 2018, pp. 3156–3161.
- [18] S. Bharadwaj, H. S. Bhatt, M. Vatsa, and R. Singh, "Domain specific learning for newborn face recognition," *IEEE Trans. Inf. Forensics Security*, vol. 11, no. 7, pp. 1630–1641, Jul. 2016.
- [19] P. Basak, S. De, M. Agarwal, A. Malhotra, M. Vatsa, and R. Singh, "Multimodal biometric recognition for toddlers and pre-school children," in *Proc. IEEE Int. Joint Conf. Biometrics (IJCB)*, Oct. 2017, pp. 627–633.
- [20] A. Potamianos, A. Potamianos, S. Narayanan, and S. Member, "Robust recognition of children's speech," *IEEE Trans. Speech Audio Process.*, vol. 11, no. 6, pp. 603–616, Nov. 2003.
- [21] S. Safavi, M. Najafian, A. Hanani, M. Russell, P. Jan, and M. Carey, "Speaker recognition for children's speech," in *Proc. Interspeech*, 2012, pp. 1836–1839.
- [22] J. Kotzerke, S. Davis, K. Horadam, and J. McVernon, "Newborn and infant footprint increase pattern extraction," in *Proc. IEEE Int. Conf. Image Process.*, Sep. 2013, pp. 4181–4185.
- [23] W. Jia, H.-Y. Cai, J. Gui, R.-X. Hu, Y.-K. Lei, and X.-F. Wang, "Newborn footprint recognition using orientation feature," *Neural Compute. Appl.*, vol. 21, no. 8, pp. 1855–1863, Nov. 2012.
- [24] S. Balameenakshi and S. Sumathi, "Biometric recognition of newborns: Identification using footprints," in *Proc. IEEE Conf. Inf. Commun. Technol.*, Apr. 2013, pp. 496–501.
- [25] D. Weingaertner, O. Regina, P. Bellon, and L. Silva, "Newborn's biometric identification: Can it be done?" in *Proc. VISAPP*, 2011, pp. 200–205.
- [26] A. Uhl and P. Wild, "Comparing verification performance of kids and adults for fingerprint, palmprint, hand-geometry and digitprint biometrics," in *Proc. IEEE 3rd Int. Conf. Biometrics: Theory, Appl., Syst.*, Sep. 2009, pp. 1–6.
- [27] J. den Haartog, S. Moro-Ellenberger, and R. van Munster, "Evaluation report biometrics Trial 2b or not 2b," in *Minister Interfaces Kingdom Relations*. Amsterdam, The Netherlands, 2005, pp. 1–69.
- [28] J. K. Schneider, "Quantifying the dermatoglyphic growth patterns in children through adolescence," *U.S. Dept. Justice, Nat. Criminal Justice Reference Service, Ultra Scan Corp., Amherst, MA, USA, Tech. Rep. FR00A178000-1*, 2013, pp. 1–57.
- [29] Y. Koda, T. Higuchi, and A. K. Jain, "Advances in capturing child fingerprints: A high resolution CMOS image sensor with SLDR method," in *Proc. Int. Conf. Biometrics Special Interest Group (BIOSIG)*. Piscataway, NJ, USA: IEEE Press, 2016, pp. 1–4.

- [30] R. Lemes and O. Bellon, ,,Biometric recognition of newborns: Identification using palmprints,“ in Proc. Int. Joint Conf. Biometrics (IJCB), Oct. 2011, pp. 1–6.
- [31] S. Tiwari, A. Singh, and S. K. Singh, ,,Newborn’s ear recognition: Can it be done?“ in Proc. Int. Conf. Image Inf. Process., Nov. 2011, pp. 1–6.
- [32] S. Tiwari, ,,Fusion of ear and soft-biometrics for recognition of newborn,“ Signal Image Process.: Int. J., vol. 3, no. 3, pp. 103–116, Jun. 2012.
- [33] L. Lovett, ,,AI-powered biometric recognition company Element lands 12M,“ Mobile Health News, 2018.
- [34] C. S. Ntshangase and D. Mathekga, ,,Ear recognition for young children: What has been done?“ in Proc. Int. Multidisciplinary Inf. Technol. Eng. Conf. (IMITEC 2019), 2019, pp.1– 6.
- [35] S. Tiwari, S. Kumar, S. Kumar, and G. R. Sinha, ,,Ear recognition for newborns,“ in Proc. 2nd Int. Conf. Compute. Sustain. Global Develop. (INDIACom), Mar. 2015, pp.1989– 1994.
- [36] S. Tiwari, S. Jain, S. S. Chandel, S. Kumar, and S. Kumar, ,,Comparison of adult and newborn ear images for biometric recognition,“ in Proc. 4th Int. Conf. Parallel, Distrib. Grid Comput. (PDGC), Dec. 2016, pp. 421–426.
- [37] S. Adel Bargal, A. Welles, C. R. Chan, S. Howes, S. Sclaroff, E. Ragan, C. Johnson, and C. Gill, ,,Image-based ear biometric smartphone app for patient identification in field settings,“ in Proc. 10th Int. Conf. Comput. Vis. Theory Appl., 2015, pp. 171–179.
- [38] M. Kumar, A. Insan, N. Stoll, K. Thurow, and R. Stoll, ,,Stochastic fuzzy modelling for ear imaging based child identification,“ IEEE Trans. Syst., Man, Cybern. Syst., vol. 46, no.9, pp. 1265–1278, Sep. 2016.
- [39] [S. Ntshangase and D. Mathekga, ,,The comparison of ear recognition methods under different illumination effects and geometrical changes,“ in Proc. Int. Conf. Adv. Big Data, Compute. Data Commun. Syst. (icABCD), Aug. 2019, pp. 1–6.
- [40] J. G. Daugman, ,,High confidence visual recognition of persons by a test of statistical independence,“ IEEE Trans. Pattern Anal. Mach. Intell., vol. 15, no. 11, pp. 11481161,1993.