

HEALTH PER ACRE ORGANIC SOLUTIONS TO MALNUTRITION IN INDIA

Abstract

Food, nutrition, health, prosperity, future and growth, as well as hunger, disease, poverty, despair and national collapse, are hotly debated topics. There is not only a correlation but also a cause and effect relationship. One of the oldest and most well-established careers in the world, agriculture is no longer economically viable for the majority of people, as thousands of farmers worldwide demonstrate. India has witnessed an increase in suicides in the last two decades. But the real question is whether our farmers killed themselves or our nation failed them. The primary goals of national agriculture are to promote health and feed its citizens with a diet rich in all essential nutrients. However, profit maximization was promoted as the primary goal of agriculture. The sad reality is that the more profitable agriculture becomes, the higher the farmer debt and suicide rate, and the worse the food and nutrition crisis becomes. Ironically, despite all the claims, profit maximization for farmers is still far from being achieved [1] while the country has paid a high price. One of the most commonly used chemicals in agriculture, pesticides, is generally claimed by proponents of conventional agriculture to have little or no effect on human health. However, every year, millions of tons of pesticides released into the environment in the name of high-yield agriculture end up in the bodies of people, animals, fish and birds. This is evident from the fact that quantifiable levels of certain pesticides have been found in breast milk, which pose a probable risk to breast-fed infants [2]. The gamble isn't insignificant, but instead dubious. The disturbing measure of synthetic substances in honey sold in the Indian market has as of late started a lot of conversation. The creation of science and technology was for the benefit of humanity. Conversely, science and innovation in farming frequently serve human eagerness. A portion of the world's enduring waterways don't arrive at the ocean and on second thought remain to some degree dry because of the

Authors

Dr. Archana Ainapure
Director
Symbiosis Skills and Professional
University
Pune, India.

broad water system necessities of regular farming. Traditional farming likewise contributes fundamentally to dangerous atmospheric devotions and adversely affects wellbeing. In this chapter, we will limit our discussion to the impact of conventional agriculture on population and individual health. This report considers the healthy and beneficial parts of food varieties from natural and conventional cultivation. Subjects in this section include patterns of disease in the population and how these patterns may be linked to the food we eat, as well as supplements delivered to individual parts of the soil using two cultivation frameworks. Conventional agriculture estimates "yield" per acre without considering the price of chemical inputs or their effects on the environment and human health. "Yield" measures the results of a monoculture, whereas we need to measure the different results of a farming system. The yield likewise doesn't give data on the healthy benefit of the food. With an emphasis on wellbeing and sustenance, we ought to gauge wellbeing per section of land instead of yield per section of land.

Keywords: Health, Malnutrition, Organic food, Food production

I. WHAT IS “HEALTH”?

Malnutrition has reached a crisis in India. Interventions that promise to address malnutrition crises should consider many forms and levels. The levels include diversification of food production, curbing food inflation, food distribution, women's education and policy implementation. Forms include maximizing food production, controlling inflation, distribution and education. A better strategy than maximizing the production of certain foods is to maximize nutritional production. India has so far focused primarily on yield per acre. However, several mass-produced foods cannot provide the ideal combination of nutrients for every person. To guarantee appropriate nourishment we want to differentiate our eating regimen and to accomplish dietary enhancement we really want to expand our farmland. Shockingly various outcomes arose while contrasting the nourishment delivered per section of land of farmland in the two cultivating frameworks leaning toward blended crops in light of natural biodiversity. It is important to emphasize whether abundant food production or abundant production of all different nutrients can alleviate the hunger epidemic. An eco-friendly, cost-effective, sensible, time-tested and sustainable solution to the problem of malnutrition in India is mixed cropping based on organic biodiversity.

Over the centuries, human health has received significant attention. Society, culture, nations and history have all been shaped by how good people are as individuals, families and populations. Health is of immense importance at all levels of social organization, and ignoring it can be not only futile but also politically and socially irresponsible. Ancient societies understood the value of health on both an individual and societal level. Myths from various parts of the world mention gods bestowing blessings on their followers. Apollo in Greek and Roman folklore and Dhanvanti in Hindu folklore are related with wellbeing and mending. This reality emphasizes the long-term nature of the concept of health. Health is not a recent achievement for mankind, nor is it a recent remarkable feat.

While the concept of health remains controversial, there are several accepted definitions. According to Ayurveda, a system of traditional medicine originating from the Indian subcontinent, health is defined as "Samadoshah Samagnischa Samadhatumala kriyaha, Prasanna Atmendria Manaha Swastha Ityabhidheeyate". This definition, created by Vagbhat, means that one is in good health when one consistently consumes healthy food, leads a balanced lifestyle, practices generosity and forgiveness, values truth, and serves others. Only when an individual achieves harmony in his physical, mental, psychological and emotional aspects can he be considered healthy. Patanjali, the pioneer behind the way of thinking and practice of yoga, expresses that sickness and infirmity can obstruct the eightfold way prompting Samadhi, a condition of prosperity otherwise called association with the All-powerful.

Biblical principles, especially those found in the Old Testament, relate to nutrition and health. For example, Ezekiel was commissioned to produce nutritious multi-grain bread. The health laws given to Moses by God emphasized disease prevention rather than treatment. Moses recognized the effectiveness of prevention and advocated clean food, clean water, clean air, a clean body and a healthy environment. These biblical principles remain timeless and relevant today. The Bible says that God deals with the cause of sickness, not just the symptoms. The scriptural meaning of wellbeing is complete and incorporates an individual's physical, mental, otherworldly and social prosperity. It goes past the shortfall of infection and

underscores a feeling of completeness, culmination, harmony and flourishing. It focuses on being in right relationship with God and then being appropriately connected to everything and everyone else. It equips individuals to fulfill God's calling and purpose.

In the Islamic faith, good health is considered a gift from Allah that ensures salvation in the hereafter and allows one to enjoy life in this world. The Qur'an specifically mentions, "Eat and drink, but waste not unnecessarily" (7:31). These instructions enjoin the followers of the Qur'an to consume the right foods in appropriate quantities and forbid overeating because it is harmful to health. According to the Buddha, good health is the greatest gift because without it, life is only a condition of suffering and is akin to death. Buddha believed that having a healthy body is important because it contributes to a strong and pure mind. A decent exchange among brain and body, as well as among life and its current circumstance, is underlined in the Buddhist perspective on great wellbeing. When this delicate balance is disturbed, disease often results.

Old texts alone cannot adequately express the value of health; we have all seen firsthand how sickness and death affect those around us. The agony and suffering caused by ill health is now more apparent than ever. According to the World Health Organization (WHO), "health is a state of complete physical, mental and social well-being and not merely the absence of disease or infirmity." The International Health Assembly in New York from June 19 to July 22, 1946 enacted the preamble to the Constitution of the World Health Organization, where this definition comes from. It was ratified on April 7, 1948 by representatives of 61 states. This concept has recently been expanded to include the ability to live a "residential productive life" that is socially and economically satisfying.

We have adopted a new health philosophy over the years that can be summarized as follows:

- Wellbeing is an essential basic liberty.
- Wellbeing is the pith of a useful life, not simply the result of expanded spending on clinical consideration.
- Wellbeing is an interdisciplinary field, including different disciplines and areas.
- Wellbeing is an essential piece of advancement, interlaced with social and financial advancement.
- Wellbeing lies at the center of the idea of personal satisfaction.
- Wellbeing requires individual, state, and global obligation.
- Putting resources into wellbeing and its upkeep is a critical social speculation.
- Wellbeing is a worldwide social goal.

These principles emphasize the broad and complex nature of health, emphasizing its multidimensional aspects and the collective responsibility for achieving and maintaining it. In terms of law, Section 4 of the Constitution of India clearly states that "The State shall regard the raising of the nutritional and standard of living of the people and the improvement of public health as one of its principal functions". By promoting healthy nutrition, good living conditions and public health, this article establishes the duty of the state to put the welfare of its citizens first.

Based on the above comments, it is clear that the health triangle – a term used to describe the interrelationships between physical, mental and social well-being – is an essential part of achieving overall health. Some may build a quadrilateral of health that also includes a spiritual component. This viewpoint emphasizes that keeping the body free from disease and maintaining social well-being are essential to attaining excellent health.

People's concerns about the quality and effects of the food they eat have increased in modern times. The development of scientifically modified foods aimed at improving the health of individuals and communities is part of an expanding emphasis on food-related nutrition and health. However, it is essential to consider whether the dietary and health benefits offered by such foods are consistent with the values and goals of spiritual leaders such as Buddha, Jesus, Muhammad, and Patanjali. Are we successful in promoting health awareness and knowledge?

As highlighted in the June 24, 1996 TIME magazine headline, Western medicine excels in crisis situations, dealing with acute infections, healing war wounds, and performing organ transplants. However, the rise of chronic diseases in prosperous societies, such as high blood pressure, back pain, cancer and AIDS, suggests that stress and lifestyle factors play a significant role. While stress has always been a part of human life, it is debatable whether current stress levels are at an all-time high. The effect of changes in dietary patterns on feelings of anxiety is a significant issue. In addition, lifestyle-related diseases may be referred to as "diet-related diseases". The following paragraphs will delve into the nutritional value of the most commonly consumed foods by modern man and compare them to the ideal nutritional value of foods. This discussion aims to shed light on the food dilemma we face today, with the rise of success stories driven by large agribusiness organizations that prioritize greed and overconsumption over compassion and address the global food crisis.

II. NUTRITION

Sustenance can be portrayed as the investigation of the connection among food and wellbeing impacts [3]. Understanding how nutrients affect body growth, development, and maintenance is the primary objective. Maintaining a level of well-being that supports healthy development and overall health is part of good nutrition. Both organic and inorganic molecules found in food are considered nutrients, and each has a different purpose for the body. These nutrients fall into the following categories:

- **Macronutrients:** These are the primary components of food and include proteins, carbohydrates and lipids.
- **Micronutrients:** These are required in smaller amounts and include vitamins and minerals.

Modern views view food as more than just a source of essential nutrients. Especially in a plant-based diet, it contains a number of bioactive chemicals that are associated with health benefits. Many examinations have shown that the people who eat more leafy foods have diminished paces of ongoing non-transferable infections, for example, malignant growth, coronary illness, diabetes and age-related mental deterioration [4]. Scientists generally agree that eating fruits and vegetables is good for your health. Leading

organizations such as the American Cancer Society and the American Heart Association recommend consuming plenty of fruits and vegetables every day. The micronutrient antioxidant properties of micronutrients in fruits and vegetables were previously thought to be responsible for their health benefits.

Indeed, further research is needed to isolate and identify the specific protective compounds present in plant foods for therapeutic purposes. Vitamin, mineral, and antioxidant supplement users have the risk of developing chronic diseases, according to research. Surprisingly, these individuals did not demonstrate better health outcomes compared to the general population in terms of cancer rates, heart disease, and other chronic diseases. This led researchers to explore alternative factors in food that could contribute to health benefits.\

Bioactive compounds such as phytochemicals, phenols, and flavonoids found in plants have been recognized as health-promoting chemicals [4, 5, 6, 7, 8]. Numerous studies have linked these bioactive compounds to the prevention of chronic non-communicable diseases [7, 8]. The overall antioxidant activity of fruits and vegetables is greatly increased by them. Reactive oxygen species (ROS), which are created in the body as a result of stress, smoking, sickness, and other circumstances, can be given electrons by these substances. Due to their high reactivity, ROS can harm biological macromolecules such proteins, membranes, DNA, RNA, and others. Malignant growth, cardiovascular sickness, diabetes, and other persistent diseases are believed to be affected by ROS.

The connection between food, nutrition, and the prevention of non-communicable diseases has also been highlighted in reports from the Food and Agriculture Organization of the United Nations (FAO). Additionally, phytochemicals have been associated with the prevention of heart disease and cancer. Many of these phytochemicals are present in the traditional Indian diet, which is predominantly vegetarian and incorporates Indian spices. This may help explain the comparatively lower incidence of cancer in the Indian population compared to other developed countries. However, there is still much we do not know about nutrition, and it is advisable to obtain food from a variety of sources to ensure a balanced diet [8, 10].

The Planning Commission of the Government of India has emphasised three basic approaches to addressing micronutrient deficiencies: drug supplementation, food fortification, and dietary diversification through the increased intake of micronutrient-rich foods. Although the first two strategies can support one or two particular nutrients, dietary variety is seen to be the most sane and long-term viable choice for long-term sustainability and guaranteeing enough intake of lesser known but crucial phytochemicals. Its execution can be local area based and connected to pay age, especially for rustic ladies [11]. A brief description of a few major nutrients [3].

1. Proteins: Protein is a vital part of the human diet and is important for many biological processes. Amino acids are the simpler building blocks that make up proteins, which are complex chemical compounds. There are about 24 amino acids that the human body needs, nine of which are essential amino acids that the body can't make well. As a result, these necessary amino acids must be acquired through food. Bodybuilding, maintaining essential bodily processes, healing, maintaining osmotic pressure, and the manufacture of antibodies, plasma proteins, hemoglobin, enzymes, hormones, and coagulation factors are

just a few of the many bodily tasks performed by proteins. A protein must have every one of the necessary amino acids in order to be deemed physiologically complete.

Cereals and pulses serve as the main dietary protein sources in India. According to general recommendations, 1 gram of protein per kilogram of lean body weight should be consumed daily by humans. It's crucial to remember that 1 gram of protein contains about 4 kilocalories of energy.

Protein-energy malnutrition can result from inadequate intake or malnutrition and can take the two clinical forms of kwashiorkor and marasmus. In India, the incidence of protein-energy malnutrition in preschoolers is thought to be roughly 12%. Adequate nutrition, particularly during the first five years of life, is crucial as malnutrition in children can negatively affect their mental and physical development, potentially leading to permanent disabilities. Under nutrition often results in a deficiency syndrome where multiple nutrients are deficient in the same individual.

2. **Fats:** Fat is solid at 20 degrees Celsius. If it is liquid at this temperature, it is called oil. Concentrated wellsprings of energy are fats and oils. Triglycerides are the simple lipids; phospholipids are the complex lipids; cholesterol is the derived lipid. Without a doubt, the human body is able to do endogenously integrating fatty oils and cholesterol. Fatty substances comprise around the vast majority of the muscle versus fat put away in fat tissue. Unsaturated fats and glycerol are created when fats are hydrolyzed. Immersed and unsaturated fats are the two essential classifications for unsaturated fats. Monounsaturated unsaturated fats (MUFA) and polyunsaturated unsaturated fats (PUFA) are subcategories of unsaturated fats. Polyunsaturated fats, remembering those for vegetable oils, and immersed fats are generally tracked down in creature fats from non-fish sources.

Among the unsaturated fats, there are a not many that the body can't deliver all alone and should be gotten from sustenance. These are known as fundamental unsaturated fats. Linoleic, linolenic, and arachidonic acids are a portion of these significant unsaturated fats.

A gram of fat contains around 9 kilocalories, making it an energy-thick food. They give a fundamental wellspring of energy, and utilizing them can assist with safeguarding proteins for use in different cycles. Moreover, fats help the body ingest and utilize fat- solvent nutrients (nutrients A, D, E, and K) by going about as transporters for these supplements. Furthermore, fats help in stomach backing and go about as a cover to protect the body from the virus.

3. **Carbohydrate:** The primary source of energy is carbohydrates, which contain 4 kcal of energy per gram. Carbohydrates are mostly derived from starches, sugars, and cellulose. Cellulose, a component of dietary fiber, cannot be digested. The slow digestion of starches and complex carbs helps to control body fat. On the other hand, simple sugars or carbs promote the release of insulin and quickly enter adipose tissue.
4. **Vitamin A:** Vitamin A contributes to proper eyesight, glandular and epithelial tissue integrity and function, skeletal development, immune maintenance, and protection

against some cancers, including bronchial carcinoma. Xerophthalmia, which encompasses ocular disorders including Vito's spots, xeroconjunctivitis, Vito's spots, xerokeratosis, and keratomalacia, is caused by vitamin A deficiency.

Follicular keratosis, anorexia, development retardation, intestinal and respiratory infections, and neonatal mortality are further effects of vitamin A insufficiency. The main causes of blindness in youngsters are malnutrition and a lack of vitamin A.

5. **Vitamin E:** Also called tocopherol. Acts as an antioxidant in lipid (fat) media.
6. **Vitamin K:** There are two sorts of vitamin K: K1 and K2. Vitamin K's capability is to advance the union and arrival of specific blood coagulating proteins.
7. **Thiamine (B1):** Important for carbohydrate utilization (direct glucose oxidation pathway). Thiamine is easily lost from rice during the rice milling process. These diseases are also manifested by excessive alcohol consumption.
8. **Riboflavin (B2):** It is a cofactor for numerous enzymes involved in energy metabolism and serves a crucial function in preserving the integrity of mucosal structures.
9. **Niacin (B3):** Important for the metabolism of fat, protein, and carbohydrates. Additionally, it is necessary for the skin, intestines, and nervous system to function normally. Pellagra is a condition marked by diarrhea, dermatitis, and dementia that is brought on by a niacin shortage.
10. **B6 (Pyridoxine):** Important for metabolism of amino acids, fats and carbohydrates. B6 deficiency is associated with peripheral neuritis. The anti- tuberculosis drug INH causes impaired utilization of B6
11. **Folic acid:** Nucleic acids (chromosomes) are synthesized with the help of folic acid. Megaloblastic anemia, glossitis, cheilitis, gastrointestinal problems, infertility, and infertility are all brought on by folic acid deficiency.
12. **Vitamin C:** Very effective antioxidant in aqueous (water-based) conditions. It is crucial for the association of collagen and expects a basic part in tissue oxidation. It is pressing for both recovering and scarring. Scurvy is achieved by a L-ascorbic corrosive deficiency. Scurvy, formerly a serious illness, is no longer a problem on a worldwide scale.
13. **Vitamin B12:** A cobalt atom is included in the complex organ metallic molecule known as vitamin B12. It encourages the synthesis of DNA together with folic acid. This vitamin can be found in milk. Megaloblastic anemia, demyelinating spinal neuropathies, and infertility are all linked to vitamin B12 deficiency.
14. **Calcium:** The creation of bones and teeth, blood clotting, muscle contraction, membrane maintenance, enzyme and hormone metabolism, heart activity, and many other critical processes all depend on ionized calcium, which is present in plasma. Calcium is easily acquired from dairy products like milk.

- 15. Iron:** Iron is necessary for many important functions in the body, including the formation of hemoglobin, brain development and function, thermoregulation, muscle activity, and catecholamine metabolism.
- 16. Iodine:** A crucial micronutrient is iodine. The production of thyroid hormones depends on it.
- 17. Zinc:** It is essential for the production of insulin and the upkeep of immunity and is involved in protein metabolism. Teenagers with zinc deficiencies experience delayed growth and compromised sexual development. Additionally, it impairs taste and hinders the healing process. As an antioxidant, zinc also functions. A dependable source of zinc is milk.
- 18. Cobalt:** Recently, cobalt deficiency and cobalt-iodine ratio in soil have been shown to cause goitre in humans. It is possible that the first step in the production of hormones calls for cobalt, i.e. iodine uptake by the cobalt glands may interact with iodine and affect its use.
- 19. Chromium:** Chromium is thought to play a role in the function of carbohydrates and insulin.
- 20. Molybdenum:** Molybdenum deficiency has been linked to cancers of the mouth and oesophagus.

III. FOOD, HEALTH AND NUTRITION

Usually, an individual's medical condition and eating habits are related. We have sufficient experimental proof to uncover a causal connection between the two. Diseases are generally classified into two groups: infectious and non-infectious. Both of these diseases are directly or indirectly related to nutrition.

The human body is a fragile and wonderful production of nature. Current medication has been censured for dealing with the human body like a machine, where a skewed capability brings about a specific part being immobilized, and the machine begins working again with a decent info, giving a consistent result at a particular effectiveness remainder. Be that as it may, the human body challenges this.. Science is as yet attempting to interpret every one of the data sources (full scale as well as miniature) that the human body needs. The human body is complex, and there is a general agreement that any disturbance in the balance can lead to abnormal physiological functions and can cause disease. The air we inhale, the water we drink, and the food we polish off all assume a huge part in keeping up with this fragile balance. A huge part of purchasers has lost trust in the food varieties they eat, in the bodies that guarantee them as protected, and in the strategies that keep up with the production network. Changing customer insights are a worry.

One point that is highly controversial all over the planet is: "WHAT FOOD IS BETTER As far as we're concerned TO EAT, Natural OR Regular?" The precise response to this question still necessitates extensive research. Nonetheless, we have unquestionable proof for naturally developed food varieties. Numerous fantasies and presumptions should be

tended to, and that is one of the objectives of this part. We will turn out every one of these assumptions independently and present proof to discredit them. During the detailing system, the peruse ought to have a reasonable point of view of natural versus regular cultivating, considering elements like yield, nourishment, consequences for wellbeing, and the assessment of mainstream researchers.

IV. NUTRITION PER ACRE

Proponents of conventional chemical farming pride themselves on the high yields obtained from this farming method. According to them, conventional agriculture is the solution to the global food crisis. Surprisingly, comparable yields have also been achieved through organic farming practices [1]. "Organic versus conventional" is a distinction derived from the philosophies of the two agricultural practices, with different intentions. On one hand, natural cultivating strategies advance freedom, while then again, customary techniques endorse outright reliance. The principal objectives of natural cultivating rehearses are manageability, environmental thought, low info, exceptional yields, and huge benefits for the rancher. The primary targets of traditional cultivating are unreasonableness, negative ecological effect, enormous data sources, somewhat moderate returns, and huge corporate benefits. The discussion really relies on how we view horticulture. Might it be said that we are keener on creating gains than in food security? Are we cultivating crops to maximize profits from trading goods, or are we cultivating crops to feed people? Conventional agriculture proponents contend that there is no other method to guarantee food security. This dedication to food security comes at a time when a significant section of the global population lacks access to adequate nourishment and when around 40% of the world's food grains intended for animals is butchered on schedule. Perhaps we don't have enough grain to make hamburgers. We may have entered an age where we need to think more like citizens of the world than like Indians, Americans, or Europeans.

In this section, we contrast the nutrients provided by conventional versus organic farming on an acre of farmland. First, we use yield data [1] that was gathered by Navdanya in the four Indian states of Sikkim, Rajasthan, Kerala, and Uttaranchal using two agricultural techniques. Additionally, we used the yield information from three case studies done on Navdanya farmland. Then, using "Nutritional Value of Indian Food" by the National Institute of Nutrition, Indian Medical Research Council, Hyderabad, we used the nutritional information [12] of each meal.

Globally, scientists and medical professionals have come to the conclusion that one should obtain their nourishment from a variety of sources [8, 10]. If our farms are not diversified, how would our lunch plates or thalis be? Finance has a theory that promotes portfolio diversity as a way to lower risk. This financial idea appears to be equally beneficial for nutrition, health, and agriculture. At Cornell College in Ithaca, New York's Branch of Food Science, Rui Hai Liu makes the accompanying suggestion: "We think it's a good idea to tell people to eat 5 to 10 servings of a wide range of fruits and vegetables every day to meet their nutrient needs and reduce their risk of chronic disease. In the event that we don't develop a huge swath of food varieties, how might we hope to eat such a different reach? The Arranging Commission of India delivered the in 1999 [11].

Assuming we intently analyze the table, we will understand that our per capita sustenance each day has fundamentally diminished from 1975 to 1999. The period from 1975 to 1999 is also important from the point of view of the green revolution in 1975. The green revolution and conventional farming were insignificant, while in 1999, conventional farming practices had a significant influence on our society. One possible reason for such a change in average nutrient consumption could be attributed to population explosion. However, attributing everything to population growth would be far-fetched and superficial for a strong association to be established, more investigation is required.

Another intriguing finding is that an acre of conventionally farmed land yields very modest levels of the majority of nutrients. However, several unusual nutrients have been overproduced on these farms. On the one hand, we struggle to treat and eradicate deficiency diseases like protein-energy malnutrition, night blindness, anemia, etc. On the other hand, this country is plagued by the crippling effects of overeating, such as obesity, fortified vitamins, cardiovascular disease, diabetes, etc. This probably has an impact on our national health. However, more extensive research is required to demonstrate a substantial association.

Diversification is not just important from the standpoint of "the amount of nutrients produced per acre." Traditional meals, as well as different fruits and vegetables, may include certain bioactive substances that might help prevent cancer, diabetes, cardiovascular disease, and degenerative illnesses [7,8]. The importance of these bioactive substances in the prevention of degenerative illnesses has not yet been shown, not all of these compounds have been found, and it is still unknown what combination of nutrients is best for humans [13]. Though not quite, we are close. As a result, doctors urge a varied diet, and these suggestions have also been found to be beneficial [10].

To provide a more comprehensive picture, we calculated the average (arithmetic mean) of nutrients produced per acre of farmland from determined the average (arithmetic mean) of nutrients generated per acre of farmland from all the aforementioned case studies in order to present a more complete picture. This chapter's sample mean should be a decent approximation of the population mean. In this scenario, India's whole arable land serves as the population. So, an accurate point estimate of the average output per acre of farmland across the country is the average production of nutrients per acre of farmland. Additionally, information has been gathered from a variety of states, including the desert state of Rajasthan and the organic state of Uttarakhand. Therefore, there won't be much room for error.

All of these facts are meant to provide the reader a general understanding of the genuine national impact of the two-agriculture scenario. How can the national and global food problem be solved while maximizing nutritional yields, minimizing environmental hazards, and ensuring a sustainable alternative?

Accordingly we could generate 124 kg more protein if we switched an acre of farmland from conventional monoculture to organic mixed farming. Protein from mixed cultures is of higher quality than protein from single cultures. As it contains all the necessary amino acids and is similar to animal protein, organic mixed protein is complete. With the exception of soy, plant proteins may not provide enough of each of the required amino acids. However, when combined, plant proteins provide a full range of all the required amino acids.

For example, the protein in roti or dal alone is lacking in every one of the essential amino acids, however when roti and dal are consumed together, the protein content is full. As a result, the amount of protein produced per acre by an organic mixed crop will be greater than that by a conventional monoculture.

By and large, natural polyculture created 124 kg more protein than customary monoculture per section of land of developed land. The daily protein requirements of 2,000 adults can be met with 124 kilograms of protein. According to the Central Water Commission, Government of India, the total arable land area (2003-04) in India is 183 million hectares, equivalent to 452,202,848 acres. If all of this land were used for organic polyculture instead of conventional monoculture, the country would produce 56,073,153 tons more protein than it did in the past. This will cover the year-round protein requirements of 2.5 billion adults. The amazing thing is that we only measured a difference in protein content between organic polyculture and conventional monoculture of 124 kg per acre. By moving from conventional to organic farming, we will be able to generate enough extra protein to provide 2.5 billion adults for a whole year. If we extrapolate the average of our sample across all arable land and take into account the entire quantity of protein generated domestically through organic mixed farming, we will produce enough protein to satisfy the annual protein demands of around 5 billion adults. That much protein would be sufficient to feed the whole population and end protein-energy starvation.

We will create additional feed with 12,027,950 kcal of extra energy to eat if an acre of farmland is transformed from conventional monoculture to organic mixed farming. This will supply 481 adults with 2,500 kcal of calories each day. Out of India's entire arable area, if we extrapolate this to 183 million hectares, we could produce enough extra food to supply 600 million adults with all of their annual caloric demands. We want to be clear that the calories added by moving from conventional to organic food were the only thing we looked at. According to the average number of calories generated per acre by organic mixed farming, our nation will create enough energy to feed 2.4 billion individuals who will reach adulthood in a year with 2,500 kcal per day. No one in our nation will go hungry if we move from conventional to organic farming. In reality, because just one billion of the world's poorest people go hungry, if India merely made the conversion from conventional to organic farming, we could end world hunger.

We would create 2,174 mg more carotene if organic mixed farming were used on one acre of cropland as opposed to traditional monoculture. That much beta-carotene can provide 900 adults with all of their daily vitamin A needs. We would generate 982,670 tons more carotene nationwide using organic means than through conventional means. In other words, we would create 164,106 tons more retinol equivalent than usual (1 unit of beta-carotene equals 0.167 units of RE [3]). The daily vitamin A requirements of 750 million individuals may be satisfied with 164,106 tons of RE (retinol equivalent) over the course of a year. Additionally, it is sufficient to treat and completely reverse the 1.3 billion early instances of xerophthalmia. Here, we make the supposition that all of these comparable retinol concentrations in food might be extracted and administered to people with blood malignancies. The word "xerophthalmia" (dry eye) refers to all ocular symptoms of vitamin A insufficiency, ranging from corneal ulcers, a dangerous illness that can cause persistent corneal scarring that impairs vision, to night blindness. In India, corneal keratosis, often known as liquefaction, is the primary cause of blindness.

The cornea enlarges and might explode. This is in all likelihood the sort of impact that more noteworthy carotene created cross country through natural change will have on the overall strength of our local area. We can create sufficient beta-carotene to fulfill the everyday vitamin A prerequisites of 1.5 billion grown-ups for a year on the off chance that we gauge the all out amount of carotene delivered countrywide utilizing an example of the typical measure of carotene created per section of land of natural blended cultivating.

The additional thiamine delivered per section of land while moving from ordinary to natural harvests is likewise adequate to supply thiamine to 2,100 people each day. To fulfill the day to day thiamine necessities of 2.6 billion grown-ups for a year, enough strengthening thiamine would be provided broadly by moving from regular to natural sources. How much thiamine created would be adequate for around 5 billion grown-ups for a year on the off chance that we consider all the thiamine that can be delivered naturally in the country. A few locales of the country regularly have gentle thiamine inadequacy [3]. We can distinguish and kill a wide range of thiamine lack in the populace through far and wide natural cultivating.

At the point when natural combinations are developed on a section of land of farmland, more riboflavin is delivered than when customary monocultures are developed there, enough to give the everyday riboflavin prerequisites to 1,000 people. In the US, we can supply 1.2 an additional billion people with sufficient riboflavin in a solitary year. In India, riboflavin deficiency is normal, especially in regions where rice is the really dietary source [3]. The truth of the matter is that our current riboflavin creation is lacking. The riboflavin deficiency seems to have a reasonable cure in natural cultivating.

The body's folate holds, which add up to around 510 mg, are not exceptionally significant, and folic corrosive lack can show itself rapidly in creating youngsters, pregnant ladies, and nursing moms. Through natural blended cultivating, one section of land of land might deliver enough extra folic corrosive to supply approximately 1,375 pregnant ladies with a day of food. Broadly, the additional folate created by natural blended cultivating is adequate to supply folic corrosive for 1.7 billion pregnant individuals for, a four fold the amount of year folic corrosive as the standard grown-up.

Human wellbeing enormously relies upon iron. Around 34 g of iron, or 60-70% of the aggregate sum in the grown-up human body, are tracked down in the blood. Various inside processes, including the creation of hemoglobin, cerebrum development and capability, control of internal heat level, support of solid muscles, and catecholamine digestion all require iron. Oxygen transport and cell breath are iron's essential jobs. Phytates, oxalates, carbonates, phosphates, and dietary fiber all diminish the bioavailability of non-heme (principally vegan) iron. The transcendently vegan Indian cooking has elevated degrees of oxalates in vegetables, phosphates in egg yolks, tannins in tea, and phytate inhibitors in grain. In India, dietary iron lacks that outcomes in lack of iron sickliness or wholesome pallor is a huge general medical problem. At the point when the hemoglobin falls underneath the cutoff points recorded beneath, paleness is supposed to be available, as per a council of WHO subject matter experts.

39 extra g of iron are made when a section of land of farmland is utilized for natural blended cultivating rather than a customary monoculture. This amount will supply 16,250 breastfeeding mothers with iron for an entire day. The amount of bio available iron that will

be enhanced on a public level will be adequate to cover the requests of 20 billion nursing moms. This outcome depends with the understanding that all iron will be ingested after utilization.

V. IS THE SOLUTION TO HUNGER & MALNUTRITION, GENETIC ENGINEERING?

A piece of mainstream researchers proposes hereditary designing as a significant answer for this issue. English scholar William Ockham (1285-1349) advanced the possibility that a tangled clarification ought not be acknowledged without defense. As per William Ockham, "Frustra fit per plura, quod fieri potest per pauciora," accomplishing beyond what can be achieved with less is inadequate. Natural polyculture can expand the development of micronutrients expected for utilization by 72%. Moreover, it is a solid, tried, reasonable, savvy, practical, and eco-accommodating answer for the issue. GM harvests might require expanded groupings of a couple of micronutrients. Quality altering is not the slightest bit ready to give an optimal combination of all minor components. Conversely, natural polyculture brought about a general expansion in the development of these micronutrients for utilization. Crop hereditary designing is a trial innovation. Organizations elevating GM crops need to involve our farmland as a proving ground. Benefits have a place with the organization, while society bears the dangers related with GM crops with practically no prize. All that society gets are dreams and serious natural dangers. Researchers concur that GM crops don't necessarily function true to form, and the outcomes can be astounding [15].

The variable idea of what hereditary architects in all actuality do can't be measured. The full impacts of quality exchange among species and realms are obscure to even the most talented hereditary architects. Before an innovation is placed into normal use, the constructive outcome of the innovation is gauged against its unfortunate impacts. An innovation item must be utilized when the benefits surpass the risks. Another medication is possibly presented in drug stores when its belongings offset its aftereffects. Nonetheless, hereditary adjustment of harvests doesn't take into consideration this valuable correlation in light of the fact that the full scope of impacts is as yet unclear. The situation is metaphorically equivalent to one in which an individual is set in a tiger confine with the legitimization that it might really work out for them to get specific highlights from the tiger. It's impossible to tell how the tiger will treat the individual. Despite the fact that tigers are profoundly esteemed animals, GM crops have the ability to change over the world into a jail and the normal world into a relentless monster gazing at us people. Hereditary control of yields is a type of genetic stock contamination, similar as air and water contamination, and it will adversely affect the climate very much like the other two.

Coming up next are a portion of the known vulnerabilities with GM crops [15]:

- Dangers to human wellbeing
- Results can be anticipated yet they can't be ensured
- Anti-microbial opposition
- Allergens and food sensitivity
- Hereditary contamination
- Danger to natural life, bugs, and soil organic entities
- Issues in food security like licenses, syndications, monocultures

Coming up next was distributed by the Public Horticultural Regulation Place, College of Arkansas, School of Regulation, Division of Farming, and "Safeguard before profitsan outline of issues in hereditarily changed food varieties and yields by Sophia Kolehmainen (2001) The GM food that evidently can't advance development in rodents is remembered to tackle the unhealthiness emergency among people, and this promulgation is coming when we have obviously shown that natural blended trimming can improve micronutrient creation for utilization by 72% with no gamble to human wellbeing, the climate, and society at large.

The accompanying article [16] was distributed by The Diary of Agro biotechnology the board and financial aspects (Volume 2, Issues 3 and 4, Article 3). The title of the show was "Ten motivations behind why biotechnology doesn't ensure food security, natural assurance and neediness in agricultural nations". The writers of the article are Miguel A. Altieri and Peter Rosset of the College of California at Berkeley and the Food First/Food and Advancement Strategy Organization. Biotechnology organizations frequently guarantee that hereditarily changed living beings (GMOs) - particularly hereditarily altered seeds - are a significant logical advancement expected to take care of the world, safeguard the climate and ease neediness in emerging nations.

The Consultative Gathering on Global Rural Exploration (CGIAR) and a gathering of global revolves all over the planet liable for research pointed toward further developing food security in non-industrial nations share this view, in light of two principal suspicions. To start with, hunger is brought about by a hole between food creation and populace thickness or development. Another supposition that will be that hereditary designing is the just or most effective way to increment horticultural creation and consequently meet future food needs. Our point is to challenge the thought that biotechnology is the foundation of all disasters in farming and to explain the misguided judgments behind these fundamental suppositions.

1. There is no relationship between's the starvation of a specific nation and its populace. For each rich and hungry nation like Bangladesh or Haiti, there is a poor and hungry nation like Brazil and Indonesia. Today, the world creates more food per capita than any other time in recent memory. 4.3 kilograms of food each day is enough for every individual: 2.5 kilograms of entire grain items, beans and nuts, about a kilogram of meat, dairy items and eggs and a kilogram of different products of the soil. The genuine reasons for hunger are neediness, disparity and absence of admittance to food and land. Such a large number of individuals are excessively poor to purchase promptly accessible (yet frequently inadequately conveyed) food or miss the mark ashore and assets to become their own (Lappe, Collins, and Rosset, 1998).
2. Most developments in farming biotechnology depend on yield as opposed to request. The genuine objective of the hereditary qualities industry isn't to make Third World agribusiness more useful, yet to make it productive (Busch et al., 1990). This is represented by checking out at the vital advances available: (1) herbicide-safe yields like Monsanto's "Gathering Prepared" soybeans and Monsanto's Gathering herbicide-lenient seeds, and (2) "Bt" crops (*Bacillus thuringiensis*) designed to create their own pesticides. To start with, the objective was to acquire a bigger herbicide piece of the pie for this item, and second, to invigorate seed deals to the detriment of diminishing the helpfulness of the main vermin control specialist (microbiological insect Poisons produced using *Bacillus thuringiensis*), which numerous ranchers, including most natural ranchers, think

about a compelling option in contrast to pesticides. These advancements address the issue of biotechnology organizations to build ranchers' reliance on seeds safeguarded by purported "protected innovation freedoms", which are in direct clash with ranchers' privileges to duplicate, offer or save (Hobbelink, 1991). Where potential, organizations expect ranchers to purchase organization marked items and forbid ranchers from saving or selling seeds. By controlling the shoots they offer and driving ranchers to follow through on significant expenses for seed synthetic bundles, not set in stone to amplify their venture (Krimsky and Wrubel, 1996).

3. Consolidating the seed and compound businesses seems to speed up the development of seed and synthetic expenses per hectare, coming about in altogether lower earnings for ranchers. Organizations creating herbicide-open minded crops attempt to move the expense per section of land of herbicide to the seed however much as could be expected through seed expenses and innovation charges. The drop in grass costs is progressively restricted to ranchers who purchase the innovation bundle. In Illinois, the presentation of herbicide-safe harvests is doing the most.
4. Late trial tests show that GM seeds don't increment crop yields. A new report by the Financial Exploration Administration of the US Branch of Farming (USDA) viewed that as in 1998, yields of changed and non-altered crops didn't contrast essentially in 12 of 18 harvest edifices/locales. Six harvest region blends where Bt harvests or herbicide-safe (HTC) crops performed better showed a 530% increment in yield. Glyphosate-lenient cotton showed no critical yield expansion in the two locales contemplated. This was affirmed by one more investigation of in excess of 8,000 field preliminaries, which found that Gathering Prepared soybeans delivered less soybeans than comparative traditionally reared assortments (USDA, 1999).
5. Numerous researchers guarantee that eating hereditarily changed food sources is protected. Nonetheless, late proof demonstrates that there are potential dangers related with devouring such food varieties, as the recently made proteins in these food varieties can:
 - go about as allergens or poisons without anyone else;
 - change the digestion of food plants or creatures, making them produce new allergens or poisons; or
 - Debases their quality or healthy benefit.

In the event that (3), herbicide-safe soybeans might contain just Isoflavones, a significant phytoestrogen found in soybeans, which are remembered to safeguard ladies against specific diseases. Right now, non-industrial nations import soybeans and corn from the US, Argentina, and Brazil. Hereditarily adjusted food varieties are starting to flood the business sectors of bringing in nations, yet nobody can anticipate the hurtful impacts they will have on the wellbeing of customers who don't realize they are devouring these food sources. Since hereditarily changed food varieties are not named, buyers can't recognize hereditarily adjusted (GM) and non- GMO food sources, and assuming that significant medical issues emerge, deciding their origin would be incredibly troublesome. Non- naming additionally shields organizations from likely responsibility (Lappe and Bailey, 1998).

6. Transgenic plants that produce their own pesticides follow a model of pesticides that themselves rapidly bomb because of nuisance control opposition. Rather than the fizzled "one quality, one stone" model, hereditary designing stresses the "one quality, one stone" approach, which has over and over again bombed in research center tests since bugs rapidly adjust and foster protection from plant insect poisons (Alstad and Andow, 1995). In addition to the fact that new assortments flop in the short to medium term in spite of supposed deliberate opposition the board frameworks (Hammer and Watchman, 1992), however in the process they might come into contact with Bt pesticides, which a few natural ranchers and others trying to decrease dependence on synthetic compounds normally render futile. Bt crops disregard the essential and broadly acknowledged guideline of coordinated both the board (IPM), which depends on a solitary irritation control strategy that plans to prompt change or opposition improvement in bug species through at least one components (NRC, 1996). By and large, the more prominent the choice strains in reality, the quicker and more significant the developmental reaction of vermin. One clear motivation to carry out this standard is that it decreases bug openness to pesticides and hence dials back the advancement of obstruction. Nonetheless, when the item is integrated into the actual plant, the potential for openness to bothers increments from insignificant and inconsistent openness to broad and ceaseless openness, quickly expanding resistance (Gould, 1994). *Bacillus thuringiensis* rapidly becomes pointless both as another seed quality and as a supply of old seed that should be showered on a case by case basis by ranchers who need to get off the pesticide transport line (Pimentel et al., 1989).
7. The opposition for worldwide piece of the pie powers organizations to spread GM crops overall for a huge scope (in excess of 30 million hectares in 1998) without first appropriately testing the short-or long haul impacts on human wellbeing and biological systems. In the US, tension from the confidential area constrained the White House to decide that there was no tremendous distinction between changed seeds and standard seeds, staying away from typical reviews by the Food and Medication Organization (FDA) and the Ecological Assurance Office (EPA). Secret reports delivered as a component of a continuous legal claim uncovered that FDA researchers contradicted that choice. One explanation is that numerous specialists are worried that the inescapable utilization of transgenic crops represents various natural dangers that compromise the manageability of agribusiness (Goldberg, 1992; Paoletti and Pimentel, 1996; Snow and Moran, 1997; Rissler and Mellon, 1996; Kendall, 199899; 199899).
8. These areas of chance incorporate the accompanying: Patterns in making huge worldwide business sectors for exceptional items, working on crop frameworks, and making hereditary homogeneity in provincial scenes. History has shown that establishing a huge region with a cultivar that is profoundly helpless to new types of microorganisms or nuisances can be negative. Besides, when the old harvest types involved by great many ranchers in unfortunate nations are supplanted by new sorts, the broad reception of homogenous transgenic cultivars would undeniably bring about "hereditary disintegration" (Robinson, 1996). The limit of yields to expand is undermined by the utilization of herbicide-safe harvests, bringing about a decrease in agro-biodiversity over the course of time and region (Altieri, 1994). Superweeds might create because of potential quality stream from wild or semi-homegrown family members of harvests impervious to herbicides (Lutman, 1999). Herbicide-safe assortments can become

significant weeds in different yields. The broad use of Bt crops affects biological cycles and non-target animals. As per late information, Bt poisons might affect accommodating bug hunters that consume dangerous bugs on Bt crops (Hilbeck et al., 1998). Also, dust from Bt crops that is conveyed by the breeze could harm accidental animals like ruler butterflies. Crop leaves after gather can adversely affect populaces of soil spineless creatures that separate natural matter and do other environmental capabilities (Donnegan et al., 1995; Palm et al., 1996).

9. Transgenic crops fit for vector recombinant can produce new destructive infection strains, particularly in transgenic plants intended to be impervious to infections with infection qualities. There is plausible that the coat protein qualities in plants could be utilized by irrelevant infections, adjusting the design of the infection envelope and possibly making new microorganisms with more serious sickness issues (Steinbrecher, 1996). It probably won't be fitting or alluring to extend this innovation in unfortunate countries. Far and wide monoculture ought not be permitted to limit or debilitate the rural variety of a large number of these countries, particularly when the outcomes cause serious social and ecological issues (Altieri, 1996). In spite of the fact that discussions regarding the matter of environmental gamble have occurred in political, worldwide, and logical settings, they much of the time take on a restricted perspective that fundamentally downplays the risks (Kendall et al., 1997; Illustrious Society, 1998). There is substantial concern that biosafety field concentrates on give little knowledge into the conceivable ecological worries associated with huge scope GM crop creation since risk evaluation strategies for transgenic crops have not been adequately settled. One significant reason for stress is that organizations are delivering transgenic crops too early without adequately considering the drawn out consequences for individuals and biological systems attributable to overall requests for business sectors and benefits.
10. There are numerous unanswered natural inquiries in regards to the effect of transgenic crops. Numerous ecological gatherings have pushed the making of proper guidelines to supervise the testing and arrival of GM crops to relieve natural dangers. They request a greatly improved evaluation and comprehension of the environmental issues connected with hereditary designing. It is pivotal to consider not just the immediate impacts on weeds or bugs, yet in addition the roundabout consequences for plants, like effects on soil and non-target species, plant development, healthful substance, metabolic changes, and bug or weed obstruction. Sadly, financing for ecological gamble evaluation research is seriously restricted. For instance, the USDA dispenses just 1% of its biotech research reserves, around \$12 million every year, for risk evaluation. With the ongoing degree of GM tree organization, such assets are lacking to investigate the full degree of possible dangers. Unfortunately a great many hectares are being planted without satisfactory biosecurity norms. The worldwide areas of GM crops fundamentally expanded in 1998, with GM cotton covering 6.3 million sections of land, GM corn 20.8 million sections of land, and GM soybean 36.3 million sections of land. Showcasing and conveyance arrangements among organizations and merchants, as well as the shortfall of regulation in many agricultural countries, have made this advancement conceivable. Dissimilar to an oil slick, hereditary tainting can't be constrained by control endeavors.

11. The public area has been compelled to give a greater amount of its couple of assets to improving the biotechnology capacities of public associations, especially CGIAR, since the confidential area has come to rule the improvement of novel biotechnology. These assets would be better used to grow support for agro-environmental exploration, as every one of the organic issues tended to by biotechnology can be settled utilizing agronomic methodologies. The huge impacts of harvest pivot and intercropping on crop wellbeing and yield, as well as the utilization of organic control specialists for bug the executives, have been reliably affirmed by logical investigations. Research in open establishments, like those on natural control, natural creation strategies, and general farming designing, is progressively mirroring the objectives of private benefactors, which is an issue. Common society should ask colleges and other public establishments to direct more examination on options in contrast to biotechnology (Krimsky and Wrubel, 1996). Furthermore, there is a dire need to go against the World Exchange Association's (WTO) patent and protected innovation privileges framework, which not just gives global companies the option to hold and patent hereditary assets yet additionally hurries the advancement of monoculture by utilizing hereditarily indistinguishable transgenic assortments. It is easy to gauge the inconvenient effects of such natural improvement on the strength of contemporary farming in light of environmental history and hypothesis (Altieri, 1996).
12. A significant part of the expected food can be created by smallholder ranchers overall utilizing suitable horticultural innovation (Uphoff and Altieri, 1999). As a general rule, ranchers and non-legislative associations (NGOs) have essentially further developed food security at the family, public, and provincial levels in Africa, Asia, and Latin America by utilizing new rustic improvement philosophies and low-input innovation (Pretty, 1995). Innovation put together strategies worked with respect to agronomic ideas that stress assortment, cooperative energy, reusing, and combination as well as friendly cycles that focus on local area contribution and strengthening are utilized to increment efficiency (Rosset, 1999). Enhancements in efficiency, creation steadiness, and different natural administrations, including biodiversity protection, soil and water preservation, and reclamation, may be generally achieved when these techniques are advanced. They likewise further develop natural vermin control methods, in addition to other things (Altieri et al., 1998). These discoveries connote a forward leap in unfortunate countries' endeavors to accomplish ecological maintainability and food security. Be that as it may, its true capacity and future dispersion depend on subsidizing, strategy support, institutional sponsorship, and essential changes from chiefs and established researchers, strikingly CGIAR, which ought to focus its endeavors on the 320 million unfortunate ranchers living in negligible regions. The inability to advance human-focused farming innovative work, because of a change in subsidizing and skill towards biotechnology, has shortened the memorable chance to increment horticultural efficiency in a monetarily proficient, harmless to the ecosystem, and socially elevating way.
13. Natural cultivating is the main answer for battle hunger in this country. Unlike the Green Upset lie, it is reasonable and can resolve the issue of food security without bringing about additional, more difficult issues. Expansion, as opposed to hereditary change, can give an overflow of micronutrients in the Indian eating routine. Also, there are various obscure mixtures of wholesome significance that can be acquired through natural blended cultivating, which jelly assets and biodiversity.

This is all gained conceivable by microeconomic headway at the neighborhood and town levels, guaranteeing supportability, security, and impartial dispersion. This unconventionality has prompted astounding outcomes in a few examinations with hereditarily designed plants. For instance, in 1999, Science magazine provided details regarding a concentrate wherein two gatherings of rodents were taken care of potatoes. 33 One gathering was taken care of potatoes that had been hereditarily changed with a lectin quality to improve the potatoes' protection from bugs, while the other gathering was taken care of non-hereditarily adjusted potatoes enhanced with a similar lectin. The rats that ate the genetically modified potatoes showed stunted growth and suppressed immune systems, while the rats that ate the non- genetically modified potatoes with the same lectin had none of those symptoms.

VI. FOOD QUALITY ORGANIC PRODUCTS: AN OVERVIEW

In the aforementioned comparison, we presume mated that there is no difference in the nutritional makeup of foods cultivated by the two agricultural techniques and that the quality of foods produced organically and conventionally is the same. However, we shall refute this supposition in the qualitative analysis that follows and show that foods cultivated organically have superior nutritional content and provide fewer health hazards.

Nutritional superiority and the health risks associated with food are two distinct aspects of food quality. Nutritional superiority refers to the presence of more nutrients and bioactive compounds, as well as higher quantities of these nutrients per unit weight. On the other hand, the health risks posed by a food depend on the presence of various chemicals and organisms that adversely affect human metabolism, leading to acute, chronic, or acute over chronic disorders.

During the process of writing this qualitative review, we examined hundreds of research papers and identified two schools of thought. One school upholds the possibility that natural food is better than traditional food; while the other school keeps up with that there is no contrast among natural and ordinary food sources. However, very few papers make the argument that conventional food is superior to organic food. There have been some stories that claim eating organic food increases your chance of getting Escherichia coli, however this is untrue since if manure has been composted correctly, there is absolutely no risk. Therefore, based on a study of the scientific literature, one may legitimately draw the conclusion that, with the exception of low-quality organic food, organic food is either the same as or better than conventional food.

Scientific research consistently supports the superiority of organic foods over conventional foods in several aspects. Food that is organic has higher-quality protein than food that is conventional. Comparatively to conventional foods, organic foods have higher concentrations of vitamins and minerals. Donald R. Davis and partners directed a review to assess expected changes in USDA supplement content information for 43 vegetables somewhere in the range of 1950 and 1999 and found that each of the 43 assortments showed a diminishing in the six supplements (going from 6% for protein to 38% for riboflavin). That's what they presumed "Mayer and our discoveries on worldwide supplement exhaustion might be the critical aftereffect of many years of crossbreeding high- yielding food crops, with accidental compromises prompting diminished supplement fixations." Paolo Bergamo

and associates found fundamentally more elevated levels of sound unsaturated fats and fat-dissolvable nutrients in natural milk and dairy items. In a comparable research comparing the nutritional value of organic and conventional meals, Virginia Worthington found that crop nutrition in the United States and the United Kingdom had declined during the previous 65 years, beginning about 1960 when food was no longer cultivated organically.

In her assessment of the literature, Virginia Worthington discovered the following notable distinctions between food cultivated conventionally and organically. Regular horticulture is pulling a ton of land at an unreasonable rate, prompting land consumption. Thusly, plants developed on exhausted soil will experience the ill effects of an absence of supplements. The utilization of these plants is a significant wellspring of unhealthiness on the planet. The thought was appropriately given by Void Gather, "... all creatures get their food straightforwardly or in a roundabout way from plants, and all plants get their food from the dirt. Subsequently, mineral - lacking soil might be one of the best unique wellsprings of illness in this present reality. As per D. W. Cavanaugh, M.D., of Cornell College, 'There is just a single significant infection and that is unhealthiness. All infirmities and hardships to which we might fall successor are straightforwardly discernible to this significant infection.' Essentially expressed, food crops developed on drained soil produce malnourished bodies, and sickness goes after malnourished bodies."- Void Collect, 1990.

A report directed by the Middle for Natural and teachers from the Branch of Cultivation at the College of Florida and Washington State College gives proof that the normal natural food contains 11 supplements, 25 percent more than normal food varieties. The report depends on assessed contrasts in supplement levels across 236 examinations among natural and traditionally developed food sources.

According to one research, commercially available organic soups in the UK had roughly six times as much salicylic acid than non- organic soups. Scientists from the University of Strathclyde in Scotland and John Paterson, a biochemist at the Royal Dumfries and Galloway Hospital, examined 11 different brands of organic soup and compared the salicylic acid amounts to non-organic soups. Salicylic acid, which gives aspirin its anti-inflammatory properties, has also been demonstrated to lessen the risk of bowel cancer and artery stiffening.

The degree of salicylic corrosive in 11 brands of natural vegetable soup was 117 nano-grams/gram, contrasted and 20 nano-grams/ gram in 24 non-natural soups. The highest levels (1,040 nano-grams/grams) were found in organic carrot and coriander soups. Four of the regular soups had no detectable salicylic acid content.

Theo Clark, a chemistry professor at Truman State University in Missouri, conducted research with undergraduate students to determine that oranges cultivated organically had 30% more vitamin C than oranges grown conventionally. Clark stated that he anticipated conventional oranges, which are significantly larger than organic oranges, to contain twice as much vitamin C when he presented the findings at the American Chemical Society's Great Lakes Regional Meeting on June 2. The greatest quantities were found in organic oranges, according to nuclear magnetic resonance spectroscopy and chemical isolation.

According to a research funded by the Organic Growers and Retailers Association of Australia (ORGAA), conventionally cultivated produce found in supermarkets and other retail outlets had 10 times less mineral content than produce grown organically. Mineral components were examined in tomatoes, beans, peppers, and turnips cultivated on a certified organic farm employing soil regeneration techniques. The Australian Government Insightful Research facility likewise broke down a comparable scope of generally developed vegetables bought from stores. However, a major flaw in the study was that it compared farm-fresh produce with supermarket produce. As a result, there can be variations in freshness, which might impact the nutrients that were assessed.

Researchers at the Research Institute of Organic Agriculture (FiBL) in Switzerland conducted a comparative study and discovered that apples grown organically are superior to apples grown conventionally in terms of health-related parameters, taste (taste score, sweet and sour index, dietary fiber phenol content, and "vigor index" according to quality assessment methods for total quality assessment), and other factors.

Research by Alyson Mitchell of the University of California Davis has shown that flavonoids content increases over time in crops grown in organically grown fields. The results of the study showed that organic tomatoes contained more quercetin and kaempferol aglycones (beneficial flavonoids) that were 79 and 97 percent higher on average, respectively, than conventionally grown tomatoes. In the study, Mitchell and colleagues evaluated the concentrations of key flavonoids in tomatoes that were gathered over a ten-year period from two appropriate fields, one that was cultivated using organic methods and the other using conventional methods, including the use of commercial fertilizers. The researchers analysed organic and conventional tomatoes that were dried and stored under identical conditions between 1994 and 2004. "Flavonoids levels increased over time in samples from this method. Organic treatments, while flavonoids levels were not significantly changed under conventional treatments," the report said.

In the review, Mitchell and partners evaluated the degrees of significant flavonoids in tomatoes that were gathered more than a ten- year time frame from two reasonable fields, one that was developed utilizing traditional ways, including the utilization of business manures, and the other that was developed utilizing natural techniques.

Teacher Carlo Leifert of the College of Newcastle introduced research discoveries at the 2005 Global Congress on Natural Farming, Food Quality, and Human Wellbeing. The outcomes showed that naturally delivered food sources have higher cell reinforcement levels, higher compound particularity, and lower mycotoxin levels than customary examples, and that natural cows consumes less calories diminished the gamble of E. coli contamination while regular grain-based abstains from food expanded risk.

A Dane's discoveries show that natural vegetables have more elevated levels of normal cell reinforcements called flavonoids. The randomized twofold visually impaired study had two mediation periods, with preliminary members getting either natural or regular food sources for a very long time. Results depend on tried blood and pee tests. The review was done by the Organization for Food handling and Nourishment of the Danish Food and Veterinary Division, the Branch of Human Sustenance, and the Middle for Cutting edge Food Exploration of the Regal School of Veterinary Medication and Farming and the

Division of Agribusiness and Provincial Turn of events. Public investigation from Risø.

According to research findings from the University of California, Davis, organic fruits and vegetables contain much more antioxidants than fruits cultivated commercially. Researchers lead by food scientist Alyson Mitchell evaluated the antioxidant levels of standard organic and sustainably farmed organic maize, strawberries, and blueberries (which used fertilizers but no pesticides or herbicides). While organic and sustainably farmed puppets have roughly 50% more antioxidants than traditionally cultivated berries, sustainably grown maize has 58.5% greater antioxidant levels than conventional corn. Organic and sustainable strawberries contain 19% more antioxidants than regular strawberries. The results were published in the February 26, 2003 print edition of the peer-reviewed Journal of Agricultural and Food Chemistry of the American Chemical Society. Research also shows that organic and sustainably grown produce contains more ascorbic acid, which the body converts into vitamin C.

"Marionberry, frozen, air-dried strawberries, and corn are developed utilizing regular, natural, and economical horticultural techniques," said D.K. Asami, Y.J. Hong, D.M. Barrett, and A.E. Mitchell, *Diary of Horticultural and Food Science*, 51 (5): 12371, 1241 (2003).

In the event that we consolidate these unexpected numbers, the hole between the normal sustenance delivered per section of land naturally and the supplement created per section of land customarily increments decisively. Scientists have found the wholesome advantage of natural food varieties in various circumstances.

A report directed by the Middle for Natural and teachers from the Division of Cultivation at the College of Florida and Washington State College gives proof that the normal natural food contains 11 supplements, 25 percent more than normal food varieties.

One investigation discovered that natural soups sold monetarily in the UK contained almost multiple times more salicylic corrosive than non-natural soups. Researchers from the College of Strathclyde in Scotland and John Paterson, a natural chemist at the Imperial Dumfries and Galloway Medical clinic, analyzed 11 distinct brands of natural soup and contrasted the salicylic corrosive sums with non-natural soups. Salicylic corrosive, which gives headache medicine its calming properties, has likewise been exhibited to diminish the gamble of entrail disease and conduit solidifying.

Salicylic acid concentrations ranged from 20 nanograms/gram in 24 non-organic soups to 117 nanograms/gram in 11 different brands of organic vegetable soup. The highest levels (1,040 nano-grams/grams) were found in organic carrot and coriander soups. Four of the regular soups had no detectable salicylic acid content. Source: *New Scientist magazine*, March 16, 2002, p. 10; *European Journal of Nutrition*, Vol. 40, page 289. Theo Clark, a professor of chemistry at Truman State University in Missouri, and his undergraduate students conducted research to discover that oranges cultivated organically had 30% more vitamin C than oranges grown conventionally. In his presentation of the findings at the American Chemical Society's Great Lakes Regional Meeting on June 2, Clark stated that he anticipated conventional oranges, which are significantly larger than organic oranges, to contain twice as much vitamin C, double that of organic oranges. The greatest quantities were found in organic oranges, according to nuclear magnetic resonance spectroscopy and

chemical isolation. Science Daily, June 2, 2002, as a source.

According to a research funded by the Organic Growers and Retailers Association of Australia (ORGAA), conventionally cultivated produce seen in supermarkets and other retail locations had 10 times less mineral content than produce grown organically. Mineral components were examined in tomatoes, beans, peppers, and turnips cultivated on a certified organic farm employing soil regeneration techniques. The Australian Government Scientific Research center likewise investigated a comparative scope of regularly developed vegetables bought from grocery stores. One significant defect of the review, in any case, was that it contrasted ranch new produce and store produce. Subsequently, there might be contrasts in newness, which might influence the deliberate supplements. Source: Australian Natural Producers and Retailers Affiliation, 2000, as referred to in *Pesticides and You*, Vol. 20, issue 1, spring 2000, News from Past Pesticides/Public Alliance Against Pesticide Misuse.

A near report led by specialists at the Exploration Establishment of Natural Farming (FiBL) in Switzerland observed that naturally developed apples are better than traditionally developed apples as far as wellbeing related boundaries, wellbeing and.

As a result, there is a great deal of scientific evidence to support the nutritional superiority of organic products. Compared to conventional goods, organic products have higher concentrations of vitamins, minerals, and bioactive substances. To live an active, disease-free life and enhance the general health of our society, we require these special vitamin combinations.

Anemia is very common in the Indian population, as shown by the National Family Health Survey II (1998-99), which indicated that 74.3% of children under three years of age were anaemic. Given that iron deficiency in the diet is the primary cause of anemia in our nation; all pregnant women in India are recommended to take iron and folic acid supplements. Do we really need to enhance the iron content of plants in order to get more iron in our diet?

Comparable relationships have been found between diminished dietary vitamin B-complex levels and mental issues, for example, stress and despondency [24]. Do we not need more B-complex nutrients in our yields to expand how much this nutrient in our eating regimens?

Do we not need expanded convergences of minor components in our harvests to by and large advance utilization and improve populace wellbeing? Do our harvests not need bigger convergences of cell reinforcements, phytochemicals, and bioactive parts to more readily set up our kin to battle constant sicknesses like malignant growth and diabetes?

To bring down the amount of iron in our eating routine and convert it into a structure that our bodies can retain, we likewise require high amounts of L-ascorbic acid in each Indian dinner. Lemon juice, which is high in cell reinforcements, might be showered over the dish to check the oxidized type of iron, which people can't retain. As a natively constructed try, cut an apple down the middle and sprinkle lemon juice north of one half while leaving the other half without lemon. The part without the lemon will become ruddy brown because of oxidation from the iron structure to the iron structure. This type of iron isn't consumed by

the body and needn't bother with to be consumed. The Indian eating regimen is rich in phytates that make iron unobservable, somewhat making sense of the commonness of iron-lack pallor in India. By expanding how much L-ascorbic acid in our eating regimens, we can decrease the adverse consequences of phytates on the grounds that L-ascorbic acid prevents phytates from framing solvent non-heme iron. Developing plants with more prominent groupings of L-ascorbic acid, cancer prevention agents, phytochemicals, and bioactive mixtures is the most straightforward way to deal with support how much these supplements in the Indian eating regimen.

We should consider one more subjective part of the food danger introduced by food. Natural food sources contain less nitrates than customary food sources. The essential sort of nitrogen that comes from the dirt to plants is nitrate, and it has never been known with certainty its amount is available in food. Two potential impacts of elevated degrees of nitrates in the stomach are methemoglobinemia in babies and youngsters (Craun et al., 1981; Avery, 2001b) Furthermore, the formation of disease causing N-nitros compounds (Vermeer and van Maanen, 2001; BruningFann et al., Kaneene, 1993). While such nitrates have not been displayed to create cancer- causing outcomes in creatures, they can be changed over completely to nitrite by microscopic organisms in human spit and the stomach, possibly responding with amines and amides regularly present in the body to frame nitrosamines (BruningFann and Kaneene, 1993; Vermeer and van Maanen, 2001). In high-portion creature disease tests, around 300 nitrosamines were analyzed for cancer-causing nature, and 90% of them were demonstrated to be cancer-causing (Havender and Coulombe, 1996). The disease interaction can be begun and advanced by nitrosamine.




Figure V. 1.

Regarding the matter of nitrate focus in natural and customary yields, including beetroot, cabbage, carrot, celeriac, chard, corn salad, endive, kale, leek, lettuce, potato, radish, spinach, and turnips, the discoveries of 18 distributed research are given. On the whole, 176 examinations were made between the two gatherings of harvests. The chart underneath shows the level of examinations exhibiting lower (dim bars), equivalent (white bars), or more prominent (dark bars) nitrate focus in natural versus regular vegetables. started with Worthington (2001).

In customary agribusiness, there are sure synthetics that are utilized admirably or impulsively. A large portion of these synthetics present dangers to the climate, untamed life, biodiversity and individuals. The world is encountering species termination, the improvement of safe types of nuisances and weeds, the advancement of no man's lands in the seas, desertification and salinization of farmland. Just 0.1% of the pesticides utilized arrive at their objective, for example the bugs. The excess 99.9% affects the climate. The discussion of The all out effect of pesticides on wellbeing is exceptionally enormous. Around 1600 distinct pesticides are utilized around the world. A portion of these synthetic compounds are found at disturbing levels in certain creatures by bioaccumulation. These synthetics are likewise found in bosom milk. These fat-dissolvable pesticides bioaccumulate in people and end up in bosom milk [2]. Sadly, this breastfed newborn child was presented to these poisonous synthetic compounds. DDT and its metabolites, dieldrin, aldrin, endrin, lindane, hexachlorobenzene, the bug spray cyclodiene, polychlorinated biphenyls, dioxins and dibenzofurans were among the numerous agrarian pesticides distinguished in human milk. The gamble that these synthetic compounds posture to a breastfed baby should be evaluated. Be that as it may, the gamble isn't inconsequential however questionable. Twist et al likewise found that youngsters with a transcendently natural eating routine had essentially lower openness to organophosphate pesticides than kids with a prevalently traditional eating regimen [25]. Portion gauges created from pesticide metabolite information recommend that natural weight control plans can diminish kids' openness from above to beneath the constant EPA US reference portion. Period, in this manner moving openness from a progression of unsure dangers to a progression of irrelevant dangers. Consuming natural produce is a generally straightforward way for guardians to diminish their kids' pesticide openness. Natural produce contains less pesticide deposits and is more averse to contain buildups of specific pesticides than traditional produce.

Information on pesticide buildups in naturally developed food sources (dark bars) and food varieties with no market guarantee (thought to be customarily developed; dark bars) were gathered from the Pesticide Information Program of the US Division of Horticulture. The all out number of tests tried is displayed on top of the separate bars. Gotten from Cook et al. (2002).




Figure V. 2.

Figure V. 2. Ten-year patterns of tainting rates with pesticides of natural and ordinary foods grown from the ground. Information on pesticide buildups in naturally developed food varieties (dark squares) and food varieties with no market guarantee (thought to be routinely developed; dark squares) were gathered from the Commercial center Observation Program of

the California Division of Pesticide Guideline. A sum of 67,154 examples (1,097 natural and 66,057 regular) were inspected. Gotten from Bread cook et al (2002)

The Navdanya Pesticide Perils Asset Handbook gives a more point by point rundown of pesticides and their wellbeing risks. There is definitely not a solitary organ or tissue in the body that isn't impacted by pesticides.

Pesticides have both present moment and long haul impacts on human wellbeing. The Assembled Countries appraises that around 2 million poisonings and 10,000 passings happen every year because of pesticides, around 3/4 of which happen in non-industrial nations. Pesticides generally utilized in modern agribusiness have been connected to high malignant growth gambles for laborers and shoppers and are drawing under nearer examination for their connection to endocrine and endocrine issues. conceptive brokenness.

VII. CONCLUSION

Hunger is a significant general medical condition in India. The reasons for ailing health are many going from wasteful cultivating rehearses, crop disappointments, and absence of sufficient creation of food to unjust circulation, expansion, and poor administrative arrangements and intercession. India is a monstrously thickly populated country, has a populace more noteworthy than 1 billion, and is supposed to balance out at a populace of size 1.65 billion by the center of hundred years. Unhealthiness has proactively grasped the Indian populace, and with such a gigantic populace development rate, India can possibly hold onto the greatest number of squandered and intellectually deteriorated people who, in the past as kids, were malnourished and who, in the future as grown-ups, see little any expectation of their battle reaching a conclusion. This is particularly not anticipated from a country-India-that is proposed to merit a spot in the Unified Countries Security Committee, that is encountering a flourishing financial development, and that is taken a gander at as an arising superpower; India needs to go about as a mindful country since strength of India is vital for the worldwide steadiness. The right to food to its whole populace is one among many focuses on that India needs to accomplish to conform to what is generally anticipated from it.

In India, lack of healthy sustenance isn't simply a clinical conclusion, yet rather an impression of debasement in the public eye, legislative deficiency, unfortunate strategies, and weakening cultivating rehearses. Coming up next is extricated from HNP (Wellbeing, Sustenance, and Populace) paper, World Bank-India's undernourished kids: A call for change and activity by Michele Gragnolati et al-

The results of youngster under nutrition for dreariness and mortality are tremendous - and there is, likewise, a calculable effect of under nutrition on efficiency so an inability to put resources into fighting nourishment lessens expected financial development. In India, with one of the greatest rates of undernourished kids on the planet, the circumstance is desperate. In addition, imbalances in under nutrition between segment, financial and geographic gatherings expanded during the 1990s. More, and better, ventures are required on the off chance that India is to arrive at the nourishment MDGs. Monetary development won't be sufficient.

The pervasiveness of underweight among kids in India is among the most elevated on the planet and almost twofold that of Sub-Saharan Africa. In 1998/99, 47 percent of kids under three were underweight or seriously underweight, and a further 26 percent were somewhat underweight to such an extent that, altogether, underweight beset very nearly 3/4 of Indian kids. Levels of unhealthiness have declined humbly, with the pervasiveness of underweight among youngsters under three falling by 11% between 1992/93 and 1998/99. Notwithstanding, this lingers a long ways behind that accomplished by nations with comparable monetary development rates.

Under nutrition, both protein-energy unhealthiness and micronutrient inadequacies, straightforwardly influences numerous parts of kids' turn of events. Specifically, it hinders their physical and mental development and builds defenselessness to contamination, further expanding the likelihood of unhealthiness. Kid unhealthiness is answerable for 22% of India's weight of sickness. Under nutrition additionally sabotages instructive achievement, and efficiency, with unfriendly ramifications for money and monetary development.

Disaggregation of underweight measurements by financial and segment qualities uncovers which gatherings are most in danger of hunger. Most development hindrance happens by the age of two, and is generally irreversible. Underweight commonness is higher in provincial regions (50%) than in metropolitan regions (38%); higher among young ladies (48.9 percent) than among young men (45.5percent); higher among booked stations (53.2 percent) and planned clans (56.2 percent) than among different ranks (44.1 percent); and, albeit underweight is unavoidable all through the abundance dispersion, the pervasiveness of underweight ranges as high a 60 percent in the most minimal abundance quintile. In addition, during the 1990s, metropolitan country, between position, male-female and between quintile disparities in dietary status enlarged.

There is additionally enormous between state variety in the examples and patterns in underweight. In six states, something like one of every two kids are underweight, specifically Maharashtra, Orissa, Bihar, Madhya Pradesh, Uttar Pradesh, and Rajasthan. The four last option states represent in excess of 43% of all underweight kids in India. Additionally, the commonness in underweight is falling all the more leisurely in the high pervasiveness states. At last, the segment and financial examples at the state level don't be guaranteed to reflect those at the public level and sustenance strategy ought to take cognizance of these varieties.

Under nutrition is packed in a generally modest number of regions and towns with a simple 10 percent of towns and locale representing 27-28 percent of every underweight kid, and a fourth of locale and towns representing the greater part of every underweight kid.

Micronutrient lacks are additionally broad in India. In excess of 75% of preschool kids experience the ill effects of lack of iron pallor (IDA) and 57 percent of preschool youngsters have sub - clinical lack of vitamin A (VAD). Iodine lack is endemic in 85% of regions. Progress in decreasing the commonness of micronutrient lacks in India has been slow. Similarly as with underweight, the predominance of various micronutrient inadequacies shifts generally across states.

The mediation that vows to address the lack of healthy sustenance emergencies ought to have numerous features and ought to likewise have many levels. By features, we imply that we should pick regions where change is required boosting food creation, controlling expansion, dispersing evenhandedly and impartially, instructing, and carrying out sound wellbeing approaches. By levels, we imply that every area of mediation ought to recognize the objective and the restricting variables and set forth energy appropriately broadening food creation, controlling food expansion, dispersing in rustic regions and among plan clans and timetable rank, teaching lady, and carrying out strategies that definitely takes special care of the need of under five youngsters and ladies. Expanding nourishing creation is preferably a more fitting methodology over boosting creation of explicit food things. Despite the fact that hunger alludes to both over nourishment and under sustenance, under nourishment has arrived at an emergency stage in India. In addition, macronutrient and micronutrient lacks must be managed all the while. Wellbeing per section of land is an idea that covers nourishment created per section of land of farmland that arrangements with enhancement of farmlands since dietary broadening is current suggestion, that portrays nature of food delivered, and that likewise considers the ecological and biological expense of food delivered.

The possibility of wellbeing per section of land is based on an underpinning of natural blended editing in light of biodiversity. A farming procedure expands the amount of supplements created per section of land of arable land. The creation and utilization of an enormous amount and variety of food at the neighborhood level adds to rise to dissemination. The methodology supports the creation of conventional nearby food varieties, which thusly empowers neighborhood utilization of those food varieties.. The huge scope of privately delivered food sources gives the body every one of the vital components it needs. Natural blended trimming methods increment how much supplements created per section of land thus help in decreasing food cost expansion. The way that food developed and devoured locally stays away from the massive cost of transportation and capacity, which is much of the time remembered for the cost shoppers pay for everything, is another motivation behind why such trimming methodology would confine food cost. The overall population ordinarily has a decent comprehension of neighborhood food varieties and their medical advantages. Subsequently, it is less difficult to instruct people, especially ladies, about the various aspects of diet and wellbeing. Carrying out this data likewise gets less difficult on the grounds that versatility, availability, and reasonableness don't struggle with each other yet rather support one another. Instead than treating current instances of hunger, the strategy zeros in erring on the hidden reasons for the issue of Under nutrition. Treatment is just a single piece of the emergency goal process. Regardless of how exceptional the treatment we give, under nutrition can't be wiped out except if we reasonably make an adequate measure of various food varieties accessible to the objective populace.

Nourishment created per section of land gives data and a brief look at the possible impacts of natural blended editing on general wellbeing. Till now, we have zeroed in principally on the yield per section of land. Taking a gander at farming and wellbeing as far as yield per section of land makes a significant suspicion that expanding yield of explicit food things would settle the under nourishment emergency. Nonetheless, a couple of food things created plentifully can't guarantee an ideal mix of supplements provided to each individual in the general public in light of the fact that any single food thing isn't the

sufficient wellspring of all supplements required by human body. To guarantee appropriate sustenance we want dietary expansion, and to guarantee dietary broadening, we really want to differentiate our farmlands. There is an enormous conversation that attempts to find the solution to the inquiry that which cultivating practice can guarantee food security - natural blended editing or traditional mono cropping. The yield per section of land of explicit food things, utilized as a proportion of viability, seemed to incline toward regular mono editing. Notwithstanding, when sustenance delivered per section of land of farmland in the two cultivating frameworks were thought about, strikingly various outcomes emerged. What should be brought up is whether bountiful creation of rice, wheat, corn, or soybean would address the emergency of under nourishment or plentiful creation of all.

REFERENCES

- [1] Biodiversity based organic farming- A new paradigm for food security and food safety by Navdanya.
- [2] Chemical contaminants in human milk: an overview by Babasaheb R. Sonawane, U.S. Environmental Protection Agency, Washington, DC.
- [3] Textbook of Preventive and Social Medicine by K. Park.
- [4] Heber D. Vegetables, fruits and phytoestrogens in the prevention of diseases. J Postgrad Med [serial online] 2004 [cited 2010 Nov 14];50:145-9.
- [5] Health-promoting properties of common herbs, American Journal of Clinical Nutrition, Vol. 70, No. 3, 491S-499S, September 1999.
- [6] Flavonoid rich fraction from Sageretia theezans leaves scavenges reactive oxygen radical species and increases the resistance of low density lipoproteins to oxidation, J Med food 12 (6), 2009, 1310-1315.
- [7] Bioactive Compounds in Foods: Their Role in the Prevention of Cardiovascular Disease and Cancer by Penny M. Kris-Etherton, PhD, RD, Kari D. Hecker, MS, RD, Andrea Bonanome, MD, Stacie M. Coval, MS, Amy E. Binkoski, BS, RD, Kirsten F. Hilpert, BS, Amy E. Griel, MEd, Terry D. Etherton, PhD.
- [8] Potential Synergy of Phytochemicals in Cancer Prevention:
- [9] Mechanism of Action, International Research Conference on Food, Nutrition, and Cancer, Rui Hai Liu.
- [10] Biochemical and Molecular Actions of Nutrients, Flavonoids from Almond Skins Are Bioavailable and Act Synergistically with Vitamins C and E to Enhance Hamster and Human LDL Resistance to Oxidation, by Chung Yen Chen et al, J.
- [11] Nutr. 135:1366-1373, June 2005. Diet and Lifestyle Recommendations Revision 2006 - A Scientific Statement from the American Heart Association Nutrition Committee
- [12] Report of the steering committee of nutrition, Planning Commission, Govt. of India, New Delhi.
- [13] "Nutritive value of Indian Foods" published by National Institute of Nutrition, Indian Council of Medical Research, Hyderabad.
- [14] Proposed Criteria for Assessing the Efficacy of Cancer Reduction by Plant Foods Enriched in Carotenoids, Glucosinolates, Polyphenols and Selenocompounds by John W. Finley, Oxford Journals, Life Sciences, Annals of Botany, Volume 95, Issue 7.
- [15] Virginia Worthington- Nutritional quality of organic versus conventional fruits, vegetables, and grains, The Journal of Alternative and Complementary Medicine, volume 7, number 2, 2001.
- [16] Precaution before Profits: An Overview of Issues in Genetically Engineered Food and Crops by Sophia Kolehmainen Originally published in VIRGINIA ENVIRONMENTAL LAW JOURNAL, 20 VA. ENVTL. L. J. 267 (200)
- [17] The Journal of Agrobiotechnology Management and Economics (volume 2//number 3 & 4//article 3)- Ten reasons why biotechnology will not ensure food security, protect the environment, and reduce poverty in developing world, by Miguel A. Altieri and Peter Rosset, University of California, Berkeley & Food First/Institute for Food and Development Policy.
- [18] Changes in USDA Food Composition Data for 43 Garden Crops, 1950 to
- [19] 1999 by Donald R. Davis, PhD, FACN, Melvin D. Epp, PhD and Hugh D. Riordan, MD, Bio-Communications Research Institute, Wichita, Kansas (D.R.D., M.D.E., H.D.R.), Biochemical Institute, The University of Texas, Austin, Texas (D.R.D.)
- [20] New Evidence Confirms the Nutritional Superiority of Plant-Based Organic Foods, by The Organic Center and the University of Florida, Department of Horticulture and Washington State University.
- [21] New Scientist magazine, March 16, 2002, page 10; European Journal of Nutrition, Vol. 40, page 289.
- [22] Organic Retailers and Growers Association of Australia, 2000, as cited in Pesticides and You, Vol. 20, No.

- 1, Spring 2000, News from Beyond Pesticides/National Coalition Against the Misuse of Pesticides.
- [23] Are organically grown apples tastier and healthier?- A comparative field study using conventional and alternative methods to measure fruit quality,” F.P. Weibel, R.Bickel, S. Leuthold, and T. Alföldi), *Acta Hort.* 517: 417-427 (2000).
- [24] Comparison of the Total Phenolic and Ascorbic Acid Content of Freeze-Dried and Air-Dried Marionberry, Strawberry, and Corn Grown Using Conventional, Organic, and Sustainable Agricultural Practices by DANNY K.
- [25] ASAMI, YUN-JEONG HONG, DIANE M. BARRETT, AND ALYSON E. MITCHELL, *J. Agric. Food Chem.* 2003, 51, 1237-1241 1237
- [26] Ten-Year Comparison of the Influence of Organic and Conventional Crop Management Practices on the Content of Flavonoids in Tomatoes by MITCHELL A.E. et al, *Journal of Agricultural and Food Chemistry* 23jun2007
- [27] Folate and cobalamin in psychiatric illness by Burton R. Hutto, Department of Psychiatry, School of Medicine, University of North Carolina at Chapel Hill, Chapel Hill, NC, USA, *Comprehensive psychiatry* volume 38, issue 6, November-December 1997, Pages 305-314
- [28] Organophosphorus Pesticide Exposure of Urban and Suburban Preschool Children with Organic and Conventional Diets by Cynthia L. Curl, Richard A. Fenske, Kai Elgethun, Department of Environmental Health, School of Public Health and Community Medicine, University of Washington, Seattle, Washington, USA.