

VACCINE IN 21ST CENTURY

Abstract

The 21st century has witnessed remarkable advancements in vaccine development, revolutionizing the prevention and control of infectious diseases. Innovations in biotechnology, including genetic engineering and recombinant DNA technology, have enabled the creation of safer, more effective vaccines with enhanced immunogenicity. Novel platforms such as mRNA vaccines have emerged as game-changers, offering rapid development and scalability. Additionally, the integration of computational modeling and artificial intelligence has accelerated vaccine design and optimization. Despite these achievements, challenges remain, including vaccine hesitancy, emerging infectious threats, and global disparities in access. This review explores the transformative role of vaccines in the 21st century, highlighting their potential to combat existing and emerging health challenges.

Keywords: Vaccines, Biotechnology, mRNA vaccines, Genetic engineering, Infectious diseases

Author

Indu Champia

U.G Student,
Department Biotechnology,
GD Rungta College of Science and
Technology, Bhilai, Chhattisgarh.

I. INTRODUCTION

The development of vaccinations has revolutionized the field of public health and medicine by enabling the prevention and control of infectious illnesses. This revolutionary idea, which dates to the 18th century and Edward Jenner's groundbreaking smallpox vaccination, has expanded to encompass a wide range of vaccinations intended to boost the immune system against infections. Campaigns to vaccinate people have been crucial in reducing the burden of infectious illnesses on a worldwide scale, helping to eradicate smallpox and significantly lower rates of morbidity and death. Communities are still being protected against a variety of diseases thanks to the continuous efforts to create, deliver, and administer vaccines, demonstrating the extraordinary influence of immunization on both personal and societal health.

To stop and manage the spread of infectious diseases, vaccinations are vital medical instruments. They have contributed to the decrease and eradication of several fatal and crippling diseases, marking a noteworthy and revolutionary accomplishment in public health. Vaccines work on the basic premise of encouraging the immune system to identify and create a defense against invaders, like bacteria or viruses, without causing illness.




II. HISTORY OF VACCINES

The development of vaccinations over time is evidence of humanity's unwavering quest for immunity against infectious illnesses. The notion of vaccination was first presented to the public by Edward Jenner in the late 1700s, who was motivated by the fact that cowpox acted as a shield against smallpox. The smallpox vaccine was created because of its effective treatment. Modern vaccination science was founded by innovators such as Louis Pasteur, who created vaccinations against rabies and anthrax in the centuries that followed. The 20th century saw the successful eradication of smallpox worldwide and significant advancements in polio prevention due to vaccinations created by Jonas Salk and Albert Sabin. As scientific knowledge grew, so did vaccine methods, leading to the development of toxoid vaccinations and, more recently, novel mRNA vaccines such as those used to combat COVID-19.

III. TYPES OF VACCINES

Vaccines	Developed year	Target Virus
Inactivated vaccine	1880s	Polio, Hepatitis A, Rabies
Live-attenuated vaccines	1890s	Measles, mumps, Rubella
messenger RNA (mRNA) vaccine	1970s	COVID-19
subunit, recombinant, polysaccharide & conjugate vaccine	Mid 1980s	Hepatitis B
Toxoid vaccine	Early 1920s	Diphtheria, Tetanus
Viral vector Vaccine	1973	Influenza, Adenovirus



- 1. Inactivated Vaccine:** Using pathogens that have been destroyed or inactivated—that is, rendered incapable of causing disease—inactivated vaccines are produced. Upon identifying these inactivated molecules as foreign intruders, the immune system launches a defensive attack, generating memory cells and antibodies. If the person is later exposed to the infectious, living version of the disease, this immunological memory shields them.
- 2. Live-attenuated Vaccine:** Live attenuated vaccines are produced using pathogens that have been weakened. These organisms are still capable of replicating, but their virulence is greatly decreased, resulting in a weak or non-symptomatic infection. In

response, the immune system creates a strong and enduring immunological memory. The vaccine for measles, mumps, and rubella (MMR) is one example.

Live vaccines are used in the protection of the following diseases:

- Measles, mumps, rubella (MMR combined vaccine)
- Rotavirus
- Smallpox
- Chickenpox
- Yellow fever

3. **Messenger RNA (mRNA) Vaccine:** This vaccine generally forms proteins to activate the immunity system. COVID-19 vaccines come under this type.

The benefit of mRNA vaccine:

It is manufactured in a short period as it does not contain any fragments of the virus, so there is no chance of alteration in health conditions. mRNA technology has been leveraged in the development of certain vaccines, such as the mRNA COVID-19 vaccines.

In these vaccines, synthetic mRNA encoding a portion of the virus's genetic material is delivered into cells, instructing them to produce a harmless piece of the virus that triggers an immune response.

4. **Subunit, Recombinant, Polysaccharide & Conjugate:** subunit, recombinant, polysaccharide & conjugate vaccine uses certain segments of germs - like its protein, sugar, or capsid. As the vaccine uses certain segments, it provides strong and long-term immunity. This vaccine can be beneficial for everyone who needs it. It includes a booster shot to get future protection.

Subunit, recombinant polysaccharide, and conjugate vaccine are used to protect from:

- Hepatitis B
- HPV (Human papilloma Virus)
- Pneumococcal disease
- Shingle
- Meningococcal disease

5. **Toxoid Vaccine:** As the name suggests it was a toxin made by a germ that caused an infection. Toxoids are modified forms of toxins that have been treated to eliminate their toxicity while retaining their ability to stimulate an immune response. The process of toxoid production involves treating the toxin with chemicals or heat to denature it, rendering it harmless. This vaccine targeted to toxin part of the germ instead of the whole part of the germ. It also includes booster shots.

Toxoid vaccines are used for protection from:

- Diphtheria
- Tetanus

- 6. Viral Vector Vaccine:** Viral Vector Vaccines use an altered version of different viruses as a vector to provide protection. Viral vector vaccines can induce strong and long-lasting immune responses. They allow the incorporation of a variety of antigens, making them versatile for different pathogens. Different viruses have been used as vectors such as influenza, vesicular stomatitis virus (VSV), measles virus, and adenovirus.

Viral vector vaccines are used in protection from COVID-19.

IV. IMPORTANT VACCINES IN HISTORY

- 1. Smallpox Vaccine:** It was the first successful vaccine developed in the year 1796 by Edward Jenner. Smallpox is one of the most fatal diseases in humans. However, smallpox is no longer present in human beings. A related virus called vaccinia virus, which gave smallpox cross-immunity, formed the basis for the smallpox vaccine. The vaccinia virus was injected into the skin by a tiny cut, usually on the upper arm, to give the vaccination. Vaccination is the method that produces an immune response that shields people from smallpox.
- 2. The Polio Vaccine:** This vaccine is provided to children. Polio has been a known disease since ancient times, but large-scale outbreaks occurred in the 20th century. In the 1950s, polio epidemics reached alarming proportions, causing widespread fear and concern. Polio is a disease that can lead to various symptoms, the most serious being paralysis.
- 3. The MMR Vaccine:** MMR stands for measles, mumps & rubella. These vaccines provide fighting ability against measles, mumps, and rubella. MMR vaccine is highly effective in protecting from measles. The MMR vaccine has been the subject of controversy, particularly due to a discredited study that falsely claimed a link between the MMR vaccine and autism. Various studies and extensive scientific research have since debunked this claim.
- 4. The T-Dap Vaccine:** It provides protection against diseases like tetanus, diphtheria & pertussis. These three diseases are caused by bacteria. Tdap was introduced to replace the previous tetanus- diphtheria (Td) booster in many vaccination schedules. Tdap is recommended for adolescents, usually around age 11 or 12, and is often administered as part of routine adolescent vaccinations.
- 5. The HPV Vaccine:** The development of the HPV vaccine began in the 1990s. This vaccine came into use in 2006. Dr. Ian Frazer and Dr. Jian Zhou, researchers from Australia, played a key role in developing the technology that led to the creation of the HPV vaccine. HPV (Human papillomavirus) is a sexually transmitted disease. HPV has many strains, some of them linked to cancer.

V. INGREDIENTS OF VACCINES

Vaccines are intricate biological products made up of different chemicals, each of which has a distinct function in either maintaining the vaccine's stability and effectiveness or eliciting an immune response.

- 1. Antigens:** These are the active components of vaccines, which might be pathogen-derived proteins or fragments of pathogen-derived proteins (virus or bacterium). When the body is exposed to the infectious agent itself, antigens help the immune system identify and recall the pathogen, enabling the body to create a defense.
- 2. Adjuvants:** Adjuvants are substances added to vaccines to enhance the immune response to the antigen. They help improve the effectiveness and longevity of the immune response. Common adjuvants include aluminum salts.
- 3. Stabilizers:** Stabilizers aid in preserving the vaccine's effectiveness and integrity during production, storage, and transit. Common stabilizers include sugars, gelatin, and proteins.
- 4. Preservatives:** Vaccines in multi-dose vials are preserved to stop germs and/or fungi from contaminating them. Although many vaccines are now produced in single-dose vials or are thimerosal-free, several immunizations historically contained the mercury-containing chemical thimerosal as a preservative.
- 5. Buffering Agents:** Buffering agents help maintain the pH of the vaccine, ensuring its stability and preventing changes that could affect its efficacy. Common buffering agents include phosphate salts.

VI. IMPORTANCE OF VACCINES IN DAILY LIFE

Vaccines are incredibly powerful instruments in the fight against bacterial and viral infectious illnesses. Childhood vaccines against measles, mumps, rubella, polio, and other illnesses are recommended. Adult vaccinations, like those against pneumococcal and influenza, can help avert illness and its consequences. Immunizations slow the spread of infectious diseases, improving community health generally. Even in cases where a vaccinated person gets sick, the illness's severity is frequently lessened. Vaccination can avert major side effects, hospital stays, and long-term health consequences linked to specific diseases. Vaccination campaigns at work can increase output by stopping the spread of infectious diseases. Immunization lowers the chance of exposure, protecting these susceptible groups. Vaccines have been instrumental in the eradication of certain diseases and the control of others. Smallpox, for example, was eradicated globally through vaccination efforts. Vaccines have also significantly reduced the prevalence of diseases such as polio, measles, and rubella.



Advantages of Early Vaccination

Early childhood and infant vaccination have numerous important benefits for preserving both individual and public health. Children can acquire immunity to a variety of infectious diseases before they are exposed to possible pathogens by beginning the vaccination process early in infancy. By taking this preventive action, the danger of serious and perhaps fatal illnesses is greatly decreased, safeguarding vulnerable groups like newborns who may be more sensitive to certain infections. Early vaccination also helps communities develop herd immunity, which reduces the spread of infectious agents and aids in the prevention of epidemics. Early childhood vaccinations are highly beneficial in preventing disease, improving public health generally, lowering healthcare expenditures, and guaranteeing a population that is healthier and more resilient.

VII. DEVELOPMENT OF VACCINES IN THE 21ST CENTURY

The constantly changing global environment of infectious diseases and technological innovation have brought about transformational advances in vaccine development in the 21st century. Scientific progress in the field of genomics has been crucial in accelerating the identification of new vaccination targets by allowing researchers to quickly identify and analyze the genetic makeup of viruses. The quick creation and distribution of COVID-19 vaccinations is one example of how mRNA vaccine technology was a game-changer. In this ground-breaking method, genetic material—specifically, messenger RNA—is introduced to teach cells to synthesize innocuous fragments of the pathogen, so stimulating a strong immune response.

The rapidity with which this technology was able to respond to the COVID-19 pandemic proved its versatility and offered hope for the quick production of vaccines against additional infectious diseases. Additionally, collaborative efforts between governments, academia, and the commercial sector, together with increasing funding for research, have produced a more conducive climate for vaccine invention, with potential advancements in treating illnesses

such as malaria, HIV, and tuberculosis. The twenty-first century has brought about a dynamic new phase in vaccine development, characterized by state-of-the-art technologies and international cooperation to improve our capacity to prevent and manage infectious diseases.

VIII. CONCLUSION

To sum up, vaccinations are an essential safeguard for public health, marking a significant advancement in the prevention and management of disease. Their influence is demonstrated by the elimination of illnesses such as smallpox and the marked decline in several infectious diseases. Beyond protecting a person, vaccinations improve community health by creating herd immunity, which protects even individuals who cannot get vaccinations. Because vaccines reduce healthcare expenses, avoid lost productivity, and promote worker health, there are significant economic advantages.

These achievements extend globally, supporting equitable access to preventive healthcare and addressing health disparities. Vaccination fuels ongoing innovations in medical science, ensuring preparedness for emerging threats and enhancing our ability to respond to evolving health challenges.

REFERENCE

- [1] World Health Organization. The global eradication of smallpox. Final report of the global commission for the certification of smallpox eradication. In *History of International Public Health No. 4*. Geneva, World Health Organization, 1980.
- [2] de Korte W E. Amaras or kaffir milk-pox. *Lancet*. 1904; 1:1273–1276.
- [3] Chapin C V. Variation in the type of infectious disease as shown by the history of smallpox in the United States 1895–1912. *Infect Dis*. 1913; 13:171–196.
- [4] Fenner F, Henderson DA, Arita I, et al. *Smallpox and Its Eradication*. Geneva, World Health Organization, 1988.
- [5] McNeill WH. *Plagues and People*. Garden City, NY, Anchor Press/Doubleday, 1976.
- [6] Ruffer MA. Pathological note on the royal mummies of the Cairo Museum. In Moodie RL (ed). *Studies in the Paleopathology of Egypt*. Chicago, University of Chicago Press, 1921, pp 175-176.
- [7] Hopkins DR. *Princes and Peasants. Smallpox in History*. Chicago, University of Chicago Press, 1983.
- [8] Rhazes (Al-Razi, Abu Bakr Muhammad ibn Zakariya). *De Variolis et Morbillis Commentarius*. Londini, G Bowyer, 1766. English translation: *Med Class* 4:22–84, 1939.
- [9] Dixon CW. *Smallpox*. London, Churchill, 1962.
- [10] Moore J. *The History of Smallpox*. London, Longman, Hurst, Rees, Orme & Brown, 1815.
- [11] Creighton C. *History of Epidemics in Britain*. Cambridge, Cambridge University Press, 1894. Reprinted London, Cass, 1965.
- [12] Macgowan DJ. Report on the health of Wenchow for the half-year ended 31 March 1884. *China, Imperial Maritime Customs Medical Reports* 27:9–18, 1884.
- [13] Needham J. *China and the origins of immunology*. Centre of Asian Studies Occasional Papers and Monographs No. 41, University of Hong Kong, 1980.
- [14] Miller G. Putting Lady Mary in her place: A discussion of historical causation. *Bull Hist Med*. 1981; 55:2–16.