

# A REVIEW ON CLOUD DATABASE SERVICE

## Abstract

In the recent era of data science, AI, and machine learning the amount of data has increased exponentially, and future growth is predicted to be even greater. For the last 4 decades RDBMS is way for data storage, but with the rise of cloud computing online applications have taken place of the stand-alone applications, while distributed servers have taken the place of traditional dedicated servers. Cloud computing has become very efficient because of the lower cost, ability to scale up and down, flexibility, and pay-as-you-go model. This is the major change after the birth of the Internet.

Cloud computing has revolutionized the way data is stored and accessed. Cloud databases are an integral part of the cloud computing paradigm, offering scalability, flexibility, and cost-efficiency for managing large volumes of data. Cloud databases such as Amazon RDS, IBM DB2 and MongoDB are becoming popular. Cloud databases find the restrictions of older relational databases. Data storage, retrieval, modification, and analysis are essentially the functions of cloud databases. Cloud databases are mostly used by data-intensive applications including data warehousing, data mining, and business intelligence. Applications for supply chain management, online e-commerce, and transactional data management, including banking and airline reservations, also benefit from cloud storage.

This research paper reviews the concept of cloud databases, exploring their features, it examines the architecture of cloud databases, the comparison between traditional Relational Database Management Systems (RDBMS) and NoSQL databases, and popular implementations in the cloud environment. Additionally, the challenges faced in their development and deployment.

**Keywords:** Cloud, database, AI, era, RDBMS, NoSQL.

## Author

**Mr. Shardul Pramod Patil**

Department of Computer Science  
Engineering

D. Y. Patil Agriculture and Technical  
University Talsande,  
India.

shardullpatil@dyp-atu.org

## I. INTRODUCTION

In recent times cloud computing has grown up and is strong enough to provide their services to the user. In recent years, there has been an eye-catching change in the commercial applications. Online applications have replaced standalone applications hosted on a single server in the organization. In addition, system storage has taken the position of specialized storage. The pay-as-you-go model, flexibility, and lower cost are the main causes behind the growth of cloud computing [1].

A large number of computers are linked together through private or public networks to provide a dynamically scalable infrastructure for application, data, and file storage, which is known as cloud computing. A Cloud can be defined as a parallel and distributed system which has a number of virtualized and interconnected computers. Cloud computing takes advantage of numerous technologies, including server consolidation, rapid and massive storage, grid computing, virtualization, N-tier design, and stable networks. With little initial setup and minimal ongoing maintenance costs, it offers quick, scalable, and pricey services. Depending upon the services provided by a cloud service provider cloud offers three service models as Infrastructure as a Service (IaaS), Platform as a Service (PaaS), and Software as a Service (SaaS) over the internet whenever you need it, from any location, and using a "pay-as-you-go" methodology. These service models provide services such as the distributed operating system, virtual hardware, virtual platform, applications, distributed database and other services[2].

An ordered collection of data is called a database. A database management system (DBMS) is a collection of software applications that regulates the development, updation, and use of databases. It enables businesses to easily create databases for a variety of uses. An structured grouping of connected data entries, files, and other things is known as a database. A DBMS enables many user application programs to access the database simultaneously.

A Cloud Database is a database that normally operates using a Cloud Computing platform, such as Windows Azure, Amazon EC2, GoGrid and Rackspace. A Gartner report predicts [3] that the earnings from the cloud DBMS will account for 50% of total DBMS market revenue by the end of 2022, it indicates the cloud databases become an important key in the coming generation of data management systems. Cloud-based databases often referred to as the Database as a Service (DbaaS). It enables businesses to take advantage of utility-based pricing, hosted hardware and software infrastructure, and increased deployment flexibility. It offers full database capability and makes it possible for users to use the Internet to access and store their databases remotely at any time from anywhere. Amazon's SimpleDB, Amazon RDS, Google's BigTable, Yahoo's Sherpa and Microsoft's SQL Azure Database are the commonly used databases in the Cloud [4].

This paper aims to review a comprehensive understanding of cloud databases, their features along with popular implementations of cloud database. It also overviews the architecture of cloud database and the challenges involved in their development. It also highlights a comparative study of the traditional relational database management system and cloud computing database.


## II. CLOUD DATABASE

Cloud databases have become increasingly popular as a result of the rapid growth in electronic data, evolving needs for data storage, improved internet infrastructure, and cloud computing. For the data management in Cloud Storage, there are two terminologies that are used, Data as a service (DaaS) and Database as a service (DBaaS). The difference between DaaS and DBaaS is in method of data storage and management. Cloud storage is virtual storage that allows users to store their files and objects. Dropbox, iCloud etc. are popular cloud storage services. Data as a Service (DaaS) enables customers to store data at a remote disk accessible via the Internet. Cloud storage cannot work without basic data management services. So, these two terms are used interchangeably. DBaaS is one step ahead. It provides full database functionalities and enables users to access and store their databases on remote drives whenever they want from anywhere in the world via the Internet. In DBaaS, the client has access to both data storage and querying capabilities, allowing them to change the data and get important information from the database. Amazon's SimpleDB, Amazon RDS, Google's BigTable, Yahoo's Sherpa and Microsoft's SQL Azure Database are the commonly used databases in the Cloud [4]. "Database-as-a-Service" (DBaaS) refers to software services that let customers set up, run, and scale databases without having to install software, configure hardware, or set up hardware for performance. The service provider takes care of all maintenance and administrative operations. Additionally, users do not need to pay staff or install software in order to manage database technologies. The only duties of a DBaaS user are using the database and managing its data. Users of DBaaS can manage databases using a standard set of abstractions (primitives) without being aware of the implementations [5].

A database service created and accessible using a cloud platform is known as a cloud database. Many of the same features of a traditional database are offered, with the additional flexibility of cloud computing. Users deploy software on a cloud infrastructure to implement the database. Enterprise customers can host databases without investing in specialized hardware thanks to a database service created and managed through a cloud platform. It can be managed by the user or offered as a service and managed by a provider. It can support SQL or NoSQL databases [6]. A web interface, or an API provided by the cloud service provider to access these services. Cloud databases can collect, deliver, replicate, and push all your data to the edge using the new hybrid cloud concept. Users are no longer need to deploy the reliant middleware in order to deliver database requests anywhere in the world.

### Features of Cloud Computing

There are several features of cloud computing [7] out of that some of them are as shown in fig 1:




**Figure 1:** Features of Cloud Computing

1. **On-Demand Self-Service:** On-demand services are provided by cloud computing. Cloud customers can check their cloud services, manage their usage, and allocation and de-allocation of services through a web self-service interface. They will not have to deal with the service provider. [8].
2. **Broad Network Access:** Cloud users can access cloud services over the network and on portable devices like cell phones, tablets, laptops, and desktop computers. Broad network access is crucial for cloud computing and latency and bandwidth both will affect the efficiency of broad network access quality [9].
3. **Resource Pooling:** The information technology assets networks, servers, storage, apps, and services that are available are uncommittedly shared across numerous applications and occupants. Various users are offered various services from the same physical resource. It enables clients to share the common software or infrastructure while protecting their privacy and security [7].
4. **Rapid Elasticity:** Computing services should have information technology assets that can scale out and in rapidly and as needed. When a user demands services, they are delivered to him, and they are scaled down as soon as their requirement is met [7,8].
5. **Measured Service:** Metering capabilities are provided by cloud systems in order to track, regulate, and improve the use of cloud resources. This characteristic can be characterized as a measurable service. This is carried out for a variety of reasons, including billing monitoring and resource utilization. This feature ensures clarity for both the service provider and the consumer [9].
6. **Pay as You Go:** In cloud computing, the consumer only pays for the services or storage space that they use. There are no hidden or additional fees to be paid. The service is reasonably priced, and a majority of the time a certain amount of space is provided for free.

### III. ARCHITECTURE OF CLOUD DATABASE MANAGEMENT SYSTEM

The development of cloud computing applications has numerous challenges, including service availability, data confidentiality, and shared nothing architecture. A successful cloud database management system is built to achieve the following objectives such as Accessibility, Scalability, Elasticity, Multitenancy, Load Balancing, Fault Tolerance, Ability to Operate in Multicultural Environment, and Flexible Query Interface [10]. Based on cloud DBMS design, there are five levels of object-oriented database architecture and five levels of schema architecture. At all five levels, each stage has its own role. Data will be represented at five levels in cloud computing. [11], [12], [13].



**Figure 2:** Layers of Cloud Architecture

- 1. Data Center Level:** This represents physical data storage location and contains several servers that meet the needs of cloud application users. This section can also be described as a cloud database representation. In cloud computing, data is kept as a virtualized pool of storage, i.e. storage virtualization moves data across numerous storage devices as if they were a single storage pool. Cloud providers maintain data centers based on their clients' demands and supply them with a storage pool where the client can store his data.
- 2. Cloud service provider Level:** As its name suggests this level provides the services to the clients that are promised to them. At this level cloud application is built and managed properly. It is a middleware level and involve of different distributed servers to meet the requirement of cloud uses. It will ensure all the facilities like availability of cloud at all times demands self-service multi tenancy elasticity and other services should be properly provided to the cloud users. It also provides to the cloud users. It additionally offers the capability of abstraction data in the cloud, i.e. it hides the information of the depository at the data center level and makes database and software basic. Users can see through it. This level is critical because it is the port that determines the appropriate access permissions of the users [11], [14], and [15].

3. **Administrative Level:** This level makes use of API (Application Programming Interface) services. This application programming interface allows users and enables them to handle their database data. It creates data backups and restores databases in the instance of a failure. Databases can be created and deleted using the API. It allows for scalability based on the demands and requirements of the user.
4. **Security Level:** This level protects cloud users' data and guarantees the accuracy of the data without the usage of community copies. It assures end-to-end user data confidentiality and prevents data loss.
5. **Client Level:** Cloud customers only see the database that they need to utilize, while other database details are hidden. At this level, operators offer a virtual illusion of resources based on their needs and impose them within their depository pool, which stores various data. The cloud user can be any computing device, such as a mobile application or a web browser [12], [16].

#### IV. COMPARISON OF RDBMS AND NOSQL

A greater demand for transaction processing applications existed in the early phases of computerization. Nowadays users want to store data not only for transaction processing, but also to analyze. Businesses want to increase the value of their operations by using data analysis. Therefore, transactional applications and analytical applications make up the two major categories of corporate applications. Most of the transactional data is handled by relational databases but they are not well efficient for analysis purpose [17].


These days, the amount of data is expanding quite rapidly. There are many new business applications that are centered around processing large amount of data. The form of data is also quite varying, for example data can now be anything like blogs, photos, tweets, messages and videos and so on. As a result, there is a extreme need for unstructured database like NoSQL databases, also in term of big data analytics [18]. NoSQL is one of the solutions that have been adopted by businesses in the IT world that are becoming increasingly interested in data-driven decision-making. The requirement to store and handle such large amounts of data defines the function of NoSQL databases in database technology such as Cloud databases. The following are some quick discussions of RDBMs and NOSQL databases:

1. **RDBMS:** The concept of relational databases is the choice of the users from the last 40 years. Based on tables, columns, indexes, relationships, and schema, it features a rigorous database architecture. Tables and the predefined composite relationships are used to store data [20]. Column indices are utilized for faster search. Database design and maintenance require highly qualified developers and DBAs. RDBMS are typically used for transactional databases. SQL is used by RDBMS to conduct traditional database system queries like insert, update, delete, and modify. MySQL, MS-SQL Server, and Oracle are the most popular RDBMS. RDBMS guarantees ACID (Atomic, Consistent, Isolated, and Durable) transaction properties. Because they do not provide comprehensive content data search and are difficult to scale beyond a limit, these databases are not well suited for cloud environments.

2. **NoSQL:** The phrase NoSQL (Not Only SQL) was initially introduced by Carlo Strozzi in 1998 [19]. In contrast to relational databases, which utilize mathematical relationships between tables, a non-relational approach was also used to store and retrieve unstructured data quickly. NoSQL database is referred as a non-relational, shared nothing, horizontally scalable database without ACID guarantees. Data integrity and timely completion are handled via the ACID property. While NoSQL relies on the BASE (Basically Available, Soft state, Eventually consistent) approach, which is significantly simpler. BASE model helps to provide flexibility to the NoSQL data so that the data might be structured properly. NoSQL is used by platforms like Big Data and website applications to store their data. Key/value stores, document stores, object stores, tuple stores, column stores, and graph stores are further categories for NoSQL implementations. Unstructured, semi-structured, and structured data can all be stored and retrieved using them.

## V. CHALLENGES TO DEVELOP CLOUD DATABASES

Cloud DBMSs should support aspects of Cloud figuring and extra databases for greater overall worth; this is Hercules' task. There are various potential issues associated with cloud databases, which are displayed in Fig. 3 [21].



**Figure 3:** Challenges to develop cloud database

1. **Scalability:** An enormous quantity of multimedia data is involved, which has led to a rapid increase in database size, necessitating the creation of novel scalable solutions. Cloud systems must provide scalable database services to live up to user expectations since customers want to be capable of easily scaling up and down the quantity of data in databases to fulfill the needs of their company's objectives. This is the most important part of the cloud standard. It provides services that may be greatly scaled up or down without hindering the enterprise. It is a remarkable issue in system architecture to implement databases in the cloud to make sure that concurrent clients are supported and managed, and data can be improved.

**Fault Tolerance and Reliability** It is vital to replicate information across several geographical areas to ensure high accessibility, robustness, and flexibility in responding to internal failure. The term system availability refers to the degree of accessibility and utilization of facilities for consumers or organizational staff [22]. One of the most important issues to look at before switching to a cloud database is this.

If a cloud service fails, it may impact the availability of databases, either momentarily or permanently, resulting in a remarkable loss of data, partially or totally. Equipment failures, security flaws, and DDoS attacks are all severe challenges to the availability of cloud database systems. In most circumstances, these kinds of failures are unexpected and can have a remarkable impact on the performance of companies' or individuals' operations, perhaps resulting in data corruption or the cessation of real-time services. The performance of a large number of database applications may suffer as a result of cloud service unavailability or failure.

- 2. Integrity and Data Consistency:** To ensure a high level of data integrity, it is critical to rigorously supervise and maintain database users, including database administrators and technical employees, who have legal permission to access the system [23]. Maintaining the consistency of a transaction in a database is again a challenging effort, made significantly more difficult if it changes rapidly, as it often does with value-based information. Designers must accurately mimic BASE (Basically Available, Soft State, Eventually Consistent) database properties. They must exercise caution to avoid losing data integrity throughout the transition to cloud databases.
- 3. Interface for Query:** The Cloud Database is widely used. Cloud planners must successfully pass a crucial test that is addressing passed on the database. A passed on inquiry must get to the specific focus purposes of the cloud database. For studying the database, there should be a streamlined and well-organized solicitation interface.
- 4. Privacy and Security of Database:** Before shifting from a traditional database to a database on a cloud platform, organizations should think about numerous security risks. Because the outcome will affect the organization's daily performance, these security concerns are the basic and remarkable concerns of the companies, not the cloud service provider. Specifically, if confidential data is maintained on local databases, it is critical to assure users of the security of cloud databases during the transfer process. Users should be promised confidentiality and data protection, in particular. It must be ensured that the data will not be illegally modified or theft throughout the transfer process from the internal database to cloud storage. To facilitate this safe transmission, a secure method should be properly devised and performed [23].

To obtain a high level of security and confidentiality, it is also necessary to encrypt the data saved on outsourced databases hosted at cloud storage.

The storing of value-based information on an insufficiently secured host poses risks. To prevent unauthorized access, sensitive data is encrypted before being stored in the cloud. The ability to decrypt data in the cloud should be limited for specific applications. It is a significant difficulty to guarantee the security and confidentiality of several databases on a single system.



- 5. Data Portability:** Information portability is the capability to execute an application designed for one cloud provider in the settings and systems of another cloud provider. Interoperability is the capability to give some codes that are adaptive enough to work with different cloud providers, regardless of their variances.

## VI. POPULAR DATABASE IMPLEMENTATIONS IN CLOUD COMPUTING

- 1. CouchDB:** Apache CouchDB is an open-source application that is developed in Erlang and takes a document-oriented method. Documents are generated in JSON and are intended to be viewed using CouchDB's JavaScript implementation of MapReduce views. This database employs a B-tree index, which is updated as data is modified. On the document level, these alterations have ACID qualities, and the usage of MVCC (Multi-Version Concurrency Control) allows readers to never block. CouchDB's document manipulation uses optimistic locks to update an append-only B-tree for data storage, which means that data must be compressed on a regular basis. Despite ensuring availability, this compression may impair performance [24]. CouchDB provides both master-slave and master-master replication systems [25], which can be utilized between separate CouchDB instances or on a single instance. Scaling in CouchDB is accomplished through data replication, which is done asynchronously. It does not support sharding/partitioning natively. Consistency is ensured through improved eventual consistency, and conflicts are resolved by picking the most recent version (the application layer can afterward try to reconcile conflicting changes back into the document, if practicable). The CouchDB programming interface is REST-based [24, 25]. Because CouchDB is largely a RAM-based database, it should be able to fit the entire dataset into the cluster's RAM.

### Key features of CouchDB:

- CouchDB offers the most basic kind of replication, and no other database is as easy to replicate.
  - It is a NoSQL database that uses document storage and includes values of many data kinds such as text, numeric, Boolean, lists, and so on.
  - The CouchDB file layout adheres to all of the ACID characteristics.
  - It provides database-level security, and permissions are separated into readers and administrators, with readers having both read and write access to the database.
  - CouchDB can replicate to devices such as cellphones that have the ability to go offline and manage synchronization of data for user after the device reconnects.
- 2. Google BigQuery:** There are few companies that must deal with a large dataset like Google [26]. It is no surprise that Google is at the forefront of the BigData scene in the twenty-first century, with many unique ideas and developments. At the turn of the century, Google discovered that "one-size-fits-all" SQL databases are insufficient for analytics workloads. They created a new database, "Dremel," for data-warehousing, or dealing with enormous amounts of analytical data. In order to make their discoveries public, Google published a paper, "Dremel: Interactive Analysis of Web-Scale Datasets," in 2010.

In 2011, Google made public their private Dremel Database as BigQuery Database. Since then, it has become the most innovative and leading database for data warehousing and analytics load. Google Cloud Platform (GCP) has an established position in the Data Storage market, with BigQuery playing an important role.

### Key Features of BigQuery:

- BigQuery is a multi-cloud data warehousing solution that is highly scalable and has independent storage, computing, and processing.
- It has a server less architecture that includes managed provisioning, maintenance, security, and scaling. It has multi-location mirrored storage and automatic high availability.
- Users can use BigQuery ML to create and run machine learning models in BigQuery using regular SQL queries.
- Its fast streaming insertion API serves as a solid base for real-time analytics.
- The BI Engine (in-memory analysis service) provides popular BI tools with sub-second query reaction time and high concurrency via conventional ODBC/JDBC.

3. **Cassandra:** Cassandra is an open-source, shared-nothing, NoSQL, column-store database that was developed and is used by Facebook [24, 27, 28]. It is built on the concepts that underpin Google BigTable and Amazon Dynamo [3,1]. In terms of data model, Cassandra is comparable to BigTable. A column is the smallest unit of storage, with rows made up of columns or super columns (nested columns). Columns are made up of the name, value, and timestamp, which are all submitted by the client. Because it is column-based, rows do not have the identical number of columns. Cassandra, along with other protocols, supports a SQL-like language called CQL [24]. Indexes and secondary indexes are supported, and atomicity is ensured down to the table row level. Logging ensures persistence. The appropriate level of consistency can be specified by the application developer, who trades off latency and consistency. Conflicts are resolved using timestamps (the most recent record is maintained). The database runs in master-master mode, with no node being distinct from the others, and combines disk persistence with in-memory caching of results, leading in significant write throughput operations [27]. The master-master architecture facilitates horizontal scaling. There are numerous partitioning mechanisms available, and the database can manage replication automatically [28].

### Key Features of Cassandra:

- Cassandra may be scaled up or down without any difficulty or resistance due to its nodal architecture.
- Cassandra is designed on a peer-to-peer architecture model with all nodes are equal.
- For failure tolerance, data is automatically stored and replicated. If a node fails, it is immediately replaced.
- Cassandra's CQL (Cassandra Query Language) has been introduced. It's an easy user interface for gaining access to Cassandra.
- Cassandra offers flexibility in data distribution by duplicating data across many data centers.

- 4. Microsoft's Azure SQL Database:** Another significant player in the database industry is Microsoft. Microsoft dominated the mid-range Windows Systems commercial database market with Microsoft SQL Server. Microsoft provided a managed database service over Microsoft SQL Server when it accepted its Cloud-first strategy in the 2010s. Microsoft managed SQL Server underwent numerous revisions in the ensuing years. Currently, Azure SQL Database offers a wide range of value-added extra capabilities in addition to serving as Microsoft SQL Server's managed database-as-a-service. It is the preferred cloud database for many businesses, especially those that currently use Microsoft SQL Server because they can easily move their on-premise Microsoft SQL Server to the cloud.

#### **Key Features of Microsoft's Azure SQL Database:**

- In addition to a standalone database, it provides adaptable Elastic pools to cost-effectively manage and scale many databases with changing loads.
- A serverless compute tier is available.
- It is a large scale SQL database with near-instantaneous backup and quick database recovery, and 99.99% availability despite infrastructure failures.
- For a particularly large-scale SQL dataset, it offers a Hyperscale service tier in addition to the normal tier.
- It offers a simple lift-and-shift transfer of on-premise Microsoft SQL databases to Azure SQL databases.

- 5. Amazon DynamoDB:** Amazon discovered the hard way in December 2004 that the load generated by Web-Scale applications could not be supported by a centralized, robust, consistent RDBMS. Traditional SQL databases were unable to offer Amazon the high availability and horizontal scalability because of their tight consistency Model, relational architecture, and 2-phase commit. In 2007, the Amazon Engineering team created the DynamoDB novel NoSQL database and published the results in their Dynamo paper. A significant contribution to the later development of NoSQL databases like Cassandra and Riak was made by Amazon Dynamo paper.

Amazon's shopping cart application employed DynamoDB as its main database, although it wasn't made available to the public until 2012. Since then, DynmoDB has become the most widely used public cloud database and a top AWS service.

#### **Key Features of DynmoDB:**

- It is a document-based, key-value NoSQL database.
- It is a fully managed, multiple-region, multiple-master database with high availability.
- It is intended for applications at the web scale. It can manage peaks of more than 20 million requests per second and more than 10 trillion requests per day.
- A completely managed in-memory cache is provided by DynamoDB Accelerator (DAX).
- It enables single-digit millisecond response times at any scale due to its multi-region replications.

- 6. MongoDB:** The 10gen firm created MongoDB, an open-source document-oriented database written in C++. Automatic sharding is primarily used by MongoDB to achieve horizontal scalability. Locks and the asynchronous master-slave model [28] both support

replication. By specifying whether reads from secondary nodes are permitted and how many nodes must confirm a read, database clients can select the consistency models they prefer.

MongoDB places a lot of emphasis on document manipulation because it offers a variety of frameworks (like MapReduce and Aggregation Framework) and methods for dealing with documents. Among other activities, these can be searched, sorted, projected, and iterated using cursors. A document's modifications are ensured to be atomic. One or more fields may be subject to indexing, which is carried out via B-trees [24]. MongoDB supports a wide range of programming interfaces, and the majority of well-known programming languages have native bindings.

### **Key Features of MongoDB:**

- Use of appropriate indexing to improve query execution.
- Replication to improve data stability and availability.
- The process of dividing larger datasets among various distributed collections is called "sharding".
- Large-scale load balancing is supported by MongoDB using technologies for horizontal scaling, such as replication and sharding.

## **VII. CONCLUSION**

This paper reviews the significance of cloud databases in the era of data science, AI, and machine learning. The exponential growth of data and the rise of cloud computing have led to the development of efficient cloud databases, which offer scalability, flexibility, and cost-efficiency for managing large volumes of data.

The paper reviews the concept of cloud databases, their features, and the architecture of cloud database management systems. It also provides a comparison between traditional Relational Database Management Systems (RDBMS) and NoSQL databases, highlighting the advantages of NoSQL databases for handling unstructured data and big data analytics. However, developing cloud databases also comes with its set of challenges. These challenges include ensuring scalability, fault tolerance, data integrity, query interfaces, privacy, security, and data portability. Addressing these issues is crucial for successful cloud database deployment.

Several popular database implementations in cloud computing are discussed, including CouchDB, Google BigQuery, Cassandra, Microsoft's Azure SQL Database, Amazon DynamoDB, and MongoDB. Each of these databases offers unique features and benefits.

Overall, cloud databases have revolutionized the way data is stored, accessed, and analyzed. They provide businesses and organizations with the tools and capabilities to manage vast amounts of data efficiently, making them a vital component in modern data-driven decision-making processes.

## REFERENCE

- [1] Curino, C., Jones, E., Popa, R., Malviya, N., Wu, E., Madden, S., Balakrishnan, H., Zeldovich, N, "Relational Cloud: A Database Service for the Cloud", CIDR. pp. 235–240 (2011).
- [2] Sapna Jain et al, International Journal of Advanced Research in Computer Science, 8 (2), March 2017 (Special Issue),80-87
- [3] Massimo Pezzini, Donald Feinberg, Nigel Rayner, and Roxane Edjlali. 2021. Magic Quadrant for Cloud Database Management Systems. Gartner (2021, December 13) (2021), 1–37.
- [4] Indu Arora, Dr. Anu Gupta, "Cloud database: A paradigm shift in Databases" IJCI international journal, July 2012.
- [5] European Journal of Academic Essays 1(6): 12-17, 2014 Databases for Cloud Computing: Comparative Study and Review Pawan Singh<sup>1</sup>, Nirayo Hailu<sup>2</sup>, Vinod Chandran<sup>3</sup>
- [6] IJRET: International Journal of Research in Engineering and Technology eISSN: 2319-1163 | pISSN: 2321-7308 Volume: 04 Special Issue: 06 | NCEITCS-2015 | May-2015, Available @ <http://www.ijret.org> 27 SURVEY ON THE DATABASES IN THE CLOUD ENVIRONMENT K. Priyatham<sup>1</sup>, Arif Mohammad Abdul<sup>2</sup>, M. Shanthi<sup>3</sup>
- [7] M. Mohammad, Z. Rafiqul. A Systematic Review on Cloud Computing. Vol.-6, Issue-11, Nov 2018.
- [8] Radack, S., Cloud computing: a review of features, benefits, and risks, and recommendations for secure, efficient implementations. National Institute of Standards and Technology, 2012.
- [9] Puthal, D., B. Sahoo, S. Mishra, and S. Swain. Cloud computing features, issues, and challenges: a big picture. In Computational Intelligence and Networks (CINE), 2015 International Conference on. 2015. IEEE.
- [10] S. Sakr, A. Lui, Daniel M. Batista, and M. Alomari: "A Survey of Large Scale Data Management Approaches in Cloud Environment". IEEE Communication Surveys and Tutorials, Volume 13(3), 2011, page 311-336.
- [11] J. M. Hellerstein, M. Stonebraker, and J. Hamilton, "Architecture of a database system," Foundations and Trends in Databases. 2007, doi:10.1561/1900000002.
- [12] S. Kumar and R. H. Goudar, "Cloud Computing – Research Issues, Challenges, Architecture, Platforms and Applications: A Survey," Int. J. Futur. Comput. Commun., 2012, doi: 10.7763/ijfcc.2012.v1.95.
- [13] M. Singh, "Study on cloud computing and cloud database," 2015, doi:10.1109/CCAA.2015.7148468.
- [14] B. Alam, M. N. Doja, M. Alam, and S. Mongia, "5-Layered Architecture of Cloud Database Management System," AASRI Procedia, 2013, doi: 10.1016/j.aasri.2013.10.078.
- [15] M. Muntjir and M. J. haque, "Cloud Database Infrastructure: Database System Transference in Cloud Computing Management and Security," Int. J. Comput. Trends Technol., 2017, doi: 10.14445/22312803/ijctt-v47p103.
- [16] B. Varghese and R. Buyya, "Next generation cloud computing: New trends and research directions," Futur. Gener. Comput. Syst., 2018, doi:10.1016/j.future.2017.09.020.
- [17] Yashraj Sharma, and Yashasvi Sharma. (2019). "CASE STUDY OF TRADITIONAL RDBMS AND NOSQL DATABASE SYSTEM."
- [18] International Journal of Research - Granthaalayah, 7(7), 351-359. <https://doi.org/10.5281/zenodo.3364448>.
- [19] Sapna Jain et al, International Journal of Advanced Research in Computer Science, 8 (2), March 2017 (Special Issue),80-87
- [20] A Survey of Comparing Different Cloud Database Performance: SQL and NoSQL Twana Hussein Shareef<sup>1\*</sup>, Karzan Hussein Shareef<sup>2</sup>, Bilal Najmaddin Rashid<sup>3</sup> Shareef et. al. Passer 4 (2022) 45-57
- [21] Wang, R., & Yang, Z. SQL vs NoSQL: A Performance Comparison. (2017). From: <https://www.cs.rochester.edu/courses/261/fall2017/termpaper/submissions/06/Paper.pdf>
- [22] 102 Arora, I. and A. Gupta, Cloud databases: a paradigm shift in databases. International J. of Computer Science Issues, 2012. 9(4): p. 77-83. Sakhi, I., Database security in the cloud. 2012.
- [23] Basar et al., International Journal of Advanced Research in Computer Science and Software Engineering 7(11) ISSN(E): 2277-128X, ISSN(P): 2277-6451, pp. 150-157
- [24] Kuznetsov S, Poskonin A (2014) Nosql data management systems. Program Comput Softw 40(6):323–332
- [25] Nocun L, Niec M, Pikuła P, Mamla A, Turek W (2013) Car-finding system with couchdb-based sensor management platform. Comput Sci 14(3):403–422
- [26] Postgres Plus, Cloud Database: Getting started Guide. Retrieved 23rd November, 2012.
- [27] Gudivada VN, Rao D, Raghavan VV (2014) Nosql systems for big data management. In: Services (SERVICES), 2014 IEEE World Congress On. IEEE, Anchorage, AK, USA. pp 190–197
- [28] Haughian G (2014) Benchmarking replication in nosql data stores. Dissertation, Imperial College London
- [29] DeCandia G, Hastorun D, Jampani M, Kakulapati G, Lakshman A, Pilchin A, Sivasubramanian S, Vosshall P, Vogels W (2007) Dynamo: amazon's highly available key-value store. In: ACM SIGOPS Operating Systems Review. ACM, Stevenson, Washington, USA. Vol. 41. pp 205–220