A COMPREHENSIVE REVIEW ON CHIA SEEDS: NUTRIENT AND PHYTONUTRIENT PROFILE AND ITS AMELIORATIVE EFFECTS

A COMPREHENSIVE REVIEW ON CHIA SEEDS: NUTRIENT AND PHYTONUTRIENT PROFILE AND ITS AMELIORATIVE EFFECTS

Abstract Author

Chia seeds (Salvia hispanica), a Anindita Ghosh nutraceutical food is a harbour of both macro nutrient (protein 18 -24%, fibre 30-34 and micro nutrients, especially antioxidants like polyphenols and other phenolic compounds, dietary fibre, omega 3 fatty acids and are found to be having therapeutic benefits especially in controlling and management of cardiovascular diseases, diabetes mellitus, hypertension and hepatic steatosis. The anti- inflammatory, antimicrobial and anti-ageing function of chia seeds accelerates the immunity, digestion and improves overall health keeping the recent life style disorders at bay. Chia seed has earned the moniker "super food" due to its positive health implications, which have attracted the attention of numerous food sectors. A comprehensive overview of nutritional content, phytonutrient profile, and the ameliorative effects of chia seeds on disease prevention and management such as cardioprotective, diabetes-controlling, immune-boosting, and antioxidant action is included in the current review paper.

Keywords: chia seeds: nutraceutical: phytonutrient; antioxidant: antiinflammatory foods

Assistant Professor School of Beauty & Wellness Symbiosis Skills & Professional University Pune. India aninditaghosh29@gmail.com

A COMPREHENSIVE REVIEW ON CHIA SEEDS: NUTRIENT AND PHYTONUTRIENT PROFILE AND ITS AMELIORATIVE EFFECTS

I. INTRODUCTION

Chia seeds, which are derived from the plant Salvia hispanica, have drawn a lot of interest recently thanks to their exceptional nutritional profile and potential health advantages. Due to their abundance of vital nutrients, bioactive chemicals, and useful characteristics, these tiny seeds have become a famous superfood. Historically prized by ancient civilizations like the Aztecs and Mayans. In this article, the nutritional chemistry, phytonutrient profile, and medicinal properties of chia seeds are briefly described using information from studies and research done on this traditional food that is still essential today.

Chia seeds are well known for having an exceptional nutritional profile, which makes them a vital supplement to a diet that is balanced. They are an excellent source of omega-3 fatty acids, particularly ALA, which is essential for preserving cardiovascular health and reducing inflammation. Additionally, noteworthy is the protein content of chia seeds, which includes a variety of critical amino acids required for a number of physiological processes. Chia seeds also include a lot of dietary fibre, which helps with weight management, satiety, and digestive health.

The bioactive substances in chia seeds have the potential to be beneficial to health. These include phytochemicals with antioxidant and anti-inflammatory properties, such as chlorogenic acid, caffeic acid, myricetin, kaempferol and quercetin¹. These bioactive components have been found in chia seeds, and they have been related to a number of health-promoting actions, including lowering oxidative stress, boosting immunological function, and preventing chronic illnesses.

In addition to its nutritional value and phytochemical profile, chia seeds also have medicinal benefits. Scientific studies have demonstrated their beneficial effects on cardiovascular health, including the control of heart rate variations, improvement of heart rate variability, and decrease in irregular heartbeats ¹. The treatment of ailments like heart failure, hypertension, and dyslipidaemia may benefit from the use of chia seeds.

Chia seeds are a versatile element in food preparations since they have useful characteristics. Chia seeds have a gel-like consistency when combined with liquid, which can be used as a thickener or egg substitute in recipes. Chia seeds are a beneficial ingredient for individuals looking for healthier options in cooking and baking because of their special quality, which improves the texture and nutritional content of a variety of foods. Chia seeds have drawn the interest of health-conscious people, researchers, and food lovers alike. They are a great addition to a diet that is well-rounded due to their nutritional diversity, phytochemical profile, and medicinal potentials. As chia seed research in science advances, it is becoming clearer and clearer how these seeds may promote cardiovascular health, reduce inflammation, and support general wellbeing. A natural and nutrient-dense superfood that has been adored for centuries can be enjoyed by incorporating chia seeds into regular meals.

A COMPREHENSIVE REVIEW ON CHIA SEEDS: NUTRIENT AND PHYTONUTRIENT PROFILE AND ITS AMELIORATIVE EFFECTS

II. UNVEILING THE PAST: THE HISTORICAL JOURNEY OF CHIA SEEDS

Chia seeds, which come from the Salvia hispanica L. plant, have long been a popular staple food. Native to the lowlands of Central America, these seeds are most common in southern Mexico and northern Guatemala ². Chia seeds, which are members of the Lamiaceae family and the Salvia genus, were frequently utilized by the ancient Mayas and Aztecs for food, traditional medicine, and even painting. Chia seeds have become more well-liked over time in a number of nations, including the United States, Argentina, Canada, Chile and Mexico¹.

Since it has been utilized as a food source since 3500 BC2, chia has long been recognized as a productive crop in central Mexico³. It is presently used in numerous food products across the globe⁴. The plant may thrive in a variety of saline, silty, well-drained soil types, as well as acidic and alkaline settings. Chia is a nutritious crop that can produce roughly 2,500 kg per acre when grown under ideal conditions, making it popular in East Africa due to its inexpensive cost.

Often described as "the seed of the 21st century," "new gold," "superfood," or "super nutrient" ⁵, these seeds are oval in structure, smooth and shiny, and varies in size from 1 to 2 mm. Black chia seeds are more prevalent than white chia seeds, and they come in a variety of seed coat colours, including grey, black-spotted, and white-spotted. Chia seeds have a rich history that dates back centuries, with their origins rooted in the ancient civilizations of the Aztecs and Mayans. These cultures recognized the immense nutritional value and therapeutic properties of chia seeds, incorporating them into their daily diet and utilizing them for various medicinal purposes.

Historical records indicate that chia seeds were a staple food for these indigenous civilizations, providing them with sustainable energy and endurance. The Aztecs referred to chia seeds as "running food" and believed that a single spoonful of chia seeds could sustain a warrior for an entire day. Their significance was further highlighted by the fact that chia seeds were used as offerings in religious ceremonies and were considered sacred.

The importance of chia seeds extended beyond their nutritional benefits. They were valued for their medicinal properties and were used to alleviate ailments such as joint pain, gastrointestinal issues, and skin conditions. The gel-like substance formed when chia seeds were mixed with water was employed as a soothing agent for irritated skin and as a poultice to promote wound healing. Over time, with the arrival of Spanish conquistadors and the subsequent decline of the Aztec and Mayan civilizations, the knowledge and use of chia seeds diminished¹. However, chia seeds remained cultivated in certain regions of Central and South America, where their traditional uses were preserved among indigenous communities. In recent years, there has been a resurgence of interest in chia seeds due to their remarkable nutritional composition and potential health benefits. Research on the phytochemical composition of chia seeds has identified the presence of bioactive elements such kaempferol, chlorogenic acid, myricetin, quercetin and caffeic acid. These phytochemicals contribute to the antioxidant and anti-inflammatory properties associated with chia seeds. Meanwhile, chia seeds' nutrient profile has attracted interest. They are a great source of alpha-linolenic acid (ALA) and eicosapentaenoic acid (EPA), two omega-3 fatty acids. Chia seeds also boast high levels of dietary fibre, proteins (containing essential amino acids), vitamins, and minerals¹. These nutritional attributes have led to the recognition of chia seeds as a functional food with potential health-promoting effects.

As a result, chia seeds have gained popularity as a superfood and have found their way into various culinary creations, including smoothies, baked goods, and breakfast bowls. Their versatility and nutritional profile have made them a favourite among health-conscious individuals seeking to enhance their diet with natural and nutrient-dense ingredients. The history of chia seeds is deeply intertwined with the ancient civilizations of the Aztecs and Mayans, who recognized their nutritional and therapeutic value. After centuries of being underappreciated, chia seeds have experienced a resurgence in recent times due to their phytochemical profile, nutritional composition, and potential health benefits. As scientific research continues to unveil their remarkable properties, chia seeds have solidified their position as a valuable addition to a healthy and balanced diet.

The nutritional value of chia seeds has attracted increased interest in recent years. Due to their numerous health advantages, these small seeds are now a favourite among athletes. It includes a variety of antioxidant substances, including kaempferol, chlorogenic acid, myricetin and quercetin, as well as dietary fibre, high-quality protein, vitamins, and minerals⁶. Studies comparing the oil percentages of raw and roasted seeds from chia revealed that they were, respectively, 35.83% and 37.7%. These seeds also contain substantial amounts of phenols, with raw and roasted chia seeds having total phenol concentrations of 3.07 and 3.43 mg GAE/g, respectively ⁷. Chia seed oil is a good source of linoleic acid and linolenic acid, which varied with cooking methods. Additionally, chia seed oil contains tocopherols, caffeic acid, and rosmarinic acid, with varying concentrations depending on the cooking process 8. Current research indicates that chia seeds have beneficial effects on blood lipid profiles, hypoglycaemic properties, hypotensive effects, antibacterial properties, and immunological responses. Given its immense nutritional and therapeutic potential, consumption of chia seeds has been unceasing in through diverse nations for a millenium⁹. The nutrient and chemical composition of chia seeds make them a promising crop for commercialization, and advances in technology present excellent opportunities to establish a robust agricultural sector around this remarkable food source. This review aims to comprehensively characterize the nutritive and pivotal significance of chia seeds, also investigate their possible medical uses.

III.NOURISHING ATTRIBUTES OF CHIA SEEDS: A FOCUS ON NUTRITIONAL QUALITY

The nutritional and nutraceutical benefits of chia seeds are widely acknowledged ¹⁰. Factors such as climate, origin, and extraction techniques influence the quantity and composition of therapeutic components in chia seeds ¹¹. Chia seeds are a rich source of dietary fibre, with approximately 30-34 grams per serving. The fibre content is mainly composed of insoluble fibre (85-93%) and soluble fibre (7-15%) ¹². These seeds polyunsaturated fatty acids (PUFA) content is around 25-40% and 55-60% omega-3 fatty acids. PUFA, particularly linolenic acid, which makes up around 60% of the total fatty acids, are the main way that chia seeds contribute to the fatty acid profile. They also contain EPA, linoleic acid, palmitic acid, oleic acid, and palmitic acid (18–20%), making them an important source of long-chain unsaturated fatty acids. They contain more omega-3 fatty acids than flaxseeds do. Chia seeds

A COMPREHENSIVE REVIEW ON CHIA SEEDS: NUTRIENT AND PHYTONUTRIENT PROFILE AND ITS AMELIORATIVE EFFECTS

also exhibit a healthy ratio of omega-3 to omega-6 fatty acids (0.35:0.3)13. Therefore, chia seeds are considered a potent source of omega fatty acids. Protein is another significant component of chia seed, comprising 18-24% of their composition¹. The amino acid profile of chia seeds demonstrates the presence of 10 essential amino acids, with higher concentrations of leucine, lysine, valine, phenylalanine, and arginine. They also include a variety of naturally occurring amino acids, including aspartic acid, glutamic acid, serine, glycine, and alanine 14. Notably, chia seeds are devoid of gluten and therefore suitable for consumption by people who have celiac disease². Chia seeds are rich in minerals, with notable concentrations of potassium (K+), magnesium (Mg+), phosphorus (P), and calcium (Ca+). The research also identifies the presence of certain vitamins, including niacin, vitamin B1, and vitamin B2 15. Moreover, chia seeds contain a diverse range of phytochemical components that exhibit distinct biological activities¹⁶. Noteworthy polyphenols found in chia seeds include gallic acid, epicatechin, caffeic acid, cinnamic acid, chlorogenic acid, ferulic acid, quercetin, apigenin, rutin, p-coumaric acid and kaempferol¹. Chia seeds also contain stigmasterol, campesterol, 5-avenasterol, and sitosterol. Another benefit is that these seeds have also been found to contain tocopherols, such as alpha-, beta-, and gamma-tocopherol¹⁷.

Table 1: Different Functional Components of Chia Seeds and their Potential Health Benefits.

Functional component	Present in part	Helpful in diseases	References
Fibre	Bran	Diabetes, CVD, and Constipation	Fernandes et al. (2021), Liu et al. (2002), Oliveira-Alves et al. (2017)
Antioxidants	Whole seed	Cancer and Diabetes	Alwosais et al. (2021), da Silva Marineli et al. (2014), Hajhashemi et al. (2010)
Polyphenols	Whole seed	Cancer and Alzheimer's disease	Oliveira-Alves et al. (2017), Shabbir et al. (2021)
Vitamins (E)	Whole seed	Cancer	EFSA (2009), Yang et al. (2012)
Minerals	Bran	Reduce BP	Ghafoor et al. (2018), Taneja and Mandal (2007)
Omega-3 Fatty acid	Mostly in endosperm	Reduce bad cholesterol and TG	Basuny et al. (2021), Pizzini et al. (2017), Porras-Loaiza et al. (2014)

(Source: Food Science & Nutrition, Volume: 11, Issue: 1, Pages: 3-16, First published: 15 December 2022, DOI:10.1002/fsn3.3035)

The biological and chemical processes involved in seed isolation are significantly influenced by caffeine. The molecular building blocks for a number of metabolites present in the Lamiaceae family are phenolic acids, which are composed of a dihydroxyphenyl group linking an acrylic acid. The most prevalent metabolites in the polar isolation of Chia seeds are caffeoylquinic acids, particularly chlorogenic acid. These acids are created when quinic acid binds to caffeine, also known as hydroxycinnamic acid, at various places. Chia seeds also

Futuristic Trends in Agriculture Engineering & Food Sciences e-ISBN: 978-93-5747-347-7

IIP Series, Volume 3, Book 17, Part 1, Chapter 3

A COMPREHENSIVE REVIEW ON CHIA SEEDS: NUTRIENT AND PHYTONUTRIENT PROFILE AND ITS AMELIORATIVE EFFECTS

contain polymers and monomers, including caffeic acid, which contribute to their metabolism¹⁸. Monomeric compounds from Chia seeds have been identified using ultra-high-performance liquid chromatography in Colima, Mexico ¹⁹. The compounds include ferulic acid and caffeic acid. The amount of caffeic acid in Chia seeds was found to be lower than that in peach but higher than that in blueberry, papaya, and mango²⁰.

The polyphenolic existence in theses seeds, along with the phenolic compounds, contributes to their protection against oxidative deterioration¹. The antioxidant compounds glycoside Q, caffeic acid, phenolic glycoside k, quercetin and chlorogenic acid have each been identified in substantial amounts in chia seeds²¹.

Flavonoids, a subclass of polyphenolic compounds, are widely distributed in plants and play essential roles in colour, flavour, and preventing fat oxidation in food²². Due to their antimicrobial, anti-inflammatory, hepatoprotective, antioxidant, anti-cancer, and antiviral capabilities, they have been linked to a number of health advantages²³. Certain flavonoids, including myricetin, kaempferol, and quercetin, have been discovered in methanol hydrolysed extracts of chia seeds¹¹. Other studies identified myricetin and daidzein as prominent flavonoids in chia seeds¹⁹.

IV. UNLOCKING THE HEALING POTENTIAL: EXPLORING THE THERAPEUTIC ADVANTAGES OF CHIA SEEDS

Chia seeds have been associated with various therapeutic benefits. High levels of antioxidants such myricetin, kaempferol, chlorogenic acid, caffeic acid and quercetin are present in them; these compounds have anti-cardiovascular, anti-hepatic, anti-carcinogenic and anti-aging properties¹. Chia seeds' high dietary fibre content helps with digestion and hyperglycaemic control. Additionally, chia seeds contain gluten-free protein, vitamins, and polyunsaturated fatty acids (PUFA) with therapeutic effects in controlling hypertension, diabetes, and dyslipidaemia. Acting as antioxidants, they also have anti-blood-clotting, anti-inflammatory, anti-anxiety, anti-depressant, laxative, analgesic, immune system-boosting, and vision-improving properties²⁴.

Eicosapentaenoic acid (EPA) and linolenic acid play an influential role in the genesis of crucial biological molecules like leukotriene, prostaglandin, and thromboxane required for multiple physiological activities inside the body. Omega-3 fatty acid consumption, including alpha-linolenic acid is related with improvised cardiovascular functions reducing heart rate fluctuations, parasympathetic tone, and abnormal heartbeats ²⁵. Increased intake of alpha-linolenic acid has also been shown to significantly reduce the risk of heart failure ²⁶.

The numerous health advantages of chia seeds have attracted attention. Chia seeds contain more iron, fibre, magnesium, and calcium than milk, according to research done at St. Michael Hospital in Toronto, Canada. Being gluten-free these seeds with a daily intake of 37 grams, can help diabetes patients' blood glucose levels stay stable. Omega-3 fatty acids, found in abundance in chia seeds, can lower systolic blood pressure by up to 6 mmHg preventing platelet aggregation and reducing the risks of myocardial infarction and strokes²⁶.

A COMPREHENSIVE REVIEW ON CHIA SEEDS: NUTRIENT AND PHYTONUTRIENT PROFILE AND ITS AMELIORATIVE EFFECTS



Figure 1: Role of Chia Seeds in Cardiac Health and Preventing Dyslipidaemia: Food Science & Nutrition, Volume: 11, Issue: 1, Pages: 3-16, First published: 15 December 2022, DOI: (10.1002/fsn3.3035)

Chia seeds possess several medicinal properties, including anti-blood clotting effects, prevention of stress induced neurological disorders like seizure disorder, management of hypercholesteremia and immunological disorders. Consumption of chia seeds during pregnancy has been found to enhance the foetus's visual and cognitive growth ²⁷. Studies have shown that including chia seeds in male Wistar rats diet increases high-density lipoprotein cholesterol while significantly reducing triglyceride levels²⁸.




Figure 2: Role of chia seeds in metabolic disorders; Food Science & Nutrition, Volume: 11, Issue: 1, Pages: 3-16, First published: 15 December 2022, DOI: (10.1002/fsn3.3035)

A COMPREHENSIVE REVIEW ON CHIA SEEDS: NUTRIENT AND PHYTONUTRIENT PROFILE AND ITS AMELIORATIVE EFFECTS

The chia seed's antioxidant related benefits have been extensively documented. Chia seed extracts have been showed to increase the activity of antioxidant enzymes in obese rats, leading to enhanced antioxidant defence mechanisms^{29,30}. Chia seeds have also demonstrated the ability to scavenge free radicals, such as ABTS cation radicals and DPPH radicals, and prevent lipid peroxidation^{31 32}.

Chia seed and its oil has been incorporated in the animal studies and major antiobesity changes have been observed in the trailed group of animals. Chia seed administration has shown positive effects on insulin secretion, blood glucose control, reduction of visceral fat, fatty liver disease, fibrosis of the heart and the liver, inflammation, and the inhibition of the activity of stearoyl-CoA desaturase (SCD) ³³. Suppression of SCD activity protects against insulin resistance and other metabolic disorders associated with it. Chia seeds, rich in dietary fibre, contribute to improved gastrointestinal motility and prevent constipation. They also provide essential nutrients such as solid lipids, proteins, and cancer-preventive compounds³⁴ 35. Soluble chia seed extracts have been found to promote the integrity of the intestinal barrier by enlarging the area, density and width of the intestinal villi cells which play a vital impact on higher cellular growth of the enterocyte as well as higher mucus yield. This advances the digestibility and absorbability intensity of the microvillus membrane of the enterocyte ³⁵.Chia seed peptides have shown potential in skin rejuvenation processes and reducing the chances of skin disorders. Peptides derived from chia seeds exhibited inhibitory effects on enzymes associated with skin aging, including collagenase, tyrosinase, hyaluronidase, and elastase. These findings suggest that chia seed peptides can protect against skin aging by preserving the skin protein matrix ³⁷.

V. CONCLUSION

A nutritional powerhouse with therapeutic potential and a wealth of phytochemicals that can benefit human health, chia seeds have demonstrated their superiority. Highlighting the dietary predominance throughout the ages of various cultures, utilization of chia seeds continues to be a contemporary scientific approached culinary practice. Due to the diverse phytochemical profile and therapeutic potential, incorporating chia seeds into the diet can enhance the nutritional quality and possibly aid in the prevention of a broad spectrum of diseases and disorders ¹¹.

REFERENCES

- [1] Biswas S, Islam F, Imran A, et al. Phytochemical profile, nutritional composition, and therapeutic potentials of chia seeds: A concise review. *Cogent Food Agric*. 2023;9(1):2220516. doi:10.1080/23311932.2023.2220516
- [2] Grancieri M, Martino HSD, Gonzalez De Mejia E. Chia Seed (Salvia hispanica L.) as a Source of Proteins and Bioactive Peptides with Health Benefits: A Review: Bioactive peptides in chia seed.... Compr Rev Food Sci Food Saf. 2019;18(2):480-499. doi:10.1111/1541-4337.12423
- [3] Musa Özcan M, Al-Juhaimi FY, Mohamed Ahmed IA, Osman MA, Gassem MA. Effect of different microwave power setting on quality of chia seed oil obtained in a cold press. *Food Chem.* 2019;278:190-196. doi:10.1016/j.foodchem.2018.11.048
- [4] Porras-Loaiza P, Jiménez-Munguía MT, Sosa-Morales ME, Palou E, López-Malo A. Physical properties, chemical characterization and fatty acid composition of Mexican chia (Salvia hispanica L.) seeds. Int J Food Sci Technol. 2014;49(2):571-577. doi:10.1111/ijfs.12339

- [5] Segura-Campos MR, Ciau-Solís N, Rosado-Rubio G, Chel-Guerrero L, Betancur-Ancona D. Chemical and Functional Properties of Chia Seed (Salvia hispanica L.) Gum. Int J Food Sci. 2014;2014:1-5. doi:10.1155/2014/241053
- [6] Cahill JP. Ethnobotany of Chia, Salvia hispanica L. (Lamiaceae). Econ Bot. 2003;57(4):604-618. doi:10.1663/0013-0001(2003)057[0604:EOCSHL]2.0.CO;2
- [7] Ghafoor K, Aljuhaimi F, Özcan MM, et al. Effects of roasting on bioactive compounds, fatty acid, and mineral composition of chia seed and oil. *J Food Process Preserv*. 2018;42(10):jfpp.13710. doi:10.1111/jfpp.13710
- [8] Özcan MM, Al-Juhaimi FY, Ahmed IAM, Osman MA, Gassem MA. Effect of soxhlet and cold press extractions on the physico- chemical characteristics of roasted and non-roasted chia seed oils. *J Food Meas Charact*. 2019;13(1):648-655. doi:10.1007/s11694-018-9977-z
- [9] Timilsena YP, Vongsvivut J, Adhikari R, Adhikari B. Physicochemical and thermal characteristics of Australian chia seed oil. Food Chem. 2017;228:394-402. doi:10.1016/j.foodchem.2017.02.021
- [10] Coelho MS, Salas-Mellado MDLM. Effects of substituting chia (Salvia hispanica L.) flour or seeds for wheat flour on the quality of the bread. LWT - Food Sci Technol. 2015;60(2):729-736. doi:10.1016/j.lwt.2014.10.033
- [11] Reyes-Caudillo E, Tecante A, Valdivia-López MA. Dietary fibre content and antioxidant activity of phenolic compounds present in Mexican chia (Salvia hispanica L.) seeds. *Food Chem.* 2008;107(2):656-663. doi:10.1016/j.foodchem.2007.08.062
- [12] Capitani MI, Spotorno V, Nolasco SM, Tomás MC. Physicochemical and functional characterization of by-products from chia (Salvia hispanica L.) seeds of Argentina. LWT - Food Sci Technol. 2012;45(1):94-102. doi:10.1016/j.lwt.2011.07.012
- [13] Villanueva-Bermejo D, Calvo MV, Castro-Gómez P, Fornari T, Fontecha J. Production of omega 3-rich oils from underutilized chia seeds. Comparison between supercritical fluid and pressurized liquid extraction methods. *Food Res Int.* 2019;115:400-407. doi:10.1016/j.foodres.2018.10.085
- [14] Khalid W, Arshad MS, Aziz A, et al. Chia seeds (Salvia hispanica L.): A therapeutic weapon in metabolic disorders. Food Sci Nutr. 2022;11(1):3-16. doi:10.1002/fsn3.3035
- [15] Jin F, Nieman DC, Sha W, Xie G, Qiu Y, Jia W. Supplementation of Milled Chia Seeds Increases Plasma ALA and EPA in Postmenopausal Women. *Plant Foods Hum Nutr.* 2012;67(2):105-110. doi:10.1007/s11130-012-0286-0
- [16] Rahman MdJ, De Camargo AC, Shahidi F. Phenolic and polyphenolic profiles of chia seeds and their in vitro biological activities. *J Funct Foods*. 2017;35:622-634. doi:10.1016/j.jff.2017.06.044
- [17] Ciftci ON, Przybylski R, Rudzińska M. Lipid components of flax, perilla, and chia seeds. *Eur J Lipid Sci Technol*. 2012;114(7):794-800. doi:10.1002/ejlt.201100207
- [18] Nitrayová S, Brestenský M, Heger J, Patráš P, Rafay J, Sirotkin A. Amino acids and fatty acids profile of chia (Salvia hispanica L.) and flax (Linum usitatissimum L.) seed. *Potravinarstvo Slovak J Food Sci*. 2014;8(1):72-76. doi:10.5219/332
- [19] Martínez-Cruz O, Paredes-López O. Phytochemical profile and nutraceutical potential of chia seeds (Salvia hispanica L.) by ultra high performance liquid chromatography. *J Chromatogr A*. 2014;1346:43-48. doi:10.1016/j.chroma.2014.04.007
- [20] Balasundram N, Sundram K, Samman S. Phenolic compounds in plants and agri-industrial by-products: Antioxidant activity, occurrence, and potential uses. *Food Chem.* 2006;99(1):191-203. doi:10.1016/j.foodchem.2005.07.042
- [21] Nutritional and therapeutic perspectives of Chia (Salvia hispanica L.): a review PMC. Accessed July 21, 2023. https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4926888/
- [22] Zhu W, Jia Q, Wang Y, Zhang Y, Xia M. The anthocyanin cyanidin-3-O-β-glucoside, a flavonoid, increases hepatic glutathione synthesis and protects hepatocytes against reactive oxygen species during hyperglycemia: Involvement of a cAMP–PKA-dependent signaling pathway. *Free Radic Biol Med.* 2012;52(2):314-327. doi:10.1016/j.freeradbiomed.2011.10.483
- [23] Yao LH, Jiang YM, Shi J, et al. Flavonoids in Food and Their Health Benefits. Plant Foods Hum Nutr. 2004;59(3):113-122. doi:10.1007/s11130-004-0049-7
- [24] Ullah R, Nadeem M, Khalique A, et al. Nutritional and therapeutic perspectives of Chia (Salvia hispanica L.): a review. J Food Sci Technol. 2016;53(4):1750-1758. doi:10.1007/s13197-015-1967-0
- [25] Pawlosky R, Hibbeln J, Lin Y, Salem N. n -3 Fatty acid metabolism in women. Br J Nutr. 2003;90(5):993-994. doi:10.1079/BJN2003985
- [26] Vuksan V, Jenkins AL, Dias AG, et al. Reduction in postprandial glucose excursion and prolongation of

A COMPREHENSIVE REVIEW ON CHIA SEEDS: NUTRIENT AND PHYTONUTRIENT PROFILE AND ITS AMELIORATIVE EFFECTS

- satiety: possible explanation of the long-term effects of whole grain Salba (Salvia Hispanica L.). Eur J Clin Nutr. 2010;64(4):436-438. doi:10.1038/ejcn.2009.159
- [27] Vuksan V, Choleva L, Jovanovski E, et al. Comparison of flax (Linum usitatissimum) and Salba-chia (Salvia hispanica L.) seeds on postprandial glycemia and satiety in healthy individuals: a randomized, controlled, crossover study. *Eur J Clin Nutr*. 2017;71(2):234-238. doi:10.1038/ejcn.2016.148
- [28] Fernandez I, Vidueiros SM, Ayerza R, Coates W, Pallaro A. Impact of chia (Salvia hispanica L.(on the immune system: preliminary study. Proc Nutr Soc. 2008;67(OCE1):E12. doi:10.1017/S0029665108006216
- [29] Coelho VR, Vieira CG, De Souza LP, et al. Antiepileptogenic, antioxidant and genotoxic evaluation of rosmarinic acid and its metabolite caffeic acid in mice. *Life Sci.* 2015;122:65-71. doi:10.1016/j.lfs.2014.11.009
- [30] Marineli RDS, Lenquiste SA, Moraes ÉA, Maróstica MR. Antioxidant potential of dietary chia seed and oil (Salvia hispanica L.) in diet-induced obese rats. *Food Res Int.* 2015;76:666-674. doi:10.1016/j.foodres.2015.07.039
- [31] Sargi SC, Silva BC, Santos HMC, et al. Antioxidant capacity and chemical composition in seeds rich in omega-3: chia, flax, and perilla. Food Sci Technol. 2013;33(3):541-548. doi:10.1590/S0101-20612013005000057
- [32] Segura-Campos MR, Salazar-Vega IM, Chel-Guerrero LA, Betancur-Ancona DA. Biological potential of chia (Salvia hispanica L.) protein hydrolysates and their incorporation into functional foods. *LWT Food Sci Technol*. 2013;50(2):723-731. doi:10.1016/j.lwt.2012.07.017
- [33] Poudyal H, Panchal SK, Waanders J, Ward L, Brown L. Lipid redistribution by α-linolenic acid-rich chia seed inhibits stearoyl-CoA desaturase-1 and induces cardiac and
- [34] hepatic protection in diet-induced obese rats. *J Nutr Biochem*. 2012;23(2):153-162. doi:10.1016/j.jnutbio.2010.11.011
- [35] Tan KY. Fiber and colorectal diseases: Separating fact from fiction. World J Gastroenterol. 2007;13(31):4161. doi:10.3748/wjg.v13.i31.4161
- [36] Miśta D, Króliczewska B, Pecka-Kiełb E, et al. Effect of in ovo injected prebiotics and synbiotics on the caecal fermentation and intestinal morphology of broiler chickens. *Anim Prod Sci.* 2017;57(9):1884. doi:10.1071/AN16257
- [37] Pereira Da Silva, Kolba, Stampini Duarte Martino, Hart, Tako. Soluble Extracts from Chia Seed (Salvia hispanica L.) Affect Brush Border Membrane Functionality, Morphology and Intestinal Bacterial Populations In Vivo (Gallus gallus). *Nutrients*. 2019;11(10):2457. doi:10.3390/nu11102457
- [38] Aguilar-Toalá JE, Liceaga AM. Identification of chia seed (Salvia hispanica L.) peptides with enzyme inhibition activity towards skin- aging enzymes. *Amino Acids*. 2020;52(8):1149-1159. doi:10.1007/s00726-020-02879-4