

Chapter 14

Endogenous Antioxidants-III

Ms. Neha Goel

Associate Professor

Rajiv Gandhi Institute of Pharmacy

Faculty of Pharmaceutical Science & Technology

AKS University Satna, (M.P.)

ABSTRACT

Endogenous antioxidants are critical components of the body's defense system against oxidative stress, with Vitamin E, α -lipoic acid, and melatonin playing pivotal roles in maintaining cellular health and preventing damage. **Vitamin E** is a fat-soluble antioxidant that primarily protects cell membranes from oxidative damage by neutralizing free radicals. It is particularly effective in safeguarding lipids from peroxidation, thereby supporting skin health, immune function, and reducing the risk of chronic diseases such as cardiovascular disease. **α -Lipoic acid** is a versatile antioxidant that is both water- and fat-soluble, allowing it to work throughout the body, including in the mitochondria, where it plays a key role in energy production. Besides directly scavenging free radicals, α -lipoic acid regenerates other antioxidants like Vitamin C, Vitamin E, and glutathione, enhancing the body's overall antioxidant capacity. It is also noted for its ability to improve insulin sensitivity and support metabolic health. **Melatonin**, best known for regulating sleep-wake cycles, is also a powerful antioxidant that protects nuclear and mitochondrial DNA from oxidative damage. It scavenges free radicals and enhances the activities of antioxidant enzymes like superoxide dismutase (SOD) and glutathione peroxidase. Melatonin's dual role as a hormone and antioxidant makes it crucial not only for sleep but also for broader health benefits, including immune modulation and protection against neurodegenerative diseases. Together, these antioxidants form a robust defense system that protects the body from oxidative stress, supports cellular function, and contributes to overall health and longevity. Their synergistic effects highlight the importance of maintaining adequate levels of these compounds to prevent disease and promote healthy aging.

Vitamin E

Introduction: Vitamin C, also known as ascorbic acid, is a vital water-soluble vitamin and a powerful antioxidant that plays a crucial role in maintaining overall health. Unlike most animals, humans cannot synthesize vitamin C endogenously, making it an essential nutrient that must be obtained through the diet.

Nutritional Profile: Vitamin C is abundant in many fruits and vegetables, particularly citrus fruits, strawberries, kiwi, bell peppers, broccoli, and spinach. It is a potent antioxidant that helps protect cells from oxidative stress by neutralizing free radicals. Additionally, vitamin C is involved in numerous metabolic processes, including collagen synthesis, the absorption of non-heme iron from plant-based foods, and the maintenance of immune function.

Therapeutic Uses: Vitamin C is widely recognized for its role in supporting immune health. It enhances the function of immune cells, promotes the production of antibodies, and strengthens the skin's defense system by encouraging collagen production. Its antioxidant properties also help reduce inflammation and protect against the harmful effects of free radicals, thereby lowering the risk of chronic diseases such as cardiovascular disease and certain cancers.

Moreover, vitamin C plays a critical role in wound healing, as it is essential for the biosynthesis of collagen, a key structural protein in skin, blood vessels, and connective tissues. Adequate vitamin C levels are also linked to improved cardiovascular health, as it helps prevent the oxidation of low-density lipoprotein (LDL) cholesterol and supports healthy blood vessels.

As a Functional Food Ingredient: Due to its health benefits, vitamin C is often added to foods and beverages as a functional ingredient. It not only enhances the nutritional value of these products but also acts as a natural preservative, protecting them from oxidation and extending shelf life. Vitamin C supplements are commonly used to prevent or treat deficiencies, boost immune function, and support overall health, particularly during times of stress or illness.

Function

- a. **Antioxidant Defense:** Vitamin E acts as a powerful lipid-soluble antioxidant by scavenging reactive oxygen species (ROS), particularly lipid peroxyl radicals, which are generated during lipid peroxidation. By neutralizing these radicals, Vitamin E helps protect cell membranes and other lipid-rich structures from oxidative damage.
- b. **Regeneration of Other Antioxidants:** Vitamin E works in conjunction with other antioxidants, such as Vitamin C, to maintain antioxidant protection. It can be regenerated by Vitamin C, which restores Vitamin E's antioxidant capacity after it has neutralized ROS.
- c. **Immune Function:** Vitamin E supports immune function by enhancing the proliferation and function of immune cells, such as T lymphocytes. It also helps modulate immune responses and reduce inflammation.

Forms and Mechanism of Action

- a. **Forms:** Vitamin E exists in several forms, with α -tocopherol being the most biologically active form in humans. Other forms include β -tocopherol, γ -tocopherol, and δ -tocopherol, which also contribute to antioxidant activity but are less active than α -tocopherol.
- b. **Mechanism of Action**
 - **Direct Scavenging:** Vitamin E neutralizes lipid peroxyl radicals by donating hydrogen atoms or electrons, thereby preventing the propagation of lipid peroxidation.
 - **Protection of Membranes:** By integrating into cell membranes, Vitamin E stabilizes membrane lipids and protects them from oxidative damage.
 - **Regeneration:** Vitamin E can be regenerated from its oxidized form by Vitamin C, ensuring sustained antioxidant protection.

Absorption and Distribution

- a. **Absorption:** Vitamin E is absorbed in the small intestine along with dietary fats. Its absorption is facilitated by the presence of bile salts and pancreatic enzymes.
- b. **Distribution:** Once absorbed, Vitamin E is transported in the bloodstream via chylomicrons and lipoproteins. It accumulates in various tissues, particularly in adipose tissue and cell membranes.

Clinical Relevance

- a. **Deficiency Diseases:** Vitamin E deficiency can lead to neurological problems, such as peripheral neuropathy and ataxia, due to the role of Vitamin E in protecting nerve cells from oxidative damage. It can also cause muscle weakness and immune dysfunction.
- b. **Oxidative Stress and Disease:** Adequate Vitamin E levels are associated with a reduced risk of chronic diseases related to oxidative stress, including cardiovascular diseases and certain cancers. However, evidence for its role in preventing these conditions is mixed.
- c. **Supplementation:** Vitamin E supplementation may be beneficial for individuals with deficiencies or specific health conditions. However, excessive intake can lead to adverse effects, such as bleeding disorders, due to its potential anticoagulant properties.

α -Lipoic Acid

Introduction: α -Lipoic acid (ALA) is a naturally occurring compound that plays a crucial role in energy metabolism and acts as a potent antioxidant. Unlike many other antioxidants, α -lipoic acid is both water- and fat-soluble, allowing it to work in various parts of the cell, including the cytoplasm and the lipid membranes. This unique property enhances its effectiveness in neutralizing free radicals and protecting cells from oxidative damage.

Nutritional Sources: Although the body produces α -lipoic acid in small amounts, it is also available through dietary sources. Foods rich in α -lipoic acid include red meat (particularly organ meats like liver and heart), spinach, broccoli, tomatoes, and Brussels sprouts. ALA is also available as a dietary supplement, often used for its antioxidant benefits.

Therapeutic Uses: α -Lipoic acid is renowned for its role in supporting metabolic health. It is a critical cofactor in mitochondrial enzyme complexes that generate ATP, the primary energy currency of the cell. This makes ALA vital for energy production and overall cellular function.

One of the most significant benefits of α -lipoic acid is its ability to regenerate other antioxidants, such as glutathione, vitamin C, and vitamin E, thereby enhancing the body's overall antioxidant capacity. This makes ALA particularly valuable in conditions associated with oxidative stress, such as diabetes, neurodegenerative diseases, and cardiovascular disorders.

In the management of diabetes, α -lipoic acid has been shown to improve insulin sensitivity, lower blood sugar levels, and reduce symptoms of diabetic neuropathy, a common complication of diabetes characterized by nerve damage. Its ability to cross the blood-brain

barrier also makes it a potential therapeutic agent for neurodegenerative diseases like Alzheimer's and Parkinson's.

As a Functional Food Ingredient: Given its antioxidant properties and metabolic benefits, α -lipoic acid is increasingly being used as a functional food ingredient and dietary supplement. It is often included in formulations aimed at supporting energy metabolism, reducing oxidative stress, and managing blood sugar levels. ALA's versatility and effectiveness in both water- and fat-soluble environments make it a valuable addition to health-focused products.

Overview: α -Lipoic acid (ALA) is a naturally occurring compound that functions as a potent antioxidant. It is both water-soluble and fat-soluble, allowing it to work in various cellular compartments and protect against oxidative damage. α -Lipoic acid is involved in energy metabolism and has a range of physiological effects due to its antioxidant properties.

Function

- a. **Antioxidant Defense:** α -Lipoic acid scavenges a variety of reactive oxygen species (ROS) and free radicals, including superoxide radicals (O_2^-), hydroxyl radicals ($\bullet OH$), and singlet oxygen. Its ability to function in both aqueous and lipid environments allows it to protect different cellular components from oxidative damage.
- b. **Regeneration of Other Antioxidants:** α -Lipoic acid plays a role in regenerating other antioxidants, such as Vitamin C and Vitamin E, by reducing their oxidized forms. This recycling process helps maintain a robust antioxidant defense system.
- c. **Metal Chelation:** ALA can chelate metal ions, such as iron and copper, which are involved in the generation of free radicals through Fenton reactions. By binding these metals, α -Lipoic acid reduces the risk of oxidative damage.

Mechanism of Action

- a. **Direct Scavenging:** α -Lipoic acid directly neutralizes ROS and free radicals by donating electrons, thereby preventing oxidative damage to cellular structures.
- b. **Regeneration of Antioxidants:** It assists in regenerating Vitamin C and Vitamin E from their oxidized forms, which enhances the overall antioxidant defense capacity of the cell.
- c. **Cellular Energy Production:** α -Lipoic acid is a cofactor in mitochondrial enzyme complexes (e.g., pyruvate dehydrogenase complex) that are involved in energy production. This role supports cellular metabolism and helps maintain cellular health.

Absorption and Distribution

- a. **Absorption:** α -Lipoic acid is absorbed in the gastrointestinal tract after oral intake. Its absorption is efficient, and it can cross cell membranes due to its lipophilic nature.
- b. **Distribution:** Once absorbed, α -lipoic acid is distributed throughout the body, including the liver, brain, and other tissues. It is present in both free and bound forms in various cellular compartments.

Clinical Relevance

- a. **Oxidative Stress and Disease:** α -Lipoic acid has been studied for its potential benefits in managing conditions associated with oxidative stress, such as diabetes, cardiovascular diseases, and neurodegenerative disorders. It may improve symptoms and outcomes related to these conditions by reducing oxidative damage and supporting cellular function.
- b. **Diabetic Neuropathy:** ALA has been used as a therapeutic agent for diabetic neuropathy due to its ability to reduce oxidative stress and improve nerve function.
- c. **Supplementation:** α -Lipoic acid supplementation is available and is often used to support antioxidant defense and metabolic health. It is generally considered safe but may interact with certain medications and should be used under medical supervision.

Melatonin: A Multifaceted Hormone and Antioxidant

Introduction: Melatonin is a hormone primarily produced by the pineal gland in the brain and is best known for regulating the sleep-wake cycle. Beyond its role in sleep, melatonin is a powerful antioxidant with a wide range of physiological functions, including immune modulation, protection against oxidative stress, and regulation of various bodily rhythms.

Production and Sources: Melatonin production in the body is triggered by darkness and suppressed by light, making it a key regulator of circadian rhythms. While melatonin is naturally synthesized in the body, it can also be found in small amounts in certain foods such as cherries, grapes, tomatoes, and grains. Melatonin supplements are widely available and are often used to aid sleep and manage circadian rhythm disorders.

Therapeutic Uses: Melatonin is most commonly used as a natural sleep aid. It helps regulate the body's internal clock, making it particularly beneficial for individuals experiencing insomnia, jet lag, or shift work disorder. By promoting restful sleep, melatonin supports overall well-being and enhances daytime alertness. Beyond its sleep-regulating properties, melatonin is a potent antioxidant that scavenges free radicals and protects cells from oxidative damage. It has been shown to enhance the body's overall antioxidant defense system by stimulating the production of antioxidant enzymes like superoxide dismutase (SOD) and glutathione peroxidase. Melatonin's antioxidant properties extend to its ability to protect DNA, lipids, and proteins from oxidative stress, which is particularly valuable in preventing age-related diseases and neurodegenerative disorders such as Alzheimer's and Parkinson's. Melatonin also plays a role in immune function, where it modulates immune responses and exhibits anti-inflammatory effects. This makes it beneficial in conditions characterized by chronic inflammation and immune dysregulation.

As a Functional Food Ingredient: Melatonin's wide range of health benefits has led to its inclusion in various functional foods and beverages, particularly those aimed at promoting relaxation and improving sleep quality. Melatonin-enriched products, such as teas, juices, and dietary supplements, are increasingly popular among consumers seeking natural ways to support sleep and reduce oxidative stress.

Overview: Melatonin is a hormone primarily known for regulating sleep-wake cycles but also functions as a potent endogenous antioxidant. It is produced by the pineal gland in response to darkness and has been shown to have a range of biological activities related to oxidative stress and cellular protection.

Function

- a. **Antioxidant Defense:** Melatonin directly scavenges reactive oxygen species (ROS) and free radicals, including hydroxyl radicals ($\bullet\text{OH}$), peroxynitrite (ONOO^-), and singlet oxygen ($^1\text{O}_2$). By neutralizing these harmful molecules, melatonin helps protect cells from oxidative damage.
- b. **Regulation of Antioxidant Enzymes:** Melatonin can influence the activity of various antioxidant enzymes, such as superoxide dismutase (SOD), catalase, and glutathione peroxidase (GPx), enhancing the overall antioxidant defense system.
- c. **Mitigation of Oxidative Damage:** Melatonin can reduce oxidative damage to cellular components like DNA, proteins, and lipids. This protective role is important in maintaining cellular integrity and function.

Mechanism of Action

- a. **Direct Scavenging:** Melatonin directly reacts with ROS and free radicals, neutralizing them and preventing oxidative damage to cellular structures.
- b. **Regeneration of Other Antioxidants:** Melatonin can regenerate other antioxidants, such as Vitamin C and Vitamin E, thereby supporting the overall antioxidant defense system.
- c. **Cellular Protection:** Melatonin protects cellular organelles, including mitochondria, from oxidative stress and improves mitochondrial function. It helps prevent mitochondrial dysfunction, which is linked to various diseases.

Absorption and Distribution

- a. **Absorption:** Melatonin is absorbed through the gastrointestinal tract after oral intake. It is rapidly distributed throughout the body and can cross the blood-brain barrier, allowing it to exert effects in the central nervous system.
- b. **Distribution:** Melatonin is present in various tissues, including the brain, liver, and kidneys. Its distribution reflects its role in both systemic and central nervous system protection.

Clinical Relevance

- a. **Oxidative Stress and Disease:** Melatonin's antioxidant properties have been studied in relation to various conditions associated with oxidative stress, such as neurodegenerative diseases (e.g., Alzheimer's and Parkinson's), cardiovascular diseases, and cancer. It may provide therapeutic benefits by reducing oxidative damage and supporting cellular health.
- b. **Sleep Disorders:** Besides its antioxidant effects, melatonin is widely used to manage sleep disorders, such as insomnia and circadian rhythm disturbances. Its role in regulating sleep-wake cycles is well-documented and complements its antioxidant actions.
- c. **Supplementation:** Melatonin supplementation is commonly used for sleep-related issues and is being explored for its potential benefits in managing oxidative stress-related diseases. While generally considered safe, it is essential to use melatonin under medical supervision, especially for long-term use or in combination with other treatments.