

Chapter 12

Organic Farming and Soil Health: The Role of Sustainable Practice

Suwa Lal Yadav

Department of Soil Science and
Agricultural Chemistry
Anand Agricultural University
Anand, Gujarat, India
suwalalyadav96@gmail.com

Manish Yadav

Department of Soil Science
Punjab Agricultural University
Ludhiana, India

Devilal Birla

Department of Agronomy
Anand Agricultural University
Anand, Gujarat, India

Indra Raj Yadav

Department of Soil Science
Rajmata Vijayaraje Scindia
Krishi Vishwa Vidyalyaya
Gwalior, Madhya Pradesh, India.

Abstract

The trajectory of organic farming exhibits a variety of encouraging trends and cutting-edge approaches that are in line with the current global emphasis on sustainability, environmental stewardship, and food production that is focused on human health. Organic agriculture is experiencing an evolutionary metamorphosis, combining regenerative techniques, agroecological principles, precision agriculture technologies, and urban farming concepts into its basic ethos as the demand for organic products grows exponentially. These innovative features not only improve agricultural output and flexibility but also provide workable answers to urgent problems including reducing climate change, managing pests and diseases, and maximizing resource utilization. A growing

global population has diverse food needs, which the emerging paradigm of organic farming emphasizes by emphasizing principles of transparency, circularity, and the careful integration of science and technology. It is projected that the organic industry would grow exponentially as a result of rising consumer knowledge and education about organic processes and related benefits, making a significant contribution to the realization of a sustainable and ethically sound food ecology. Organic farming is still firmly rooted in its unshakable dedication to ecological balance and responsible land stewardship in this dynamic progression. It stands out as a crucial factor in determining how agriculture will develop in the future, where food production will harmoniously live with natural systems, bringing about a healthier planet and promoting a sustainable food supply of unmatched significance.

Keywords: sustainable agriculture, biodiversity, soil health

I. INTRODUCTION

Sustainable agriculture, soil health, and ecological balance are prioritized in organic farming. By focusing on natural processes and reducing the use of synthetic chemicals and genetically modified organisms (GMOs), it differs from conventional farming techniques. In order to maintain and improve soil fertility, manage pests and diseases, and promote crop growth, organic farming uses natural processes and resources. Composting, crop rotation, and biological pest management are examples of this. The foundation of organic farming is healthy soil. Organic farming emphasizes measures like incorporating organic materials, avoiding synthetic fertilizers, and minimizing soil erosion in order to improve and preserve soil health. By cultivating a variety of crops and preserving a variety of ecosystems, organic farms frequently encourage biodiversity (Ashoka *et al.*, 2023). This can enhance pest management on a natural basis and increase agricultural resilience as a whole. Fertilizers, herbicides, and pesticides are not used in organic farming. Instead, it uses organic pesticides and natural alternatives to control pests and weeds, such helpful insects. Genetically modified organisms (GMOs) are not allowed to be used in crop production in organic agriculture. Non-GMO seeds are used to develop organic crops. To guarantee that goods marketed as "organic" adhere to strict guidelines, many nations have established organic certification schemes. To utilize the organic label on their products, growers must abide by certain requirements. Since organic farming lessens the harm that agriculture causes to ecosystems, water quality, and public health, it is frequently regarded as being ecologically benign. Additionally, it often consumes less energy and emits less greenhouse gases (Gheysen and Custers, 2017). Due to the absence of synthetic chemicals and GMOs, some customers believe organic food to be healthier. However, there is conflicting scientific opinion and ongoing study regarding the health advantages

of organic food. Consumer demand for organic goods is rising as a result of worries about the environment, human health, and sustainability. This has prompted an increase in organic farming all over the world. In comparison to conventional farming, organic farming can be more labor-intensive, and it may also experience insect problems and lower yields (Olson, 2017).

II. IMPORTANCE OF SOIL HEALTH IN AGRICULTURE

Soil health is a critical factor in agriculture, as it directly influences the productivity, sustainability, and overall success of farming practices. Healthy soil contains essential nutrients like nitrogen, phosphorus, and potassium in balanced quantities. These nutrients are crucial for plant growth and development. When soil health is compromised, nutrient availability to plants decreases, leading to reduced crop yields. Healthy soil has good water-holding capacity, allowing it to retain moisture for plants to access during dry periods. In contrast, degraded soil may not retain water efficiently, leading to drought stress and reduced crop resilience (Baweja *et al.*, 2020). Well-structured soil with good aeration and drainage promotes strong root development. Plants with healthy roots have easier access to water and nutrients, which makes them stronger and more productive. Erosion is less likely to occur in healthy soil that has a good cover of vegetation and organic material. Topsoil, which is rich in nutrients and necessary for plant growth, can be lost due to erosion. The presence and activity of beneficial soil microorganisms has a direct impact on soil health. These bacteria help with disease prevention, nutrient cycling, and the conversion of organic materials into nutrients that plants can utilize. A diverse ecology of creatures can thrive in healthy soil, some of which serve as natural predators of pathogens and pests. In agriculture, this may lessen the need for chemical pesticides. In order to slow down climate change, healthy soils can store carbon from the atmosphere. Practices that improve soil health, such as increasing organic matter, can aid in the sequestration of carbon. A key component of sustainable agriculture is soil health. Farmers that put soil health first are more likely to retain productivity over the long run while reducing the detrimental effects of farming on the environment. Crop quality can be impacted by soil health. Crops with better nutritional value can result from nutrient-rich soil, which is beneficial for both human and animal health. The agricultural industry's economic viability is directly impacted by soil health (Kane and Solutions, 2015). A farmer may experience lower yields, higher input costs, and decreased profitability as a result of poor soil health. The condition of agricultural soils is vital to ensuring an adequate food supply as the world's population rises. It is crucial to use sustainable soil management techniques to fulfill future food demand. Responsible land stewardship includes maintaining the health of the soil. Ecosystems, water quality, and the condition of the environment as a whole are all protected.

III. ORGANIC FARMING PRINCIPLES AND COMPONENTS

Principle of health is the first and key principle of organic farming. Organic agriculture should uphold and improve the health of the earth as a whole, including the soil, plants, animals, people, and other living things. As a result, it should refrain from using any fertilizers, pesticides, animal medications, or food additives that could be harmful to one's health. Ecological principle includes like organic agriculture should be founded on thriving ecological cycles and systems, and should cooperate with, model, and support these systems. The common ecosystem, which includes landscapes, climate, habitats, biodiversity, air, and water, should be protected and benefited by those who produce, process, trade, or consume organic products. Fairness principles includes like organic agriculture should be based on connections that guarantee equity with regard to the shared environment and opportunities for life. Systems of production, distribution, and commerce must be open, equal, and take into account the true costs to the environment and society (Luttikholt, 2007). The management of organic agriculture should follow a strict code of ethics in order to safeguard the environment, present and future generations' health, and both. Through open and inclusive processes, decisions should take into account the needs and values of all parties that may be impacted. A vital component of sustainable agriculture and ecosystems is healthy soil. It is made up of numerous parts that work together to support nutrient cycling, plant growth, and environmental safety.

IV. IMPACT OF CONVENTIONAL FARMING ON SOIL DEGRADATION AND EROSION

Crop yields and agricultural production have significantly increased thanks to chemical inputs in agriculture like synthetic fertilizers and insecticides. However, their incorrect and excessive use can result in soil pollution, which is extremely dangerous for both the environment and human health. An outline of the connection between chemical inputs and soil pollution is provided below:

1. Chemical Inputs in Agriculture

Concentrated nutrients like nitrogen, phosphorous, and potassium are found in synthetic fertilizers. By giving plants vital nutrients, they are frequently employed to improve crop development and raise yields. Chemicals known as pesticides are used to manage and control pests such as insects, weeds, and illnesses. They raise agricultural output and aid in crop damage prevention. A type of pesticide called a herbicide is made specifically to suppress or eliminate weeds. They are frequently employed in traditional

agriculture to keep crop fields clear of undesirable weeds. Pest insects that can harm crops are controlled with the use of insecticides. They are used on plants to prevent pest infestations. Under particular under humid or moist environments, fungicides are used to prevent or treat fungal diseases that might harm crops (Sharma and Singhvi, 2017).

2. Soil Pollution from Chemical Inputs

There are various ways in which the incorrect or excessive use of chemical inputs in agriculture can pollute the soil: An unbalanced supply of nutrients in the soil may be the result of excessive usage of synthetic fertilizers. Nutrient contamination can result from excess nutrients, particularly nitrogen and phosphorus, that leak into groundwater or are carried by runoff into rivers and lakes. Pesticides can leave behind soil residues that could last for a very long time. These residues can have an adverse effect on the health of the soil by harming helpful soil creatures like earthworms and bacteria. Regular fertilizer and pesticide use can cause a build-up of chemicals in the soil. This might lead to soil pollution, which would make it less appropriate for crop production and pose concerns to the environment and human health. Chemicals in the soil can leach into groundwater and contaminate sources of drinking water, thereby posing health risks to both people and wildlife. Overuse of pesticides can result in the emergence of pests that are resistant to them, necessitating the use of additional chemical inputs to control them. When non-target animals, such as pollinators like bees and beneficial insects, are harmed by pesticides, ecosystems are disrupted and biodiversity is decreased.

The actions are advocated in order to reduce soil pollution caused by chemical inputs and advance sustainable agriculture; Integrated pest management (IPM) places a strong emphasis on using a variety of approaches, including as crop rotation, biological control, and less pesticide use, to manage pests more sustainably. The use of focused input applications and precision agriculture tools, such as soil testing, helps maximize resource efficiency and reduce chemical overuse. Organic farming relies on natural and organic alternatives to synthetic pesticides and fertilizers to control pests and improve soil fertility. To manage and restrict the use of chemical inputs in agriculture and minimize soil pollution, government rules and policies can be extremely important.

V. COMPOSTING AND SOIL AMENDMENTS FOR MAINTAIN SOIL FERTILITY

1. Improved Soil Health

Different types of crops with various root systems and nutritional requirements improve soil quality, stop soil erosion, and encourage biodiversity. Through a reduction in a single crop's vulnerability to price changes, crop variety can help stabilize farm income. A more varied and nutrient-rich diet can be produced for both people and livestock by growing a variety of crops. Sustainable agriculture emphasizes the importance of crop diversification and rotation. These techniques not only help increase agricultural yields but also improve the overall resilience of agricultural systems by reducing the detrimental environmental effects of farming (Muhie, 2022). Examples are vegetables, fruits, cereals, legumes, and cover crops can all be grown using several cropping techniques on the same farm.

2. Cover Crops and Green Manure

A good agricultural approach is planting particular crops primarily for soil enhancement as opposed to harvest, such as cover crops and green manure. They provide a number of advantages for resilient ecosystems, sustainability, and soil health. Here are some succinct notes on these techniques: When the primary cash crops are not in the field, non-commercial cover crops are cultivated primarily to cover and protect the land. They are typically grown in the off-season or during fallow times. Because they protect the soil from wind and water, cover crops aid in reducing soil erosion. Since they outcompete weeds, there is less need for herbicides and less weed growth. By absorbing extra nutrients from the soil, cover crops stop runoff and leaching into water sources. Legumes are one type of cover crop that can fix atmospheric nitrogen, enhancing soil fertility. Roots of cover crops serve as habitats for advantageous soil bacteria, increasing soil biodiversity (Blanco- Canqui *et al.*, 2015). Examples are clover, rye, oats, and vetch are examples of typical cover crops. The purpose of cultivating green manure crops is to incorporate them into the soil while they are still green and actively growing. They usually act as sources of organic matter and nutrients by being tilled or ploughed into the soil. When green manure crops are added to the soil, the soil is enriched with nutrients and organic matter. Green manure crops improve soil structure and aeration as they break down. Some green manure crops successfully control weed growth. Clover and hairy vetch are examples of leguminous green manure crops that can fix atmospheric nitrogen, eliminating the need for synthetic fertilizers (Rasmussen and Collins, 1991). Examples are buckwheat, mustard, and red clover.

Both cover crops and green manure crops are essential components of sustainable agriculture and improve soil health, have a smaller negative impact on the environment, and boost the resilience of agricultural systems. They are useful tools for farmers who want to preserve and improve the sustainability and long-term productivity of their properties.

3. Reduced Tillage Techniques

Reduced tillage, commonly referred to as conservation tillage or no-till farming, is a farming technique that causes less mechanical disturbance of the soil than traditional tillage techniques. Due to their potential to boost overall sustainability, improve soil health, save moisture, prevent erosion, and other factors, these strategies have grown in popularity. The following are succinct notes on reduced tillage methods: Reduced tillage refers to a variety of techniques that disturb the soil less than traditional tillage. These methods try to prepare the soil for planting while causing the least amount of soil disturbance. Less tillage practices support healthy soil microbes, soil structure preservation, and less compaction. Soils become healthier and more productive as a result (Saurabh *et al.*, 2021).

Crop residues left over from reduced tillage serve as a natural mulch to prevent soil moisture loss and reduce evaporation. This is beneficial in arid areas in particular. Reduced tillage lessens the chance of soil erosion by keeping the land covered in crop leftovers, preventing vital topsoil from being washed away by rain or blown away by wind. When compared to traditional tillage, which requires more rigorous soil preparation, farmers who utilize reduced tillage frequently consume less fuel and spend less time working the land. Crop residue build-up on the soil's surface aids in carbon sequestration, which helps slow down climate change.

VI. ROLE OF COMPOST IN SOIL HEALTH

Nitrogen, phosphorus, and potassium are among the abundant nutrients found in compost. These nutrients are progressively released after being integrated into the soil, giving plants a sustained and balanced source of nutrition. Decomposed organic elements found in compost greatly improve the soil's organic matter level. This organic material enhances soil aeration, water retention, and structure, which benefits the health of the soil as a whole. Beneficial microorganisms in compost increase the diversity and activity of the soil's microbial community. These microorganisms support the decomposition of organic materials, the cycling of nutrients, and the prevention of disease. The pH of the soil can be stabilized and made less susceptible to dramatic variations by adding compost. This is crucial for preserving the pH range needed for

healthy plant growth. Compost can improve the soil's ability to withstand erosion, preventing the loss of valuable topsoil (Mohammadi *et al.*, 2011).

1. Water Retention

Compost increases the soil's capacity to store water, enabling it to hold onto moisture for longer. This is especially helpful in areas that experience drought or erratic rainfall. Compost can lessen dependency on synthetic chemical fertilizers, reducing the danger of nutrient pollution by providing a natural source of nutrients and enhancing nutrient availability. Compost has some ingredients that have been shown to control soil-borne pathogens and pests, making plants healthier as a result. By absorbing and storing atmospheric carbon dioxide in the form of organic matter, compost is a method of sequestering carbon in the soil, assisting in the fight against climate change.

2. Enhancing Soil Fertility

One of the cornerstones of sustainable agriculture is the addition of organic matter, which increases soil fertility. Numerous advantages for the health and fertility of the soil are provided by organic matter, such as compost, manure, and cover crops: Essential nutrients including nitrogen, phosphorous, potassium, and micronutrients are abundant in organic matter. These nutrients are gradually released through the breakdown of organic waste, giving plants a steady and balanced supply of nutrients. By forming aggregates out of individual soil particles, organic matter improves soil structure. This promotes healthy plant growth by increasing water infiltration, root penetration, and soil aeration. A broad and vibrant community of soil microorganisms is supported by organic matter. These bacteria are essential for nutrient cycling, the breakdown of organic matter, and the release of nutrients that are accessible to plants. The pH of the soil can be stabilized and made more resilient to large variations with the help of organic matter. Maintaining the ideal pH range for plant growth depends on doing this. Organic matter boosts the soil's capacity to store water, enabling it to hold onto moisture for longer. This is especially useful in dry or drought-prone areas. Because organic matter works as a protective layer, minimizing soil loss due to wind or water erosion, soils that are rich in organic matter are less likely to erode. Certain organic matter constituents, such as bioactive substances and advantageous microbes, can control soil-borne pathogens and pests, resulting in better plants. One way to sequester carbon in soil is to introduce organic matter. It slows down climate change by capturing and storing atmospheric carbon dioxide as organic material. Organic matter decreases the demand for synthetic chemical fertilizers by improving soil fertility naturally, lowering the chance of nutrient pollution and its effects on the environment. The long-term soil health is built and

maintained through regular incorporation of organic matter, guaranteeing that the land is fruitful for many years to come. To safeguard crops and guarantee food security, agriculture must effectively manage pests and illnesses (Cole *et al.*, 2016).

VII. CHALLENGES

Climate, release time, and the availability of alternate food sources for natural enemies are just a few examples of the variables that might affect how effectively biological pest control is carried out. It could sometimes take time to show benefits, so be patient and keep an eye on it. In conclusion, biological pest control is a sustainable and environmentally beneficial method for controlling insect populations in natural ecosystems and agriculture. It helps lessen the need for chemical pesticides and promotes more environmentally friendly pest management practices by utilizing the power of nature's inherent checks and balances. Case studies in sustainable organic farming provide real-world examples of productive and inventive organic agriculture approaches. Researchers, farmers, and politicians can learn and be inspired by these studies, which highlight practises, issues, and successes in a variety of agricultural contexts, in their attempts to promote farming approaches that are both environmentally friendly and economically viable. These incidents typically attract attention to the benefits of organic methods, including as improved soil health, reduced environmental impact, and superior food quality. These farms demonstrate that organic farming may be profitable. Although implementing organic practises requires some initial effort and capital, they can pay for themselves in the long run through increased yields, cheaper input costs, and market premiums. Organic farms that are successful show how environmentally sensitive agriculture may be practised while still producing high-quality, healthful, and secure food. They are part of a growing global movement in favour of moral and environmentally responsible food producing practises.

VIII. MEASURING AND ASSESSING SOIL HEALTH

Soil health evaluation is an important part of sustainable agriculture and land management. It entails assessing the qualities and conditions of soil in order to determine its general health and suitability for various uses. Here are key points on measuring and assessing soil health. Physical aspects (texture, structure), chemical qualities (pH, nutrient content), and biological factors (microbial activity, earthworm populations) are all taken into account when assessing soil health. Soil tests are used to determine specific soil qualities. pH measurement, nutrient analysis, organic matter content determination, and soil texture analysis are all common tests. The assessment of microbial activity and diversity in soil offers information on its biological health. Measuring microbial

biomass, enzyme activity, and the existence of helpful bacteria can all be part of this.

Visually assessing soil health involves searching for evidence of compaction, erosion, surface crusting, or the presence of plant diseases and pests. Understanding soil health and water management requires assessing how quickly water infiltrates the soil and its ability to retain moisture. The examination of soil structure looks at how well soil particles agglomerate into clumps or aggregates. A healthy soil structure is necessary for root growth and water circulation. Because compacted soil hinders root penetration and water infiltration, soil compaction and bulk density measures aid in identifying regions of soil degradation. Plant root health and development can be markers of soil health. Roots that are stunted or discoloured may indicate nutrient shortages or pathogenic problems. The influence of erosion on soil health can be determined by assessing indications of soil erosion such as gullies, rills, or sediment deposition in water bodies. Soil health evaluation is not a one-time event; it should be done on a regular basis to track changes and evaluate the efficacy of soil management practises. Soil health assessment helps to inform decisions about sustainable land management practises such crop rotation, cover cropping, decreased tillage, and nutrient control (Awale *et al.*, 2017).

IX. FUTURE TRENDS AND INNOVATIONS IN ORGANIC FARMING

Organic farming is growing with new trends and technologies as worldwide demand for sustainable and organic food grows. These advancements are intended to boost productivity, alleviate environmental issues, and suit the different needs of consumers. Here are some potential organic farming trends and innovations:

Regenerative agriculture, based on organic principles, focuses on repairing and improving soil health, biodiversity, and ecosystem resilience. It emphasises carbon sequestration, greenhouse gas reduction, and climate change mitigation. Agroecological farming methods incorporate ecological concepts into agricultural systems, focusing on biodiversity, natural pest management, and the use of cover crops and crop rotations to improve soil health and sustainability. Precision agriculture in organic farming is made possible by technological advances like as GPS-guided machinery and sensor-based monitoring. This enables for more efficient resource utilisation, decreased environmental impact, and increased crop yields. Rooftop gardens, communal gardens, and vertical farming systems are providing fresh organic vegetables to urban populations, cutting food miles and improving food security. Genetically modified organisms (GMOs) that correspond with organic principles, such as disease-resistant organic crops, are being researched. This field, however,

remains contentious and subject to demanding organic certification standards. Biochemical pest control innovations, such as the use of beneficial insects, pheromones, and natural predators, are expanding, giving organic farmers with more effective and environmentally friendly pest management solutions. Organic farmers and consumers can use blockchain technology to track and verify the origin and authenticity of organic products, ensuring transparency and traceability in the supply chain. Data analytics and artificial intelligence are rapidly being used by organic farmers to optimise crop management, monitor soil health, and respond to changing weather conditions. Beyond traditional crops, organic farming is expanding to encompass alternative protein sources such as organic plant-based proteins, insect farming, and cultured meat production. Organic farms apply circular economy principles to reduce waste and resource use by recycling nutrients, composting organic waste, and lowering input dependency. Organic farming is being incorporated into urban design, with programmes such as urban agriculture zones and green infrastructure projects encouraging urban food production. Increased consumer education and awareness about organic farming practises and benefits will increase demand for organic products and assist the organic sector's expansion. These trends and technologies demonstrate a rising commitment to ecologically responsible and sustainable agriculture. They show how organic farming is adapting to meet the demands of a changing world while adhering to its core ideals of ecological balance and ethical natural resource stewardship.

X. CONCLUSION

To summarise, the future of organic farming includes potential trends and creative ways that coincide with the worldwide shift towards sustainability, environmental stewardship, and healthy food production. Organic agriculture is expanding into a comprehensive system that incorporates regenerative practises, agroecology, precision technology, and urban farming into its core principles as demand for organic products continues to rise. These advancements not only boost productivity and resilience, but also address pressing issues such as climate change, pest management, and resource efficiency. Furthermore, the future of organic farming emphasises transparency, circularity, and the ethical use of technology and biotechnology to meet the different food demands of the world. The organic sector is predicted to grow further as consumers become more educated about organic practises and benefits, contributing to a sustainable and ethical food system. Organic farming remains firmly rooted in its dedication to ecological balance and responsible land stewardship in this changing terrain. It is poised to play a crucial role in designing tomorrow's agriculture, where food production works in harmony with the natural environment, leading to a healthier planet and a more sustainable food supply.

References

- [1] Ashoka, P., Saikanth, D. R. K., & Verma, P. (2023). Organic Agriculture: A Sustainable Solution for a Healthy Future. *Advanced Farming Technology*, 122.
- [2] Awale, R., Machado, S., Ghimire, R., & Bista, P. (2017). Soil health. *Advances in Dryland Farming in the Inland Pacific Northwest*, 47-97.
- [3] Baweja, P., Kumar, S., & Kumar, G. (2020). Fertilizers and pesticides: Their impact on soil health and environment. *Soil health*, 265-285.
- [4] Blanco- Canqui, H., Shaver, T. M., Lindquist, J. L., Shapiro, C. A., Elmore, R. W., Francis, C. A., & Hergert, G. W. (2015). Cover crops and ecosystem services: Insights from studies in temperate soils. *Agronomy journal*, 107(6), 2449-2474.
- [5] Cole, J. C., Smith, M. W., Penn, C. J., Cheary, B. S., & Conaghan, K. J. (2016). Nitrogen, phosphorus, calcium, and magnesium applied individually or as a slow release or controlled release fertilizer increase growth and yield and affect macronutrient and micronutrient concentration and content of field-grown tomato plants. *Scientia Horticulturae*, 211, 420-430.
- [6] Diop, M., Chirinda, N., Beniaich, A., El Gharous, M., & El Mejahed, K. (2022). Soil and water conservation in Africa: State of play and potential role in tackling soil degradation and building soil health in agricultural lands. *Sustainability*, 14(20), 13425.
- [7] Gheysen, G., & Custers, R. (2017). Why organic farming should embrace co-existence with cisgenic late blight-resistant potato. *Sustainability*, 9(2), 172.
- [8] Kane, D., & Solutions, L. L. C. (2015). Carbon sequestration potential on agricultural lands: a review of current science and available practices. *National Sustainable Agriculture Coalition Breakthrough Strategies and Solutions, LLC*, 1-35.
- [9] Lutikholt, L. W. (2007). Principles of organic agriculture as formulated by the International Federation of Organic Agriculture Movements. *NJAS-Wageningen Journal of Life Sciences*, 54(4), 347-360.
- [10] Mohammadi, K., Heidari, G., Khalesro, S., & Sohrabi, Y. (2011). Soil management, microorganisms and organic matter interactions: A review. *African Journal of Biotechnology*, 10(86), 19840.
- [11] Muhie, S. H. (2022). Novel approaches and practices to sustainable agriculture. *Journal of Agriculture and Food Research*, 100446.
- [12] Olson, E. L. (2017). The rationalization and persistence of organic food beliefs in the face of contrary evidence. *Journal of Cleaner Production*, 140, 1007-1013.
- [13] Rasmussen, P. E., & Collins, H. P. (1991). Long-term impacts of tillage, fertilizer, and crop residue on soil organic matter in temperate semiarid regions. *Advances in agronomy*, 45, 93-134.
- [14] Saurabh, K., Rao, K. K., Mishra, J. S., Kumar, R., Poonia, S. P., Samal, S. K., & Malik, R. K. (2021). Influence of tillage based crop establishment and residue management practices on soil quality indices and yield sustainability in rice-wheat cropping system of Eastern Indo-Gangetic Plains. *Soil and Tillage Research*, 206, 104841.
- [15] Sharma, N., & Singhvi, R. (2017). Effects of chemical fertilizers and pesticides on human health and environment: a review. *International journal of agriculture, environment and biotechnology*, 10(6), 675-680.