

Chapter 1: Herbal Remedies for Neurodegeneration

Introduction:

Neurodegeneration refers to the progressive loss of structure and function of neurons, leading to the dysfunction and death of nerve cells in the Central Nervous System (CNS) or Peripheral Nervous System (PNS). It's a complex and debilitating process that underlies various neurological diseases, including Parkinson's complaint, Alzheimer's complaint, Huntington's complaint, Amyotrophic side sclerosis(ALS) and multiple sclerosis.

Definition:

Neurodegeneration is a condition characterized by the accumulation of abnormal protein summations, oxidative stress, inflammation, mitochondrial dysfunction, bloodied neurotransmission, and neuronal death. These pathological processes contribute to the gradational decline in cognitive, motor, and sensitive functions associated with neurodegenerative conditions⁽¹⁾.

Types and Classification:

Neurodegenerative conditions can be astronomically distributed grounded on the affected region of the CNS, the molecular mechanisms involved, or the predominant clinical symptoms. Some common types of neurodegenerative conditions include

1. Parkinson's complaint: It primarily affects the dopaminergic neurons in the substantial nigra of the brain, leading to motor symptoms similar as temblors, severity, bradykinesia, and postural insecurity.

2. Alzheimer's complaint: It is characterized by the accumulation of amyloid- beta pillars and neurofibrillary befuddlements in the brain, performing in memory loss, cognitive decline, and behavioural changes.

3. Huntington's complaint: It is caused by a inheritable mutation that leads to the progressive degeneration of neurons in the rudimentary ganglia and cerebral cortex. It manifests with motor symptoms, cognitive impairment, and psychiatric disturbances.

4. Amyotrophic Lateral Sclerosis (ALS): ALS affects the motor neurons, leading to muscle weakness, palsy, and ultimately respiratory failure. It can be classified as sporadic(without a known cause) or domestic(inherited).

5. Multiple sclerosis (MS): MS is an autoimmune complaint characterized by inflammation and demyelination of the CNS. It results in a wide range of symptoms, including fatigue, muscle weakness, difficulties with collaboration, and sensitive disturbances⁽²⁾.

Mechanisms of Neurodegeneration:

The exact mechanisms underpinning neurodegeneration are still not completely understood, and different conditions may involve distinct molecular pathways. But still, several common mechanisms have been linked .

1. Protein misfolding and aggregation: Abnormal folding of proteins, similar as nascent-synuclein, tau, amyloid- beta, and Huntington, leads to the conformation of protein summations or addition bodies that are poisonous to neurons.

2. Oxidative stress: Increased product of Reactive Oxygen Species(ROS) in neurons and disabled antioxidant defense mechanisms affect in oxidative damage to cellular factors, including proteins, lipids, and DNA.

3. Mitochondrial dysfunction: bloodied mitochondrial dysfunction and energy metabolism lead to the generation of ROS and the release of pro-apoptotic factors, ultimately causing cell death.

4. Neuroinflammation: Activation of vulnerable cells and the release of seditious intercessors, similar as cytokines and chemokines, contribute to habitual inflammation and farther neurodegeneration.

5. Excitotoxicity: inordinate activation of glutamate receptors, particularly NMDA receptors, leads to an affluence of calcium ions into neurons, causing excitotoxicity and cell death⁽³⁾.

Symptoms:

The symptoms of neurodegenerative conditions vary depending on the affected region of the CNS and the specific complaint. Common symptoms include

- a) Cognitive decline (e.g., memory loss, bloodied thinking, confusion)
- b) Motor impairments (e.g., temblors, muscle weakness, collaboration problems, gait disturbances)
- c) Sensitive abnormalities (e.g., vision or hail loss, altered sensations)
- d) Behavioural and mood changes (e.g., depression, anxiety, personality changes)
- e) Autonomic dysfunction (e.g., bladder or bowel problems, orthostatic hypotension)⁽⁴⁾.

Causes:

- The topmost threat factor for neurodegenerative conditions is growing. Mitochondrial DNA mutations as well as oxidative stress both contribute to aging.
- Numerous of these conditions are late- onset, meaning there's some factor that changes as a person periods for each complaint. One constant factor is that in each complaint, neurons gradationally lose function as the complaint progresses with age.

It has been proposed that DNA damage accumulation provides the underpinning causative link between aging and neurodegenerative complaint⁽⁵⁾.

Treatment:

At most of the neurodegenerative conditions have no cure, and treatment primarily focuses on managing symptoms and decelerating complaint progression. But still, colorful approaches are being explored for implicit remedial interventions .

1. Pharmacological Interventions:

- Dopamine agonists (e.g., levodopa) for Parkinson's complaint to palliate motor symptoms.
- Cholinesterase impediments (e.g., donepezil, rivastigmine) for Alzheimer's complaint to enhance cognition.
- Immune modulators (e.g., interferon- beta, monoclonal antibodies) for multiple sclerosis to reduce inflammation and vulnerable- mediated damage.

2. Gene remedy:

- Gene- grounded curatives aim to correct or replace imperfect genes responsible for certain neurodegenerative conditions. For case, gene silencing ways like RNA hindrance are being delved for treating Huntington's complaint.

3. Stem Cell Transplantation :

- Stem cells have the eventuality to separate into colorful cell types, including neurons. Broadcasting stem cells or their derivations into the damaged areas of the CNS holds pledge for replacing damaged or lost neurons.

4. Targeting Protein Aggregation:

- Strategies to help or clear abnormal protein summations include immunotherapy, small patch impediments, and gene curatives aimed at breaking down or precluding the conformation of poisonous protein summations.

5. life variations:

- Regular exercise, a balanced diet, and internal stimulation by yoga and contemplation will help reduce the threat of neurodegenerative conditions and slow complaint progression. These life interventions promote overall brain health⁽⁶⁾.

Neurodegenerative conditions are characterized by the progressive decline of the structure and function of the nervous system. While ultramodern drug offers colorful treatment options, the use of herbal remedies has gained significant attention due to their implicit efficacy and smaller side goods. In this chapter, we explore some herbal medicines that have been traditionally used and studied for their eventuality in managing neurodegenerative conditions.

Sl.No	Common Name	Botanical Name	Family	Mechanism of action	References
1.	Ginkgo	<i>Ginkgo biloba</i>	Ginkgoaceae	Antioxidant property, improves blood circulation and provides neuroprotective effects	(7)
2.	Ashwagandha	<i>Withania somnifera</i>	Solanaceae	Anti-inflammatory properties and aids in stress reduction, potentially beneficial in Alzheimer's disease.	(8)
3.	Turmeric	<i>Curcuma longa</i>	Zingiberaceae	Antioxidant and anti-inflammatory properties and may help combat neurodegenerative diseases	(9)
4.	Sage	<i>Salvia officinalis</i>	Lamiaceae	Enhance memory and cognitive abilities.	(10)
5.	Rosemary	<i>Salvia rosmarinus</i>	Lamiaceae	Antioxidant and anti-inflammatory properties, potentially protecting against neurodegeneration	(11)
6.	Lemon Balm	<i>Melissa officinalis</i>	Lamiaceae	Neuroprotective effects and improves cognitive function.	(12)
7.	Green Tea	<i>Camellia sinensis</i>	Theaceae	Antioxidants, it protects against oxidative stress and neurodegeneration	(13)
8.	St. John's Wort	<i>Hypericum perforatum</i>	Hypericaceae	Elevate symptoms of depression and anxiety in neurodegenerative diseases.	(14)
9.	Ginseng	<i>Panax ginseng</i>	Araliaceae	Neuroprotective effects	(15)
10.	Licorice root	<i>Glycyrrhiza glabra</i>	Leguminosae	Calming effects and potential protection against neurodegeneration.	(16)
11.	Brahmi	<i>Bacopa monnieri</i>	Plantaginaceae	Enhances cognitive performance and improves memory and learning abilities.	(17)
12.	Lions Mane Mushroom	<i>Hericium erinaceus</i>	Hericiaceae	Stimulate nerve growth factor production, aiding in the regeneration and repair of damaged neurons	(18)
13.	Gotu Kola	<i>Centella asiatica</i>	Apiaceae	Supports cognitive function and may improve memory, attention, and mood	(19)
14.	Peony	<i>Paeonia lactiflora</i>	Paeoniaceae	Neuroprotective and anti-inflammatory properties	(20)
15.	roseroot	<i>Rhodiola rosea</i>	Crassulaceae	Supports cognitive function and reduces fatigue	(21)
16.	Chamomile	<i>Matricaria recutita</i>	Asteraceae	Reduces inflammation and stress	(22)
17.	Huperzine	<i>Huperzia bernh</i>	Lycopodiaceae	Improve memory and cognitive function	(23)

18.	Passionflower	<i>Passiflora edulis</i>	Passifloraceae	Calming properties and aids in reducing anxiety and stress	(24)
19.	Sagebrush	<i>Artemisia tridentata</i>	Asteraceae	Improve cognitive abilities and memory.	(25)
20.	Peppermint	<i>Mentha piperita</i>	Lamiaceae	Exhibits antioxidant and anti-inflammatory effects, potentially beneficial in neurodegeneration.	(26)
21.	Holy Basil	<i>Ocimum tenuiflorum</i>	Lamiaceae	Reduces stress and supports cognitive health	(27)
22.	Astragalus	<i>Astragalus membranaceus</i>	Fabaceae	Shows neuroprotective effects and enhances brain functions	(28)
23.	Skullcap	<i>Scutellaria lateriflora</i>	Lamiaceae	Potentially reduces anxiety and promotes relaxation	(29)
24.	Kava Kava	<i>Piper methysticum</i>	Piperaceae	Relieves stress and anxiety, and promotes relaxation	(30)
25.	Hawthorn	<i>Crataegus monogyna</i>	Rosaceae	Improves blood circulation and provides antioxidant effects	(31)
26.	Moringa	<i>Moringa oleifera</i>	Moringaceae	Contains antioxidants and anti-inflammatory compounds, potentially beneficial in neurodegenerative diseases	(32)
27.	Oat Straw	<i>Avena sativa</i>	Poaceae	Supports cognitive function and may enhance memory and attention	(33)
28.	Reishi Mushroom	<i>Ganoderma lucidum</i>	Ganodermataceae	Exhibits neuroprotective effects and boosts the immune system	(34)
29.	Valerian Root	<i>Valeriana officinalis</i>	Caprifoliaceae	Calming herb that aids in reducing anxiety and improving sleep	(35)
30.	Lemon Verbena	<i>Aloysia citrodora</i>	Verbenaceae	Provides antioxidants and may have neuroprotective effects	(36)
31.	Yerba Mate	<i>Ilex paraguariensis</i>	Aquifoliaceae	Conatain caffeine and antioxidants, promoting alertness and providing neuroprotective effects.	(37)
32.	Nettle Leaf:	<i>Urtica dioica</i>	Urticaceae	Shows antioxidant and anti-inflammatory properties, potentially beneficial in neurodegenerative diseases	(38)
33.	Cat's Claw	<i>Uncaria tomentosa</i>	Bignoniaceae	Exhibits antioxidant and anti-inflammatory effects, potentially protecting against neurodegeneration	(39)
34.	Milk Thistle	<i>Silybum marianum</i>	Asteraceae	Contains antioxidant and anti-inflammatory compounds, potentially supporting brain health.	(40)

35.	Dandelion Root	<i>Taraxacum officinale</i>	Asteraceae	Rich in antioxidants, it may protect against oxidative stress in the brain	(41)
36.	Black Cohosh	<i>Cimicifuga racemosa</i>	Ranunculaceae	Traditionally used for its calming effects, potentially beneficial in managing neurodegenerative diseases	(42)
37.	baikal	<i>Scutellaria Baicalensis</i>	Lamiaceae	Exhibits potential neuroprotective effects and reduces inflammation in the brain.	(43)
38.	Poria Mushroom	<i>Wolfiporia extensa</i>	Polyporaceae	Possesses antioxidant and anti-inflammatory effects, potentially protecting against neurodegeneration	(44)
39.	Dong Quai	<i>Angelica sinensis</i>	Apiaceae	Traditionally used for its calming and cognitive-enhancing properties	(45)
40.	White Willow Bark	<i>Salix alba</i>	Salicaceae	Exhibits potential anti-inflammatory effects, potentially aiding in neurodegenerative diseases	(46)
41.	Oregano	<i>Origanum vulgare</i>)	Lamiaceae	Rich in antioxidants, it may protect against oxidative stress in the brain	(47)
42.	Marshmallow Root	<i>Althaea officinalis</i>	Malvaceae	Shows anti-inflammatory effects and potentially supports cognitive health	(48)

It's essential to note that herbal remedies should always be used under proper guidance, and consulting with a healthcare professional is advised before incorporating them into any treatment plan.

1. BRAHMI

- **Botanical name:** *Bacopa monnieri*(Linn.)
- **Common name:** water hyssop, waterhyssop, brahmi, thyme- thumbbed gratiola, condiment of grace, and Indian pennywort.
- **Family:** Scrophulariaceae



- **Description:** *Bacopa monnieri* is a imperishable, creeping condiment native to the washes of southern and Eastern India, Australia, Europe, Africa, Asia, and North and South America. *Bacopa monnieri* is anon-aromatic condiment. The leaves of this factory are succulent, oblong, and 4 – 6 mm(0.16 –0.24 in) thick. Leaves are oblanceolate and are arranged unequally on the stem. The flowers are small, actinomorphic and white, with four to five petals. It can indeed grow in slightly brackish conditions. Propagation is frequently achieved through slices
- **Chemical ingredients:** The stylish characterized phytochemicals in *Bacopa monnieri* are dammarane- type triterpenoid saponins known as bacosides, with jujubogenin or pseudo-jujubogenin halves as aglycone units. The alkaloids brahmine, nicotine, and herpestine have been entered, along with D- mannitol, apigenin, hersaponin, monnierasides I – III, cucurbitacin and plantainoside B⁽⁴⁹⁾.

2. JATAMANSI

- **Botanical name:** *Nardostachys jatamansi*(Linn.)
- **Common name:** Spikenard, nard, nardin, or muskroot.
- **Family:** Caprifoliaceae



- **Description:** *Nardostachys jatamansi* is a flowering factory of the valerian family that grows in the Himalayas. The factory grows 10 – 50 cm(4 – 20 in) in height and has pink, bell- shaped flowers.(4) It's set up at an altitude of 3,000 – 5,000 m(9,800 – 16,400 ft). Rhizomes(underground stems) can be crushed and distilled into an intensively sweet amber- colored essential oil painting, which is veritably thick in thickness. Nard oil

painting is used as a incense, an incense, a opiate, and a herbal drug said to fight wakefulness, birth difficulties, and other minor affections.

- **Chemical ingredients:**
 - Acaciin
 - Ursolic Acid
 - Octacosanol
 - Kanshone A
 - Nardosinonediol
 - Nardosinone
 - Aristolen- 9beta- Ol
 - Oleanolic Acid
 - Beta- Sitosterol⁽⁵⁰⁾.

3. TULSI

- **Botanical name:** *Ocimum tenuiflorum*(Linn.)
- **Family:** Lamiaceae



- **Common name:** holy basil, tulsi or tulasi, and tamole, damole, or domole
- **Description:** *Ocimum tenuiflorum*, generally known as in Fiji, is an sweet imperishable factory in the family Lamiaceae. It's native to tropical and tropical regions of Australia, Malesia, Asia, and the western Pacific.(3) It's extensively cultivated throughout the Southeast Asian tropics. basil is an standing, numerous- fanned subshrub, 30 – 60 cm(12 – 24 in) altitudinous with hairy stems. Leaves are green or grandiloquent; they're simple, petioled, with an elliptical blade up to 5 cm(2 in) long, which generally has a slightly toothed periphery; they're explosively scented and have a decussate phyllotaxy. The purplish flowers are placed in close curls on stretched racemes.
- **Chemical ingredients:** The factory and its oil painting contain different phytochemicals, including tannins, flavonoids, eugenol, caryophyllenes, carvacrol, linalool, camphor, and cinnamyl acetate, among others.(9)(10) One study reported that

the family contains an eponymous family of 10 neolignan composites called tursinolA-J⁽⁵¹⁾.

4. FENNEL

- **Botanical name:** *Foeniculum vulgare*(Linn.)
- **Common name:** Saunf
- **Family:** Apiaceae



- **Description:** Fennel(*Foeniculum vulgare*) is a flowering factory species in the carrot family. It's a hardy, imperishable condiment(3) with unheroic flowers and featherlight leaves. It's indigenous to the props of the Mediterranean but has come extensively naturalized in numerous corridor of the world, especially on dry soils near the ocean-seacoast and onriverbanks.It's a largely scrumptious condiment used in cooking
- **Chemical ingredients:** The sweet character of fennel fruits derives from unpredictable canvases conducting mixed aromas, including trans- anethole and estragole(suggesting liquorice), fenchone(mint and camphor), limonene, 1- octen-3-ol(mushroom). Other phytochemicals set up in fennel fruits include polyphenols, similar as rosmarinic acid and luteolin, among others in minor content⁽⁵²⁾.

5. HIBISCUS

- **Botanical name:** *Hibiscus rosasinensis*(Linn.)
- **Common name:** rose mallow, hardy hibiscus, rose of sharon, and tropical hibiscus
- **Family:** Malvaceae



- **Description:** Hibiscus is a rubric of unfolding shops in the mallow family, Malvaceae. The rubric is relatively large, comprising several hundred species that are native to warm temperate, tropical and tropical regions throughout the world. Member species are famed for their large, grabby flowers and those species are generally known simply as "hibiscus", or lower extensively known as. The leaves are alternate, ovate to lanceolate, frequently with a toothed or lobed periphery(dentate). The flowers are large, conspicuous, trumpet- shaped, with five or further petals, colour from white to pink, red, blue, orange, peach,(7) unheroic or grandiloquent,(8) and from 4 – 18 cm broad.
- **Chemical constituents:** Flavonoids, anthocyanins, terpenoids, steroids, polysaccharides, alkaloids, amino acids, lipids, sesquiterpene, quinones, and naphthalene groups⁽⁵³⁾.

6. PEPPER

- **Botanical name:** Piper nigrum(Linn.)
- **Common name:** Black pepper
- **Family:** Piperaceae



- **Description:** The pepper factory is a imperishable woody vine growing up to 4 m(13 ft) in height on supporting trees, poles, or casinos. It's a spreading vine, lodging readily where running stems touch the ground. The leaves are alternate, entire, 5 to 10 cm(2.0 to3.9 in) long and 3 to 6 cm(1.2 to2.4 in) across. The flowers are small, produced on pendulous harpoons 4 to 8 cm(1.6 to3.1 in) long at the splint bumps, the harpoons dragging up to 7 to 15 cm(2.8 to5.9 in) as the fruit matures.
- **Chemical ingredients:** Black pepper contains about 5 – 9 of the alkaloids Piperine and Piperettine and about1.2 – 5 of unpredictableoil.It contains a variety of chemical ingredients, similar as Piperolides, Propenylphenols, Amides, Neolignans, Llignans, Flavonoids, Terpenes, and Steroids⁽⁵⁴⁾.

7. GINGER

- **Botanical name:** Zingiber officinale(Linn.)
- **Common name:** Ginger, Zingiber
- **Family:** Zingiberaceae



- **Description:** ginger (Zingiber officinale) is a flowering plant whose rhizome, ginger root or ginger, is extensively used as a spice and a folk drug. (2) It's a herbaceous perennial which grows periodic pseudostems (false stems made of the rolled bases of leaves) about one cadence altitudinous, bearing narrow splint blades. The inflorescences bear flowers having pale unheroic petals with grandiloquent edges, and arise directly from the rhizome on separate shoots .
- **Chemical ingredients:** The characteristic scent and flavor of ginger result from unpredictable canvases that compose 1 – 3 of the weight of fresh ginger, primarily conforming of sesquiterpenes, similar as beta- bisabolene and zingiberene, zingerone, shogaols, and gingerols with (6)- gingerol (1-(4'- hydroxy- 3'- methoxyphenyl)-5-hydroxy-3-decanone) as the major pungent emulsion⁽⁵⁵⁾.

REFERENCES:

1. Przedborski S, Vila M, Jackson-Lewis V. Series Introduction: Neurodegeneration: What is it and where are we?. The Journal of clinical investigation. 2003 Jan 1;111(1):3-10.
2. Dickson DW. Introduction to neurodegeneration: the molecular pathology of dementia and movement disorders. Neurodegeneration: The molecular pathology of dementia and movement disorders. 2011 Sep 2:1-5.
3. Jellinger KA. Basic mechanisms of neurodegeneration: a critical update. Journal of cellular and molecular medicine. 2010 Mar;14(3):457-87.
4. Dickson D, Weller RO, editors. Neurodegeneration: the molecular pathology of dementia and movement disorders. John Wiley & Sons; 2011 Sep 9.
5. Merluzzi AP, Vogt NM, Norton D, Jonaitis E, Clark LR, Carlsson CM, Johnson SC, Asthana S, Blennow K, Zetterberg H, Bendlin BB. Differential effects of neurodegeneration biomarkers on subclinical cognitive decline. Alzheimer's & Dementia: Translational Research & Clinical Interventions. 2019 Jan 1;5:129-38.
6. Kawamata H, Manfredi G. Introduction to neurodegenerative diseases and related techniques. In Neurodegeneration: Methods and Protocols 2011 Aug 14 (pp. 3-8). Totowa, NJ.
7. Christen Y. Ginkgo biloba and neurodegenerative disorders. Frontiers in Bioscience-Landmark. 2004 Sep 1;9(5):3091-104.

8. Kuboyama T, Tohda C, Komatsu K. Effects of Ashwagandha (roots of *Withania somnifera*) on neurodegenerative diseases. *Biological and Pharmaceutical Bulletin*. 2014 Jun 1;37(6):892-7.
9. Abass S, Latif MS, Shafie NS, Ghazali MI, Kormin F. Neuroprotective expression of turmeric and curcumin. *Food Res*. 2020 Dec;4(6):2366-81.
10. Lopresti AL. *Salvia* (Sage): A review of its potential cognitive-enhancing and protective effects. *Drugs in R&D*. 2017 Mar;17(1):53-64.
11. Alvi SS, Ahmad P, Ishrat M, Iqbal D, Khan MS. Secondary metabolites from rosemary (*Rosmarinus officinalis* L.): Structure, biochemistry and therapeutic implications against neurodegenerative diseases. *Natural Bio-active Compounds: Volume 2: Chemistry, Pharmacology and Health Care Practices*. 2019:1-24.
12. Świąder K, Startek K, Wijaya CH. The therapeutic properties of Lemon balm (*Melissa officinalis* L.): Reviewing novel findings and medical indications. *Journal of Applied Botany & Food Quality*. 2019 Jan 1;92.
13. Pervin M, Unno K, Ohishi T, Tanabe H, Miyoshi N, Nakamura Y. Beneficial effects of green tea catechins on neurodegenerative diseases. *Molecules*. 2018 May 29;23(6):1297.
14. Peron AP, Mariucci RG, de Almeida IV, Düsman E, Mantovani MS, Vicentini VE. Evaluation of the cytotoxicity, mutagenicity and antimutagenicity of a natural antidepressant, *Hypericum perforatum* L. (St. John's wort), on vegetal and animal test systems. *BMC complementary and alternative medicine*. 2013 Dec;13(1):1-9.
15. Radad K, Gille G, Liu L, Rausch WD. Use of ginseng in medicine with emphasis on neurodegenerative disorders. *Journal of pharmacological sciences*. 2006;100(3):175-86.
16. Zulfugarova P, Zivari-Ghader T, Maharramova S, Ahmadian E, Eftekhari A, Khalilov R, Turksoy VA, Rosić G, Selakovic D. A mechanistic review of pharmacological activities of homeopathic medicine licorice against neural diseases. *Frontiers in Neuroscience*. 2023 Mar 6;17:1148258.
17. Goyal A, Gopika S, Kumar A, Garabadu D. A Comprehensive Review on Preclinical Evidence-based Neuroprotective Potential of *Bacopa monnieri* against Parkinson's Disease. *Current Drug Targets*. 2022 Jul 1;23(9):889-901.
18. Wong KH, Sabaratnam V, Naidu M, Keynes R. Activity of aqueous extracts of lion's mane mushroom *Hericium erinaceus* (Bull.: Fr.) Pers. (Aphyllophoromycetidae) on the neural cell line NG108-15. *International Journal of Medicinal Mushrooms*. 2007;9(1).
19. Sabaragamuwa R, Perera CO, Fedrizzi B. *Centella asiatica* (Gotu kola) as a neuroprotectant and its potential role in healthy ageing. *Trends in Food Science & Technology*. 2018 Sep 1;79:88-97.
20. Manayi A, Omidpanah S, Barreca D, Ficarra S, Daglia M, Nabavi SF, Nabavi SM. Neuroprotective effects of paeoniflorin in neurodegenerative diseases of the central nervous system. *Phytochemistry Reviews*. 2017 Dec;16:1173-81.
21. Nabavi SF, Braidly N, Orhan IE, Badiie A, Daglia M, Nabavi SM. *Rhodiola rosea* L. and Alzheimer's disease: from farm to pharmacy. *Phytotherapy research*. 2016 Apr;30(4):532-9.

22. Venigalla M, Sonogo S, Gyengesi E, Sharman MJ, Münch G. Novel promising therapeutics against chronic neuroinflammation and neurodegeneration in Alzheimer's disease. *Neurochemistry international*. 2016 May 1;95:63-74.
23. Dang TK, Hong SM, Dao VT, Nguyen DT, Nguyen KV, Nguyen HT, Ullah S, Tran HT, Kim SY. Neuroprotective effects of total alkaloids fraction of *Huperzia serrata* on scopolamine-induced neurodegenerative animals. *Phytotherapy Research*. 2023 Jan;37(1):140-50. passion flower
24. Dos Santos LC, Mendiola JA, Sanchez-Camargo AD, Álvarez-Rivera G, Viganó J, Cifuentes A, Ibáñez E, Martínez J. Selective extraction of piceatannol from *passiflora edulis* by-products: Application of hsps strategy and inhibition of neurodegenerative enzymes. *International Journal of Molecular Sciences*. 2021 Jun 10;22(12):6248.
25. Turi CE, Shipley PR, Murch SJ. North American *Artemisia* species from the subgenus *Tridentatae* (Sagebrush): A phytochemical, botanical and pharmacological review. *Phytochemistry*. 2014 Feb 1;98:9-26.
26. Olga P, Eleni K, Konstantinos C. Essential oils and neurodegenerative diseases: current data and future perspectives. *Current Topics in Nutraceutical Research*. 2012 May 1;10(2).
27. Giridharan VV, Thandavarayan RA, Konishi T. *Ocimum sanctum* Linn.(Holy Basil) to improve cognition. In *Diet and Nutrition in Dementia and Cognitive Decline 2015* Jan 1 (pp. 1049-1058). Academic Press.
28. Abd Elkader HT, Essawy AE, Al-Shami AS. *Astragalus* species: Phytochemistry, biological actions and molecular mechanisms underlying their potential neuroprotective effects on neurological diseases. *Phytochemistry*. 2022 Jun 30:113293.
29. Gaire BP, Moon SK, Kim H. *Scutellaria baicalensis* in stroke management: nature's blessing in traditional Eastern medicine. *Chinese journal of integrative medicine*. 2014 Sep;20:712-20.
30. Minh TN, Van TM, Khanh TD, Xuan TD. Isolation and identification of constituents exhibiting antioxidant, antibacterial, and antihyperuricemia activities in *piper methysticum* root. *Foods*. 2022 Dec 1;11(23):3889.
31. Paul S, Sharma S, Paliwal SK, Kasture S. Role of *Crataegus oxyacantha* (Hawthorn) on scopolamine induced memory deficit and monoamine mediated behaviour in rats. *Oriental Pharmacy and Experimental Medicine*. 2017 Dec;17:315-24.
32. Ghimire S, Subedi L, Acharya N, Gaire BP. *Moringa oleifera*: A tree of life as a promising medicinal plant for neurodegenerative diseases. *Journal of Agricultural and Food Chemistry*. 2021 Nov 29;69(48):14358-71.
33. Rudrapal M, Khairnar SJ, Khan J, Dukhyil AB, Ansari MA, Alomary MN, Alshabrm FM, Palai S, Deb PK, Devi R. Dietary polyphenols and their role in oxidative stress-induced human diseases: Insights into protective effects, antioxidant potentials and mechanism (s) of action. *Frontiers in pharmacology*. 2022 Feb 14;13:283.
34. Phan CW, David P, Sabaratnam V. Edible and medicinal mushrooms: emerging brain food for the mitigation of neurodegenerative diseases. *Journal of medicinal food*. 2017 Jan 1;20(1):1-0.

35. Marawne H, Mohammadhassan R, Mohammadalipour Z, Ahmadpour S. Valerian (*Valeriana officinalis*) extract inhibits TNF- α and iNOS gene expression in mouse LPS-activated microglial cells. *Tradit Med Res.* 2022;7(5):47.
36. Majewska E, Kozłowska M, Tarnowska K, Gruczyńska-Sękowska E, Kowalska D. Chemical Composition and Biological Activity of Lemon verbena (*Lippia citriodora*) Essential Oil—A Review. *Journal of Essential Oil Bearing Plants.* 2022 Jul 4;25(4):796-810.
37. dos Santos Branco C, Scola G, Rodrigues AD, Cesio V, Laprovitera M, Heinzen H, Dos Santos MT, Fank B, de Freitas SC, Coitinho AS, Salvador M. Anticonvulsant, neuroprotective and behavioral effects of organic and conventional yerba mate (*Ilex paraguariensis* St. Hil.) on pentylenetetrazol-induced seizures in Wistar rats. *Brain Research Bulletin.* 2013 Mar 1;92:60-8.
38. Arslan S, Terzioglu G, Elcil S, Deligoz H, Sen A. Assessing of anti-inflammatory effect of Small nettle'(*Urtica urens*) increasing polarity extracts. *Journal of Neuroimmunology.* 2014 Oct 15;275(1):135.
39. Snow AD, Castillo GM, Nguyen BP, Choi PY, Cummings JA, Cam J, Hu Q, Lake T, Pan W, Kastin AJ, Kirschner DA. The Amazon rain forest plant *Uncaria tomentosa* (cat's claw) and its specific proanthocyanidin constituents are potent inhibitors and reducers of both brain plaques and tangles. *Scientific reports.* 2019 Feb 6;9(1):561.
40. Badreddine A, Zarrouk A, Meddeb W, Nury T, Rezig L, Debbabi M, Bessam FZ, Brahmi F, Vejux A, Mejri M, Nasser B. Antioxidant and neuroprotective properties of Mediterranean oils: Argan oil, olive oil, and milk thistle seed oil. In *Oxidative Stress and Dietary Antioxidants in Neurological Diseases* 2020 Jan 1 (pp. 143-154). Academic Press.
41. Nowak A, Duchnik W, Zielonka-Brzezicka J, Muzykiewicz A, Florkowska K, Klimowicz A, Kucharski Ł, Wysocka D, Dziedzic A. The antioxidant activity of ethanolic and aqueous extracts of dandelion (*Taraxacum officinale* L.).
42. Ruhlen RL, Sun GY, Sauter ER. Black cohosh: insights into its mechanism (s) of action. *Integrative medicine insights.* 2008 Jan;3:117863370800300002.
43. Kawka B, Kwiecień I, Ekiert HM. Production of specific flavonoids and verbascoside in shoot cultures of *Scutellaria baicalensis*. *Plant Cell and Tissue Differentiation and Secondary Metabolites: Fundamentals and Applications.* 2021:249-72.
44. Lv Q, Di X, Bian B, Li K, Guo J. Neuroprotective effects of *Poria cocos* (*Agaricomycetes*) essential oil on A β 1-40-induced learning and memory deficit in rats. *International Journal of Medicinal Mushrooms.* 2022;24(10).
45. Moran VE, Echeverria F, Barreto GE, Echeverria J, Mendoza C. Estrogenic plants: to prevent neurodegeneration and memory loss and other symptoms in women after menopause. *Frontiers in pharmacology.* 2021:993.
46. Khanam S, Vayaravel CA. Medicinal plants effective against Alzheimer's disease: An update. *Int. J. Comp. Adv. Pharmacol.* 2021 Jun 11;6(1):22-7.
47. Ligaj M, Kobus-Cisowska J, Szczepaniak O, Szulc P, Kikut-Ligaj D, Mikołajczak-Ratajczak A, Bykowski P, Szymanowska D, Przeor M, Polewski K, Jarzębski M. Electrochemical screening of genoprotective and antioxidative effectiveness of

- Origanum vulgare L. and its functionality in the prevention of neurodegenerative disorders. *Talanta*. 2021 Feb 1;223:121749.
48. Arab A, Yazdian-Robati R, Rezaei-Seresht H, Ehtesham-Gharaee M, Soltani F. Evaluation of neuroprotective effect of *Althaea Officinalis* flower aqueous and methanolic extracts against H₂O₂-induced oxidative stress in PC12 cells. *Iranian Journal of Pharmaceutical Sciences*. 2017:49-56.
 49. Joshi H, Parle M. Brahmi rasayana improves learning and memory in mice. *Evidence-Based Complementary and Alternative Medicine*. 2006 Mar 1;3:79-85.
 50. Joshi H, Parle M. *Nardostachys jatamansi* improves learning and memory in mice. *Journal of medicinal food*. 2006 Mar 1;9(1):113-8.
 51. Joshi H, Parle M. Evaluation of nootropic potential of *Ocimum sanctum* Linn. in mice.
 52. Joshi H, Parle M. *Zingiber officinale*: evaluation of its nootropic effect in mice. *African Journal of Traditional, Complementary and Alternative Medicines*. 2006 Jan 12;3(1):64-74.
 53. Joshi H, Parle M. Cholinergic basis of memory-strengthening effect of *Foeniculum vulgare* Linn. *Journal of medicinal food*. 2006 Sep 1;9(3):413-7.
 54. Joshi H, Parle M. Nootropic activity of calyces of *Hibiscus sabdariffa* Linn. *Iranian journal of pharmacology and therapeutics*. 2006 Sep 10;5(1):15-0.
 55. Joshi H, Parle M. Effects of piperine on memory and behavior mediated via monoamine neurotransmitters. *Journal of Traditional Medicines*. 2005;22(2+ 3):39-43.