

Volume 2, Book 28, 2022, IIP Proceedings

Futuristic Trends in
Biotechnology



Futuristic Trends in

BIOTECHNOLOGY

Volume 2, Book 28, 2022, IIP Proceedings



Title of the Book: Futuristic Trends in Biotechnology

Edition: Volume 2, Book 28, 2022, IIP Proceedings

Copyright © 2022 Authors

No part of this book may be reproduced or transmitted in any form by any means, electronic or mechanical, including photocopy, recording, or any information storage and retrieval system, without permission in writing from the copyright owners and publisher.

Disclaimer

The authors are solely responsible for the contents published in this book. The publisher or editors do not take any responsibility for the same in any manner. Errors, if any, are purely unintentional and readers are requested to communicate such errors to the editors or publishers to avoid discrepancies in future.

ISBN: 978-93-95632-84-3

Publisher, Printed at & Distribution by:

Selfypage Developers Pvt. Ltd.,
Pushpagiri Complex,
Beside SBI Housing Board,
K.M. Road Chikkamagaluru, Karnataka.
Tel.: +91-8861518868
E-mail: info@iiponline.org

IMPRINT: I I P Iterative International Publishers

PREFACE

Biotechnology is one of the emerging fields that can add new and better application in a wide range of sectors like health care, service sector, agriculture, and processing industry to name some. This book will provide an excellent opportunity to focus on recent developments in the frontier areas of Biotechnology and establish new collaborations in these areas. The book will highlight multidisciplinary perspectives to interested biotechnologists, microbiologists, pharmaceutical experts, bioprocess engineers, agronomists, medical professionals, sustainability researchers and academicians. This technical publication will provide a platform for potential knowledge exhibition on recent trends, theories and practices in the field of Biotechnology. Aim of the research articles are invited in the following areas of interest, but not limited to

1. Bioprocessing Techniques
2. Biocatalysis
3. Bioseparation
4. Bioreactors
5. Bioenergy
6. Recombinant DNA
7. Cell Fusion
8. Bioremediation
9. Biomarkers
10. Biofuels
11. Fermentation Technology
12. Applications with Technology Support
13. Clinical Engineering
14. Rehabilitation Engineering
15. Neural Systems Engineering
16. Cardiac Bioengineering
17. Physiological System Modeling
18. Instrumentation, Sensors, and
Measurement
19. Bio-signal Processing
20. Biomedical Images and Signals
21. Medical and Health Informatics
22. Bioinformatics (including Genomics)

EDITORIAL BOARD MEMBERS

Dr. Ashutosh Kumar Mall

Principal Scientist, Genetics & Plant Breeding
Crop Improvement Division
ICAR-Indian Institute of Sugarcane Research
Lucknow, India

Dr. R. Krishnaveni

Assistant Professor, Zoology, Bio- Technology
Idhaya College for Women
Kumbakonam, Tamil Nadu, India

Dr Sachin Kumar

Young Scientist, Entomology Laboratory
Division of Parasitology
Indian Veterinary Research Institute
Izatnagar, Bareilly, Uttar Pradesh

Rachna Jadhav

Doctoral Research Scholar, Department of Microbiology
Bhavan's college (Andheri)
University of Mumbai
Mumbai, Maharashtra, India

CONTENTS

PART 1		Page No.
Chapter 1 RECENT ADVANCES IN LUFFA VEGETABLES.....		01 - 13
Chapter 2 ROLE OF ACTINOMYCETES IN DISEASE CONTROL IN AGRICULTURE AND HORTICULTURE CROPS.....		14 - 18
Chapter 3 FUTURE PERSPECTIVE OF NANOPARTICLE BASED BIOFERTILIZERS AND DISEASE CONTROL AGENT.....		19 - 29
Chapter 4 THE SEED BORN MICROFLORA OF LEGUMINOUS PLANTS SEEDS OF ARACHIS HYPOGEA, VIGNA MUNGO, VIGNA RADIATE AND PISUM SATIVUM.....		30 - 47
Chapter 5 ANTIFUNGAL EFFECT OF SYZYGIUM AROMATICUM BUDS, PRUNUS DULCIS SEEDS, CAESALPINIA BONDUCELLA SEED, PHYLLANTHUS EMBLICA FRUITS, SESBANIA GRANDIFLORA LEAVES, SOLANUM TRILOBATUM LEAVES ON MOUTH ULCER PATHOGEN.....		48 - 60
Chapter 6 PRODUCTION OF BIO-ENZYME BY USING (CITRUS SINENSIS) AND TESTING ITS ANTIMICROBIAL ACTIVITY OF MICROBES AGAINST HUMAN (HOMOSAPIENS) HAND.....		61 - 68
Chapter 7 ISOLATION AND CHARACTERIZATION OF MICROBES FROM DIABETES MELLITUS CELLULITIS WOUND SAMPLE AND ESTIITS ANTIMICROBIAL PROPERTIES.....		69 - 80
Chapter 8 MODERN BIOTECHNOLOGY AND ITS ROLE IN COMBATING BIOTIC STRESS: A NORTH-EAST INDIA'S PERSPECTIVE AND A VISION BEYOND.....		81 - 100
Chapter 9 HEAVY METALS ANALYSIS OF MUSHROOM PLUEROTUS FLORIDA ON TWO DIFFERENT SUBSTRATES SESAMUM INDICUM AND ORYZA SATIVA.....		101 - 108
Chapter 10		109 - 129

ISOLATION AND CHARACTERIZATION OF PHOSPHATE SOLUBLIZING MICROBES.....	
Chapter 11	
EVALUATION OF INDUSTRIAL FOOD FERMANTATION TECHNOLOGY.....	130 - 137
Chapter 12	
BIOTECHNOLOGICAL APPROACHES FOR IMPROVING CROP ADAPTATIONS TO THE CHANGING CLIMATE.....	138 - 157
Chapter 13	
CISGENICS IN PLANTS – A STEP IN THE RIGHT DIRECTION FOR THE SECOND GREEN REVOLUTION.....	158 - 163
Chapter 14	
BIOSAFETY REGULATIONS AND LEGISLATIONS OF TRANSGENICS IN INDIA AND ABROAD.....	164 - 179
Chapter 15	
ADVANCEMENT IN BIOTECHNOLOGICAL APPROACHES AGAINST BORER COMPLEX IN SACCHARUM SPP.....	180 - 188
Chapter 16	
ISOLATION AND CHARACTERIZATION OF COW DUNG MICROFLORA AND ITS EFFECTIVENESS OF Citrus Limon BIO-ENZYME.....	189 - 193
Chapter 17	
BIODINFORMATICS: AN EMERGING TOOL FOR BIOLOGICAL SCIENCE.	194 - 208
Chapter 18	
BENEFICIAL EFFECT OF LACTIC ACID BACTERIA IN HUMAN.....	209 - 215
Chapter 19	
GENETIC ENGINEERING OF INSECTS AND THEIR APPLICATION.....	216 - 231

EVALUATION OF INDUSTRIAL FOOD FERMENTATION TECHNOLOGY

Authors

Navdeep kumar

Department of Horticulture
School of Agricultural Sciences and Rural Development
Nagaland University, Medziphema Campus, Nagaland, 797106. India

Dhan Singh

Department of Horticulture
School of Agricultural Sciences and Rural Development
Nagaland University, Medziphema Campus, Nagaland, 797106. India

Lalchand Kumawat

Department of Agronomy
School of Agricultural Sciences and Rural Development
Nagaland University, Medziphema Campus, Nagaland, 797106. India.

Manish kumar sonkar

Department of Horticultural and Post-Harvest Technology
Palli Siksha Bhavana, Visva Bharti University
Bolpur West Bengal, 731235. India

I. INTRODUCTION

Fermented foods are staples of the human diet and have been produced and used up since the development of human civilizations. The process whereby microorganisms and their enzymes bring about these required changes in food materials is known as fermentation. Food fermentation methods can be categorized by the primary metabolites and microorganisms elaborated. Lactic acid bacteria (LAB) belonging to genera such as *Leuconostoc*, *Lactobacillus*, and *Streptococcus*. Fermentations can also be defined based on the food substrates, which include meats and fish, dairy, soybeans and other legumes, cereals, and grapes. Raw materials that contain more concentrations of monosaccharides and disaccharides, or in some cases starch, are fermented through lactic acid bacteria. Lactic acid bacteria (LAB) are a cluster of gram-positive, non-sporulating, anaerobic or facultative aerobic cocci or rods, fastidious on artificial media, but they grow gladly in most food substrates and lower the pH rapidly to a point where competing organisms are no longer able to grow, and it is one of the main fermentation products of the carbohydrates metabolism.

II. HISTORY OF FERMENTATION AND SCIENCE

Ancient Egyptians were the first to ferment alcohol and vinegar from malt grains and fruit juices during the 1700s. However, they had no understanding of contamination in the fermentation process and the role of microorganisms in fermentation, and the use of specific equipment for production was not yet established (Gaden, 1982).

In the mid-eighteenth century, Louis Pasteur established the role of yeast in wine fermentation, and from then on a pure culture was used for quality wine, beer, and vinegar. During the same time, Carlsberg tried isolating single pure yeast cells for quality alcohol production. In the late eighteenth century and the early nineteenth century, use of an aerator for vinegar production was started. Vinegar fermentation also included a known volume of pasteurized, previously fermented vinegar as an initial substrate to prevent contamination and to serve as an inoculum. Hence, the process control of fermentation was initiated (Brinberg, 1953; Herrero, 1969). The importance of fermentation and production of different products gained attention in the beginning of the nineteenth century and continued through the middle of the nineteenth century. Several products were produced via fermentation, namely, glycerol, baker's yeast, lactic acid, and acetone butanol. Production of secondary metabolites via fermentation (such as antibiotics, amino acids, and vitamins) flourished during the late nineteenth century due to the need to treat soldiers fighting in World War I. Submerged fermentation with larger volumes under aerobic conditions with moderate process control was established during this period. In subsequent years, the fermentation industry has seen constant improvement with leaps and bounds on the production of high-value metabolites, including various antibiotics and growth hormones, using sophisticated bioreactors (Chiao and Sun, 2007; Formenti et al., 2014; Humer and Schedle, 2016; Li et al., 2015; Liu et al., 2013; Motarjemi and Nout, 1996).

III. HISTORY OF FERMENTATION

Ancient Egyptians were the first to ferment alcohol and vinegar from malt grains and fruit juices during the 1700s. However, they had no understanding of contamination in the fermentation process and the role of microorganisms in fermentation, and the use of specific

equipment for production was not yet established (Gaden, 1982). In the mid-eighteenth century, Louis Pasteur established the role of yeast in wine fermentation, and from then on a pure culture was used for quality wine, beer, and vinegar. During the same time, Carlsberg tried isolating single pure yeast cells for quality alcohol production. In the late eighteenth century and the early nineteenth century, use of an aerator for vinegar production was started. Vinegar fermentation also included a known volume of pasteurized, previously fermented vinegar as an initial substrate to prevent contamination and to serve as an inoculum. Hence, the process control of fermentation was initiated (Brinberg, 1953; Herrero, 1969). The importance of fermentation and production of different products gained attention in the beginning of the nineteenth century and continued through the middle of the nineteenth era. Several products were produced via fermentation, namely, glycerol, baker's yeast, lactic acid, and acetone butanol. Production of secondary metabolites via fermentation (such as antibiotics, amino acids, and vitamins) flourished during the late nineteenth century due to the need to treat soldiers fighting in World War II. Submerged fermentation with larger volumes under aerobic conditions with moderate process control was established during this period. In consequent years, the fermentation industry has seen constant improvement with leaps and bounds on the production of high-value metabolites, including numerous antibiotics and growth hormones, using sophisticated bioreactors (Chiao and Sun, 2007; Formentiet al.,2014; Humer and Schedle, 2016; Li *et al.*, 2015; Liu *et al.*, 2013; Motarjemi and Nout, 1996).

IV. FERMENTATION TECHNOLOGY

Micro-organisms, grown on a large scale, to produce valuable commercial products or to carry out important chemical transformations

V. FERMENTATION

Pasteur's "life without air", Latin word *fervere, to boil*

Table 1: Some Important Fermentation Products

Product	Organism	Use
Ethanol	<i>Saccharomyces cerevisiae</i>	Industrial solvents, beverages
Glycerol	<i>Saccharomyces cerevisiae</i>	Production of explosives
Lactic acid	<i>Lactobacillus bulgaricus</i>	Food and pharmaceutical
Acetone and butanol	<i>Clostridium acetobutylicum</i>	Solvents
α -amylase	<i>Bacillus subtilis</i>	Starch hydrolysis

VI. THE ROLE OF FERMENTATION TO FOOD

1. Flavor Enhancement

- Fermentation makes the food palatable by enhancing its aroma and flavor.
- These organoleptic properties make fermented food further popular than the unfermented one in terms of consumer acceptance.

2. Nutritional Quality

- A number of foods especially cereals are poor in nutritional value, and they constitute the main staple diet of the low-income populations. However, Lactic acid bacteria (LAB) fermentation has been shown to improve the nutritional value and digestibility of these foods. The acidic nature of the fermentation products enhances the activity of microbial enzymes at a temperature range of 22-25°C.
- The enzymes, which include amylases, proteases, phytases and lipases, modify the primary food products through hydrolysis of polysaccharides, proteins, phytates and lipids respectively. Thus, in addition to enhancing the activity of enzymes, Lactic acid bacteria (LAB) fermentation also reduces the levels of anti-nutrients such as phytic acid and tannins in food leading to improved bioavailability of minerals such as iron, protein and simple sugars. The number of vitamins is also increased in the ferment.

3. Preservative Properties

- The preservative activity of Lactic acid bacteria (LAB) has been observed in some fermented products such as cereals, and yogurt.
- The lowering the pH to below 4 through acid production, inhibits the growth of pathogenic microorganisms which can cause food spoilage, food poisoning and disease. For example, Lactic acid bacteria (LAB) has antifungal activities. By doing this, the shelf life of fermented food is extended.

4. Detoxification

- Detoxification of mycotoxins in food through Lactic acid bacteria (LAB) fermentation has been demonstrated over the years.
- Using Lactic acid bacteria (LAB) fermentation for detoxification is more advantageous in that it is a minor method which preserves the nutritive value and flavor of purified food. In addition to this, Lactic acid bacteria (LAB) fermentation irreversibly degrades mycotoxins without leaving any toxic residues. The detoxifying effect is believed to be through toxin binding effect.

5. Antibiotic Activities

- Lactic acid bacteria (LAB) is applied as a hurdle against non-acid tolerant bacteria, which are ecologically eradicated from the medium due to their sensitivity to acidic environment.
- Also, fermentation has been demonstrated to be further effective in the removal of gram negative than the gram-positive bacteria, which are more resistant to fermentation processing.
- As such, fermented food can control diarrheal diseases in children. Moreover, Lactic acid bacteria (LAB) is also known to produce protein antimicrobial agents such as bacteriocins. Bacteriocins are peptides that elicit antimicrobial activity against food spoilage organisms and food borne pathogens but do not affect the producing organisms. Lactic acid bacteria (LAB) also synthesizes other anti-microbial compounds such as, hydrogen peroxide, reuterin, and reutericyclin.
- Other applications of Lactic acid bacteria (LAB) include their use as probiotics that restore the gut flora in patients suffering from diarrhea, following the usage of

antibiotics that destroy the normal flora.

VII. FERMENTATION TECHNIQUES

1. **Surface (solid state) techniques:** Microorganisms cultivated on the surface of a liquid or solid substrate. Complicated and rarely used in industry.

Mushroom, bread, cocoa, tempeh

2. **Submersion techniques:** Microorganisms are grown in a liquid medium.

Biomass, protein, antibiotics carried out by submersion processes.

VIII. REQUIREMENTS

1. **Pure culture:** organism, quantity, physiological state
2. **Sterilized medium:** for microorganism growth
3. **Seed fermenter:** inoculum to initiate process
4. **Production fermenter:** large model
5. **Equipment**
 - Drawing the culture medium
 - Cell separation
 - Collection of cell
 - product purification
 - Effluent treatment

IX. TYPES ON THE BASIS OF CULTURE

1. **Batch fermentation:** Sterile nutrient substrate, inoculated, grow until no more of the product is being made, "harvested" and cleaned out for another run.
 - **lag phase**(adapt to their surroundings)
 - **exponential growth**(grow in numbers)
 - **stationary phase**(stop growing)
 - **death phase**

X. CONTINUOUS FERMENTATION

Substrate is added continuously to the fermenter, and biomass or products are continuously removed at the same rate. Under these conditions the cells remain in the Logarithmic phase of growth

XI. FED-BATCH FERMENTATION

Substrate increments as the fermentation progresses. Started as batch wise with a minor substrate concentration. Initial substrate is consumed, addition of fermentation medium

Table 2: Range of fermentation Technology

Microbial cell (Biomass)	Yeast
Microbial enzymes	Glucose isomerase
Microbial metabolites	Penicillin
Food products	Cheese, yoghurt, vinegar
Vitamins	B12, riboflavin

Table 3: Examples of Foods and Food Additive Manufactured Using Industrial Fermentation Processes in Developing Countries.

FOODS	FOOD ADDITIVE MANUFACTURED
Alcoholic beverages	Wines, beer
Milk and milk products	Cultured milks, yogurts, cheeses
Flavors	Monosodium glutamate, nucleotides
Organic acids	Lactic acid, citric acid, acetic acid
Amino acids	Lysine, glutamic acid
Vitamins	Vitamins A, C and B ₁₂ , riboflavin
Enzymes	Amylases, proteases, invertases

XII. FROM DESHPANDE AND SALUNKHE (2000).

Advantages

- Preserves and enriches food, improves digestibility, and enhances the taste and flavor of foods.
- Potential of enhancing food safety by governing the growth and multiplication of amount of pathogens in foods.
- Important contribution to human nutrition particularly in developing countries, where economic problems pose a major barrier to ensuring food safety.
- Low energy consumption due to the minor operating conditions relatively low capital and operating costs relatively simple technologies.
- They cause extremely specific and controlled changes to foods by using enzymes.
- Preservation and detoxification of the food.
- Waste treatment.
- Health associated product.

Table 4: Major Categories And Examples Of Fermented Milk Products

Category	Typical examples
I. Lactic fermentations	
a. Mesophilic	Butter milk, Cultured buttermilk, Langofil, Tetmjolk, Ymer
b. Thermophilic	Yogurt, laban, zabadi, labneh, skyr, Bulgarian buttermilk
c. Therapeutic	Biogarde, Bifighurt, Acidophilus milk, yakult, Cultura-AB
II. Yeast – lactic fermentations	Kefir, koumiss, acidophilus – yeast milk
III. Mold – lactic fermentation	Viili

Source : Table 4 p. 58. In B. A. Law, editor, 1997. *Microbiology and Biochemistry of cheese and fermented milk*, New York: Chapman and Hall.

Disadvantages

- Hazardous microbial contamination always exist in fermented food.
 - The irregular distribution of salt in lactic acid fermented fish products and contamination of *Aspergillus flavus* in traditional starter cultures for rice wine and soybean sauce result in severe food poisoning occurrences.
 - Health (obesity, cancer)
- C.H. LEE, 1989**

REFERENCES

- [1] Ananou, S., Maqueda, M., Martínez-Bueno, M. and Valdivia, E. Bio preservation, an ecological approach to improve the safety and shelf-life of foods. FORMATEX, 2007.
- [2] Blandino, A., Al-Aseeri, ME., Pandiella, SS., Cantero, D. and Webb, C. Cereal-based fermented foods and beverages. Food Research International. 2003;36(6):527-543.
- [3] Brinberg, S. L. 1953. "Technology of the process of fermentation." Antibiotiki (Mosc) 6 (4):3-14.
- [4] Chelule, PK., Mbongwa, HP., Carries, S. and Gqaleni, N. Lactic acid fermentation improves the quality of a mahewu, a traditional South African maize-based porridge. Food Chemistry. 2010;122 (3):656-661.
- [5] Chiao, J. S., and Z. H. Sun. 2007. "History of the acetone-butanol-ethanol fermentation industry in China: development of continuous production technology." J Mol Microbiol Biotechnol 13 (1-3):12-14. doi: 10.1159/000103592.
- [6] Daniell, C., et al., (1979) "Fermentation and Enzyme Technology," John Wiley, New York.
- [7] Formenti, L. R., A. Norregaard, A. Bolic, D. Q. Hernandez, T. Hagemann, A. L. Heins, H.

- Larsson, L. Mears, M. Mauricio-Iglesias, U. Kruhne, and K. V. Gernaey. 2014. "Challenges in industrial fermentation technology research." *Biotechnol J* 9 (6):727– 38. doi: 10.1002/biot.201300236.
- [8] Gaden, E. 1982. "Fermentation technology." *Environ Sci Technol* 16 (7):366A–67A. doi: 10.1021/es00101a708.
- [9] Guandalini, S. Probiotic for children: Use in diarrhea. *Journal of Clinical Gastroenterology*. 2006; 40(3):244-248.
- [10] Hayek, S.A. and Ibrahim, S.A. Current Limitations and Challenges with Lactic Acid Bacteria: A Review. *Food and Nutrition Sciences*. 2013;4: 73-87.
- [11] Herrero, F. J. 1969. "[Production of staphylococcus toxin by deep fermentation. I. Technology. New culture medium]." *Rev Latinoam Microbiol Parasitol (Mex)* 11 (1):15–19.
- [12] Humer, E., and K. Schedle. 2016. "Fermentation of food and feed: a technology for efficient utilization of macro and trace elements in monogastrics." *J Trace Elem Med Biol* 37:69–77. doi: 10.1016/j.jtemb.2016.03.007.
- [13] Li, S., P. Li, F. Feng, and L. X. Luo. 2015. "Microbial diversity and their roles in the vinegar fermentation process." *Appl Microbiol Biotechnol* 99 (12):4997–5024. doi: 10.1007/s00253-015-6659-1.
- [14] Lee, C.H., (1989) Fish fermentation technology, Korean J. Applied Microbiology and Bioengineering, 17(6), 645-654.
- [15] Liu, Z., C. Zhang, Y. Lu, X. Wu, L. Wang, L. Wang, B. Han, and X. H. Xing. 2013. "States and challenges for high-value biohydrogen production from waste biomass by dark fermentation technology." *Bioresour Technol* 135:292–303. doi: 10.1016/j.biortech.2012.10.027.
- [16] Stanbury, P.F., A. Whitaker, and S. J. Hall, (2000) *Principles of Fermentation Technology*, 2nd ed., Butterworth-Heinemann, Oxford.
- [17] Shuler, M.L. and F. Kargi., (2002). *Bioprocess Engineering Basic Concepts*, 2nd., Prentice Hall, Upper Saddle River, NJ,
- [18] Maria, L.M., Dustin, H., Sylvie B., Christopher. J C., Paul. D C., Benoit, F., Michael G., Remco K., Gonca, P., Anne. P., Eddy. J. and Robert Hutkins. Health benefits of fermented foods: microbiota and beyond. *Current Opinion in Biotechnology*. 2017; 44:94–102.
- [19] Maria, L.M., Dustin, H., Sylvie B., Christopher. J C., Paul. D C., Benoit, F., Michael G., Remco K., Gonca, P., Anne. P., Eddy. J. and Robert Hutkins. Health benefits of fermented foods: microbiota and beyond. *Current Opinion in Biotechnology*. 2017; 44:94–102.
- [20] Santos, F., Wegkamp, A., de Vos, W.M., Smid, E.J. and Hugenholtz, J. High-Level Folate Production in Fermented Foods by the B12 Producer *Lactobacillus reuteri* JCM1112. *Applied and Environmental Microbiology*. 2008; 74 (10):3291-3294.
- [21] Sauer, M., Porro, D., Mattanovich, D. and Branduardi, P. Microbial production of organic acids: expanding the markets. *Trends in Biotechnology*. 2008; 26(2):100-108.
- [22] Willey, J.M. Shrewood, L. M. (2008) *Microbiology*. 7th ed. Mc Graw Hill., 1067-1069.
- [23] Schnürer, J. and Magnusson, J. Antifungal lactic acid bacteria as biopreservatives. *Trends in Food Science & Technology*. 2005; 16(1-3):70-78.



IIP Proceedings is online, open access, peer-reviewed, interdisciplinary Journal. IIP Proceedings provides a comprehensive solution for conferences and edited books that covers research topics across various scientific, technical, and medical disciplines. It aims at disseminating high-level research results and developments to researchers and research groups. It mainly focuses on presenting practical solutions for the current problems in Applied Sciences and Applied Social Sciences. It features original research work, reviews, case reports, tutorial papers, and accounts of practical developments.

Volume 2, Book 28, 2022, IIP Proceedings

ISBN : 978-93-95632-84-3

