

# **An Advanced AI & ML Based Neurocomputational Approach for Smart Cities utilizing Statistical Analysis**

**Moumita Pal<sup>1</sup>, Partha Sarkar<sup>1</sup>, Biswarup Neogi<sup>1</sup>, Gopinath Palai<sup>2</sup>**

<sup>1</sup>Department of Electronics & Communication Engineering, JIS College of Engineering

<sup>2</sup>Department of Science & Emerging Technologies, Sri Sri University

## **INTRODUCTION**

By 2050, there will be 6.7 billion people living in metropolises globally. Urbanization has stifled smart outcomes and digital extraordinary platforms' ability to transform metropolises into additional inhabited units in the center of unlimited civic flux, failing to provide residents of megacities with a respectable standard of living. Digital outcomes offer opportunities for innovation, but they also invite exploitation and present a number of challenges. Smart city operations have gone beyond purely utilitarian use to the point where structural integrity is being compromised. Smarter metropolises, a paradigm that goes beyond smart metropolises and aims to maximize benefits, provide an enthralling example of comprehensively perfecting connectivity with less attention on creating new structure when it comes to strategic autonomy in the digital age. The current generation of smart megacity gests prioritize megacity people as a fast track for evaluating smart outcomes, with less weight on their values, convictions, and livability. Since people and their relationships are the primary drivers for technologies to detect their operation in the smart ecosystem, the idea of livability requires special consideration while spanning technological inventions within the civic contexture. Adeb A. Kutty et al. 2022 investigated that Metropolises can't survive without human habitation, so focusing on their businesses and integrating the needs of their residents while keeping an eye on the environment and the bottom line is too critical for sustainable issues when considering the idea of a smart megacity. But even being wise and environmentally friendly cannot fully improve all of the important "quality- of- life" aspects and foster livability. The idea of "livability" has the underlying purpose of transforming outstanding units into permanent settings. However, technologically centred evolution must focus on a megacity's capacity to recover from stress, providing good living conditions for city residents, as well as on livability as the heart of a sufferable unit. Cities are frequently affected by unpredicted catastrophes like economic upheaval, anthropogenic disturbances, climate change, geopolitical unrest, public health crises, and political vetoes. Even if they are aware of the value of flexibility, today's communities are not at risk from these businesses. The epidemic paradigm has made it possible for smart, sustainable, and megacities to optimize civic systems to handle implicit outside influences and construct a long-lasting, livable, and adaptable inhabitable unit.

To address societal issues, Smart Metropolises are fusing technology and computer science trends. Transportation, health, security, and energy are just a few of the issues mentioned. In this study, we mainly focused on physical traits that are relevant to business stakeholders. We used deep literacy and image processing as a result. The use of suggested methods that are image-based is currently common in shrewd company practises. As an example, measuring vehicle speed based on real-time videotape is frequently used (Al-qudah et al. 2022). We therefore provide a system for feting physical assets of business stakeholders such as motorcars, motorbikes, exchangers, climbers, and vehicles with campers that is based on picture processing and deep literacy. First, we clipped and removed the silhouettes of these stakeholders from corporate film. Additionally, we developed a stoner interface and identified these using a deep literacy model. Business is a state of the road networks brought about by increased vehicle use, and it is characterised by slower travel times, longer trip distances, and longer vehicle ranges. Business traffic can

result in drowsiness, more petrol being consumed, wasted time and energy, higher depreciation and energy costs, accidents and environmental pollution, as well as verbal and physical fights on the roads. The cost, unreliability of technology, and inability of the current system to be expanded with new technology are just a few of the obstacles to hyperintelligent corporate control and operation. The timing and prevention of commercial accidents at corners present still another difficulty in this area. When the junction is set up, main scheduling usually decides how long the business signal will be green in one direction and how long it will be green in the other. The issue with this traditional method is that business signal scheduling is carried out regardless of the impending finding of business density. As a result, time is lost when there are no vehicles sorting in a certain direction relative to the schedule for that direction. Traditional systems can only respond to the same business quantity distribution conditions in all directions and are unable to move a different set of scripts throughout the day.




Figure 1: General use of ML/AI for smart cities.

Urban Internet of Things (IoT) networks have witnessed a rise in the usage of artificial intelligence grown in significance with the advent of the digital era. As the idea of smart cities has developed, smart firefighting has become a crucial part of the smart megacity system. Machine literacy is now used in a variety of industries, but smart firefighting data visualization rarely makes use of it. There is still more to be discovered in a wide range of tasks, such as data operations and machine literacy techniques in smart firefighting. We suggest applying machine learning approaches to estimate the structure fire resistance data in this composition in order to provide additional theoretical and specialized support for IoT smart cities. As modern smart cities continue to grow, the use of combust construction supplies has increased the chance of accidents that endanger people's safety and livelihoods, making the incorporation of proactive firefighting in municipal Internet of things (IoT) AI more essential. In order to add more conceptual and specialized assistance for IoT smart cities, we advise using machine learning algorithms to predict the structure fire resistance data in this composition. As modern smart cities continue to grow, the risk of fires endangering lives and livelihoods has increased as a result of the usage of flammable building materials, making the incorporation of smart firefighting in municipal Internet of things (IoT) artificial intelligence more essential. In industries including data mining, image processing, intelligent transportation, smart cities, healthcare, intelligent vaccination, and the Internet of Things, machine literacy is frequently employed. Machine literacy vaccination is used in a variety of diligence, including stock vaccination in financial diligence, natural information vaccination, such as bone cancer bracket and photo identification, the mining of social media data using big data, and the utilization of e-commerce vaccine suggestions. The employment of

algorithms to predict pertinent data has also grown in importance for smart fire prevention and related vigilance under the civic IoT as a result of artificial intelligence's explosive growth.

## LITERATURE REVIEW

In this area, a literature study is conducted on the processing of images, neural network technology, machine learning, and the use of AI in the Internet of Things. Smart cities strive to connect and integrate various systems and services in cities in order to improve urban administration and the quality of life for people. The concept of "smart cities" has been infused with elements of digital media. The city also realizes dynamically refined management and significantly improves the quality of life for its residents by determining frequent broadband internet access, utilizing sophisticated technologies, carrying out significant resource sharing, and obtaining deep and thorough enhancements to capacity and vision. Since the beginning, governments around the world have admired smart cities, as they make (Uttam Ghosh et al. 2021). City planning is a complicated and time-consuming procedure. It has several parts that need to be carefully planned and coordinated by all parties involved. Usually, the government and specialized organizations handle it. However, current events have highlighted the necessity of involving all stakeholders in this process. Although such participation ought to lead to a more useful city plan, it might make things more difficult.

By 2030, there will be more than 5 billion people living in cities, and by 2050, two-thirds of the world's population will reside there. Recent years have seen increasing emphasis on trends such a lack of natural resources, urban congestion, vast waste production, and pollution created in these areas. Technological developments can lessen these consequences by gathering and analyzing data to suggest ways to raise sustainability standards. (M. Razavi et al. 2019) Cities are becoming smarter as a result of the digital transformation. In order to create urban settings that are more inclusive, safe, resilient, and sustainable, recent massive urban expansion calls for improved urban planning and administration. Software developers struggle to create a single paradigm that can meet all of their objectives since ubiquitous computing has so many unique characteristics. The term "smart cities" has migrated across sectors and into disciplines like sustainability, urban design, engineering, and computer science, leading to an abundance of interpretations. Cities that were formerly referred to as "wired cities," "digital cities," and "intelligent cities" were regarded "pioneers in integrating digital infrastructure and technologies into their urban fabric." Transparency and context awareness are essential components of a smart environment, which is a complicated system. The designs of such systems must be able to adapt to changing demand and be flexible and modular enough to deliver the right services at the right time. Leading experts' contributions emphasize strategies for creating and surviving in intelligent environments as well as issues with doing so. (Sharma A et al. 2020) Recent research in smart environments has highlighted, among other things, action prediction and identification, network protocols for smart environments, adaptive networks of sensors, telecommunications regulation of devices, conceptual and computational architectural considerations, and action prediction and identification, illustrating the multidisciplinary nature of smart environment design. Based on the features included in prototype solutions for several application areas and the requirements created for them, this article outlines the characteristics of smart environments. These summaries facilitate the understanding of the importance of machine learning in intelligent environments. In-depth survey research was conducted by (Arasteh et al. 2014) to describe IoT technologies for smart cities as well as the key elements and characteristics of a smart city. The authors also discussed their own personal experiences and the challenges that developers confront globally. The article provided a comprehensive overview of potential Internet of Things (IoT) approaches and uses for collaborative drones, which have recently been employed to enhance the smartness of smart cities in terms of collecting data, security, confidentiality, safety for the public, disaster prevention, utilization of energy, and quality of life. A smart health monitoring system built on a fog computing paradigm was developed by (Kharel et al. 2018). The suggested design claims that it will resolve the fundamental issues with a clinic-centric healthcare system, transforming it into an intelligent patient-centric healthcare system. In order to classify brain tumors, deep learning-based algorithms have been used

extensively in published studies (Muhammad et al. 2022). This review covered crucial steps including preprocessing, feature extraction, classifications, successes, and shortcomings. In recent years, a number of studies on traffic congestion have been conducted. The use of information and communication technology (ICT) and internet of things (IoT) applications to increase the effectiveness of the current TCCS is one of the research methods for monitoring traffic congestion and traffic control that have been put forth in the literature. Traffic flow will be improved, enabling more effective and efficient use of infrastructure, by using real-time dynamic traffic control technology to route cars intelligently on motorways. The Internet of Vehicles (IoV) is a network of cars with sensors that could be used in TMS by connecting physical objects online to deliver more accurate, timely, and exact results. On a computer that is connected to the internet, every database used by IoV is stored. Reducing the need for human intervention is made possible by the remote access to IoV components. In three steps, Cugurullo investigated the theory and application of how artificial intelligence intersects with the creation of smart cities. To clarify AI in urbanization, the authors first offer a theoretical framework. For the next-generation web for the Internet of Things, Singh et al. proposed and demonstrated an ML-based, distributed massive data analysis framework that is more effective than existing frameworks.

A deep learning-based blockchain solution for secure smart cities was put up by Singh as the Deep Block Scheme. The authors provided a vehicle manufacturing example for the suggested technique and contrasted it with past security and privacy studies. The Internet of Things requires extensive research in the area of energy efficiency.




Figure 2: Harvesting, real-time streaming and synchronization of urban data

The quick topological changes caused by mobile vehicle nodes place restrictions on the wireless communication technology subset known as VN. Intravehicular communication has become an interesting area for study as more and more cars are equipped with wireless and communication systems. (L. Rosa et al., 2021) VNs enable a variety of applications by supplying wireless communication technology to vehicle nodes. This may include elements like traffic monitoring in real-time, dynamic route planning, and accident prevention. Self-driving cars act as mobile nodes in the novel mobile network (MN) known as VN. V2V and Vehicle-to-Roadside (V2R) communications are two ways that VN has been proposed to improve safety and

comfort. VNs were created to improve driver safety and comfort in vehicle environments through the use of V2V and V2R communications.

Table 1: Review Literature

Sr.	Title	Covered Areas			
		Smart Cities	Smart Healthcare	AI/ML	Security
1	An assessment of potential, safety, and privacy issues in healthcare monitoring ecosystems.	N	Y	N	Y
2	An evaluation of IoT safety and security risks for smart urban.	Y	N	N	Y
3	An Analysis on the Status of Digital Health coverage from the View of the United City.	Y	Y	N	N
4	Smart cities powered by IoT: An analysis	Y	N	N	N
5	Study cooperative intelligent drones and the internet of things to increase the smartness of cities.	Y	N	N	N
6	A comprehensive examination of linear extrapolation big-data analytics for IoT-enabled digital healthcare systems.	Y	Y	Y	N
7	A fog computing-based system for an intelligent health monitoring.	N	Y	Y	N
8	Deep Learning for Multigrade Classification of Brain Tumours in Smart Health Services: A Realistic Review	N	Y	Y	N
9	IoT supported by AI: Current traffic reduction in smart cities	Y	N	Y	N
10	On big data, AI / ML and smart cities.	Y	N	Y	N
11	IoT-based smart cities using Blockchain: Recent progress, demands, and potential difficulties	Y	N	N	Y
12	Urban AI: From mechanization to autonomous in the smart city.	Y	N	Y	N
13	AI and ML applications in smart cities.	Y	N	Y	N
14	IoT for mitigation and surveillance in smart cities.	Y	N	N	N
15	Decentralized big data analysis platform based on ML for the forthcoming gen web in IoT.	Y	N	Y	N
16	DeepBlockScheme: A Deep Learning-Based Blockchain-Driven Smart City Scheme.	Y	N	Y	Y
17	Energy preservation in IoT: An overview.	N	N	N	Y
18	Secure Architecture Based on OTS Schemes for Energy-Efficient IoT in Edge Infrastructure.	Y	Y	N	Y

## DISCUSSION

In this section, we evaluate three ensemble methods, Gradient Boosting Machine (GBM), AdaBoost, Extreme random Tree (ET) and use the grey wolf optimizer (Xuewei Li et al. 2021).

Algorithms:

- (i) *ET algorithm* - It mainly entails drastically randomizing the cut-point and property selections while slicing a tree node. The most extreme scenario is when it creates fully random trees with topologies that appear to be independent of the learning sample's output values. The intensity of the randomization can be adjusted to meet the requirements of the situation by choosing the appropriate parameter. We evaluate the robustness of the parameter's default selection and provide suggestions for how to change it in specific circumstances. The resulting algorithm's main advantage, besides accuracy, is computational economy. Entropy is obtained using the decision tree using algorithms ID3, C4.5, Gini index.

- (a) ID 3 algorithm - Iterative In order to generate a decision tree using a top-down greedy approach, Dichotomizer 3 must iteratively (repeatedly) divide features into two or more groups at each stage. The method calculates the information gain for each split before choosing the split that has the highest information gain for traditional splitting. As stated below, information entropy:  $D$  stands for the sample set from the previous decision split,  $K$  for the sample category, and then the following is a definition of information entropy.:

$$\text{Ent}(D) = - \sum_{k=1}^K p_k \log_2 p_k.$$

As stated below, information entropy: where  $D_V$  stands for the sample set from the previous decision split:

$$\text{Ent}(D_V) = - \sum_{k=1}^K p_k \log_2 p_k.$$

The information gain was calculated as follows:

$$\text{Gain}(D, a) = \text{Ent}(D) - \sum_{v=1}^V \frac{D_V}{D} \text{Ent}(D_V).$$

- (b) C4.5 algorithm - In data mining, the C4.5 algorithm is used as a Decision Tree Classifier, which can generate a decision based on a specific sample of data. Using the gain rate, the C4.5 algorithm divides the ideal attribute. The gain rate is calculated using the formula below, where bigger values for a result in larger values for  $V$  and  $IV$ :

$$\begin{aligned} \text{Gain}_{\text{ratio}}(D, a) &= \frac{\text{Gain}(D, a)}{IV(a)}, \\ IV(a) &= - \sum_{v=1}^V \frac{|D_V|}{|D|} \log_2 \frac{|D_V|}{|D|}. \end{aligned}$$

- (c) Gini index - The goal is to figure out how frequently a randomly chosen object from the collection is mislabeled. Since the probabilities always add up to 0 in the formula above, the Gini score is unaffected by the random class you choose for the probabilities. The purest possible score is a Gini of 0. In addition to information entropy, the Gini index can be used to evaluate the purity of a data set

$$\text{Gini}(D) = \sum_{k=1}^K \sum_{k^+ \neq k^-} p_k^+ p_k^- = 1 - \sum_{k=1}^K p_k^2$$

Gini(D) indicates it when test pairs are chosen at random, the likelihood of each categorization differs.

- (ii) *AdaBoost algorithm* - Adaptive Boosting is an Ensemble Method. In here, Input training data, and  $T = \{\{x_1, y_1\}, \{x_2, y_2\}, \dots, \{x_N, y_N\}\}$ . Among them,  $x_i \in X, y_i \in Y = -1, 1$ , and the number of iterations is  $M$ . The weight distribution of the initial training sample is  $D_1 = (\omega_{1,1}, \omega_{1,2}, \dots, \omega_{1,i})$ ,  $\omega_{1,i} = 1/N, i = 1, 2, \dots, N$ . For  $m = 1, 2, \dots, M$ ,

(a) Learning and obtaining weak classifier  $C_m(x)$  using training data set with weight distribution  $D_m$ .

(b) Determine  $C_m(x)$ 's classification error rate using the training set of data.

$$e_m = \sum_{i=1}^N \omega_{m,i} I(G_m(x_i) \neq y_i).$$

(c) Determine  $G_m(x)$ 's weight in the strong classifier.

$$\alpha_m = \frac{1}{2} \log \frac{1 - e_m}{e_m}.$$

(d) Adjust the training dataset's weight distribution so that the sample's probability distribution is summed to one, where  $z_m$  is the normalisation factor.

$$\omega_{m+1,i} = \frac{\omega_{m,i}}{z_m} \exp(-\alpha_m y_i G_m(x_i)), i = 1, 2, \dots, N,$$

$$z_m = \sum_{i=1}^N \omega_{m,i} \exp(-\alpha_m y_i G_m(x_i)).$$

(e) Get the final classifier.

$$F(x) = \text{sign} \left( \sum_{i=1}^M \alpha_i G_i(x) \right).$$

- (iii) *GBM algorithm* - To get the final predictions, the Gradient Boosting Machine integrates the predictions from various decision trees. Remember that decision trees make up all of the weak learners in a gradient boosting machine. Set up the novice learner. For  $m = 1, 2, \dots, M$ .

(a) For each sample  $i = 1, 2, \dots, N$ , calculate the negative gradient, that is, the residual

$$\gamma_{im} = \left[ \frac{\partial L(y_i, f(x_i))}{\partial f(x_i)} \right]_{f(x)=f_{m-1}(x)}.$$

(b) Create a new regression tree,  $f_m(x)$ , using the residual from the previous step as the new true value of the sample and the data  $(x_i, \gamma_{im})$ ,  $i = 1, 2, \dots, N$  serve as the training data. Its corresponding leaf node area is  $R_{jm}$ , where  $J$  is the regression tree's total number of leaf nodes and  $j = 1, 2, \dots, J$ .

(c) Calculate the best fit value for the leaf area  $j = 1, 2, \dots, J$

$$\gamma_{jm} = \text{argmin} \sum_{x_i \in R_{jm}} L(y_i, f_{m-1}(x_i) + \gamma).$$

(d) Determine the leaf area  $j = 1, 2, \dots, J$  best fit value

$$f_m(x) = f_{m-1}(x) + \sum_{j=1}^J \gamma_{jm} I(x \in R_{jm}).$$

Obtain the final learner

$$f(x) = f_M(x) = f_0(x) + \sum_{m=1}^M \sum_{j=1}^J \gamma_{jm} I(x \in R_{jm}).$$

*Grey Wolf Optimizer* – The GWO algorithm simulates the social structure and hunting habits of grey wolves. Alpha, beta, delta, and omega are the four different kinds of grey wolves, which stand for the four levels of the hierarchical structure of authority. Additionally, the three main hunting techniques: finding prey, surrounding prey, and striking prey are used. In this situation, the search is optimized by the properties of the algorithm to maximize the hyperparameters of the integrated algorithm.

*Principle of GWO algorithm* – A wolf pack consists of three wolves namely  $\alpha$ ,  $\beta$ , and  $\gamma$ .  $\alpha$  is the wolf king, and  $\beta$  and  $\gamma$  are placed 2<sup>nd</sup> and 3<sup>rd</sup> rank, respectively. Both  $\beta$  and  $\gamma$  listen to  $\alpha$ , and  $\gamma$  listens to  $\beta$ . The other wolves hound their prey after the three wolves. The mechanism used by wolves to find prey is analogous to how the GWO algorithm chooses the optimum course of action. The GWO optimization process includes finding out prey as well as tracking, encircling, and attacking it. Therefore, hunting, or looking for the best solution, is its main activity. During each iteration, the best three wolves,  $\alpha$ ,  $\beta$ , and  $\gamma$ , are going to be kept, and other search agents' positions will be updated in accordance with their position data.

The desired result is to progressively approach the optimal solution objective, continuously narrow the search area, and ultimately achieve the optimal result through iteration when using the GWO algorithm to scatter the grey wolf to find the prey and then concentrate on the region to discover the prey. We are able to reduce the size of the hunter's prey by enhancing the GWO technique, using it to change the hyperparameter in the method of machine learning, and determining the ET, AdaBoost, and GBM super parameters by adding a set of randomized numbers to each iteration and loop. The GWO's data form changes into one that is appropriate for algorithm hyperparameters simultaneously since it is dimensioned.




Figure 3: Correlation matrix diagram progressing from left to right

(Kai Huang et al. 2021) inputs include the objective function, the super parameter's parameter adjustment range, Xtest, Ytest, Xtrain, Ytrain, PopSize, and Niter

Output: The global optimum (gbest)

- 1: Procedure GWO
- 2: Initialize input parameters, alpha, beta, delta, all individual samples
- 3: # Iterative optimization, # main loop of the algorithm
- 4: For l = 1 : Niter
- 5: For i = 1 : PopSize



6: Call objective function, in the hyperparametric range a collection of random integers are generated  
7: Modify the Ideal spot of Alpha, Beta, and Delta  
8: Hunting Behavior equation is used to update X1, X2, X3  
9:  $i = i + 1$   
10: End for  
11:  $l = l + 1$   
12: End for  
13: Return the global optimum (gbest)  
14: End Procedure

Hunting Behavior Equation - Grey wolves can detect the location of probable prey (ideal solution), allowing them to engage in hunting activity. The following is the working equation:

$$D_\alpha = C_1 X_\alpha - X, D_\beta = C_2 X_\beta - X, D_\delta = C_3 X_\delta - X,$$

$$X_1 = X_\alpha - A_1 D_\alpha, X_2 = X_\beta - A_2 D_\beta, X_3 = X_\delta - A_3 D_\delta,$$

$$X(t + 1) = \frac{X_1 + X_2 + X_3}{3}.$$

Here,  $X_\alpha, X_\beta,$  and  $X_\delta$  exemplify the role vector of  $\alpha, \beta,$  and  $\delta,$  respectively, in the current population;  $D_\alpha, D_\beta,$  and  $D_\delta$  indicate, accordingly, the distance between the top three wolves and the current candidate wolf pack; when  $|A| > 1.$  To find prey, grey wolves will disperse to different locations. When  $|A| < 1,$  in search of prey, grey wolves disperse across several locations.

## APPLICATOIN / USUAGE

- Machine learning and artificial intelligence (AI) have the power to dramatically modify how intelligent environments and cities operate. For an AI and ML-based smart city, it is essential to design and integrate both hardware and software systems, intelligent foundations and algorithms, conceptual strategy, and mathematical computational models of ICT infrastructure. Academics and researchers are invited to contribute articles for this special issue that use machine learning and AI to create smart the environment.
- *Smart Green Economy and Infrastructure:* The decline in normal dynamism inventories, megacity traffic, rising chemical, physical, and natural toxins, and global warming, with all of their implications on quality of life, are the most significant repercussions of the twenty-first century. (Li, Jun & Zou et al. 2022) Large agreements with large populations and structural consistency would be most affected by this example; as a result, itineraries would need to review their design and functions in order to meet the requirements for sustainable civic life. Growth Environmental and egalitarian viewpoints have traditionally taken a piecemeal approach to economic success. A growing number of cities are changing their evolution strategies to smart programmes aimed at sustainable mobility, erecting dynamism pitches, adding dynamism product from renewable sources, perfecting waste management, and enforcing ICT architectures in light of the significant social and environmental changes taking place on a global scale. The objective is to turn smart cities into smart communities that can enhance people' quality of life by offering long-term chances for social, economic, and creative processes in a healthy, safe, stimulating environment. There are also civic and indigenous project and planning strategies that use technologies to optimize civil society transportation, erecting construction, and the evolution of civic dynamism, water, and carrying dynamism from civic waste procedures in such a motorway that they reduce dependence on natural coffers procedure with a long-term investment process.
- *The Sustainability Problem Can Be Solved by Green IT:* Sustainable technology must be employed to build a smart city. Demand for green IT is rising as a result of the sustainability issue. Green IT makes it

possible to develop hardware and software programmes that usage of resources. The product lifecycle idea of green IT can help with problem of enhancing computer equipment demand. (Zheng Liu and Jiayuan Song et al. 2022) Recycling reduces the demand for new equipment, and hence the usage of energy and resources. Reduced CO2 emissions may be achieved through the usage of a decentralised system. A networked information system called a decentralised system can deliver search results without sending the request to servers all over the world. A variety of computer services are offered through the cloud, which offers high dependability, better security, and lower total cost of ownership. Depending on the kind of resources offered, a variety of cloud computing services are accessible. Examples include software, networking, data, infrastructure platform, sensors as a service, and more.

The remainder of this paper is divided into two segments. The first section looks at frameworks in the research from a strategic standpoint, while the latter examines at structures from a technological standpoint-

- (i) *Service-Level Frameworks* - This section presents a smart city framework for connecting data provided by smart city infrastructure (such as sensors) with residents' requirements. A data model integration layer is used to achieve this alignment (DMIL). (Polese, Francesco & Botti et al. 2019) This layer encourages service providers in multiple cities to share information. To suit people's demands, The authors create a brand-new layer they call the SCIL (Smart Cities Integration Layer). The COFOG system of the UN was used to generate a classification of citizens' needs. By identifying crucial enablers, key economic measurements, and ongoing smart city projects, it was developed for developing countries (namely India). Using a similar method, suggestions for a framework for the transformation of smart cities may be gathered.
- (ii) *Technical-Level Frameworks* - A distributed system-based city-wide data-sharing solution is offered to streamline data sharing amongst city agencies. (Mara et al., 2019; Antonella & Grimaldi) The recommended system uses cloud and Internet of Things (IoT) technology to support its applications. It is split into two parts: adaptive decision support modules and large-scale data stream processing modules. The authors created a real-time context-aware travel planner application to improve the framework's viability. A approach has been put forth by a group of academics for managing enormous amounts of data gathered from many sources while preserving the application/service's quality of experience (QoE). To identify the primary functional and non-functional obstacles of smart cities, they examined important smart city frameworks in the literature. After that, they provided a reference software architecture for creating efficient smart city apps. Positive QoE results were obtained via simulation for the measurements of accuracy, precision, and recall.
- (iii) *Image Classification Framework (ICF)* - A significant barrier to effective adaptation is non-technical staff and officials' acceptance of the smart city concept. Making a system that does in-depth analysis and offers insights from enormous amounts of data is one way to address this issue. Since fewer professional analysts would be needed, the entire system would cost less. Deep learning is becoming more popular in the field of picture classification because of its ability to deliver high-performance outcomes by accurately classifying objects of diverse colours, sizes, and forms. (T. G. Altundogan et al. 2019) The performance of different deep learning architectures actually differs depending on the difficulty of the classification problem and domain. We outline a deep learning-based automated photo classification system that collects user-provided raw images and automatically trains its algorithms. The user first provides the repository component of the framework along with the architecturally accessible images. After then, the photos are gradually spread to many deep networks. We emphasize that a huge amount of data must be collected, processed, and assessed in order to facilitate decision-making in a smart city scenario. This kind of data frequently takes the form of images. It may take a long time to engineer imaging data to extract relevant insights, necessitating the employment of expert data scientists. The ability of communities to embrace such devices may be constrained by their high cost, as well as security and annoyance concerns. Depending on the user's choice, the profiler component profiles the RAM. Each deep network trains on the supplied training set before sending its findings to analyzer. Thus the deep neural networks listed below were used because of their strong classification abilities (Figure 4).




Figure 4: Simple Architecture of Deep Learning using Image Processing.

Table 2: Smart/Digital city description variations (Al-qudah et al. 2022)

Theme	Def	Background	Focus	Year
Virtual city	Virtual communities and web-based urban systems engineering	Urban architecture	ICT and society	2005
Smart city	Retail stores can perform online business.	Retails	Web	2018
Virtual city	Excursion of virtuality	Social and ICT	Web	2017
Smart city	Physical environment utilization	Social and ICT	Sensors	2017
Smart city	The use of big quantities of digital files acquired on civilization to streamline city managing and planning	Geographical	Data	2014
Digital city	Capability to stimulate economic increment	Economic	Data	2012
Digital city	A scientific perspective to urban governance and administration	Public policy	Social	2016
Smart city	A community that leverages the most use of today's modern networked data to better understand and govern its operations and make the most of its finite assets.	Commercial	Technology	2011

(Phil Hoad et al. 2014) Games are also an excellent approach to develop Smart Cities. Developed places have been represented in Second Life and Minecraft, such as the Blockholm project, a state-funded recreation of Stockholm built using the game's engine. People were able to build future structures using the simulation, which was based on official land data; the best ten designs were then displayed in public and submitted for consideration by planners. In the meantime, UN Habitat's Block by Block initiative used Minecraft to engage people from all around the world in creating public spaces, such renovating football fields in Nairobi's Kibera slum. Commercial software is available for creating more aesthetically pleasing 3D worlds, such as City Engine, which was used to reconstruct a section of Marseille for a significant reconstruction project and to generate a future city for a Ministry of Sound commercial. However, such initiatives remain costly for civic groups (albeit not in the million-dollar league of GTA V, Assassin's Creed, and Watch Dogs).

## CUNCLUSION

For new technologies to be successfully implemented, cooperation with experts in digital transformation and software testing firms is essential. IoT-based ideal systems represent smart environments that strike a

compromise between transparency and environment awareness. Infrastructures of related systems must adapt to the space and incorporate a modular and flexible project. In this article, we evaluate the research on sustainable smart cities and discuss anomaly and intrusion detection systems used in the Internet business sector. Discussions about non-identical data sets with point election and birth occurred. For our exploratory study, we choose those ML and DM datasets that have been heavily used by experimenters. It's crucial to focus more on product and consumption balance in light of the expanding possibility of renewable energy sources and demand response programmes. This calls for the employment of exact and flawlessly computationally light time series or models with appropriate perfection for engine literacy.

Future smart cities will use predictive machine learning algorithms for big data, efficient fire suppression, and other purposes. IoT smart city-related artificial intelligence technology will spread farther and further. For these uses, more research is required.

## REFERENCES

- Al-qudah, R., Khamayseh, Y.M., Aldwairi, M., & Khan, S.F. (2022). The Smart in Smart Cities: A Framework for Image Classification Using Deep Learning. *Sensors* (Basel, Switzerland), 22.
- Li, Jun & Zou, Kai & Xing, Lining. (2022). Internal Resource Allocation to Information Security of Smart Cities Using Evolutionary Game Model. *Discrete Dynamics in Nature and Society*. 2022. 1-9. 10.1155/2022/6932163.
- Mohammed A.S. Abourehab, Sameer Alshehri, Bader Huwaimel, Ali H. Alamri, Rami M. Alzhrani, Ahmed Alobaida, Hossam Kotb, Amal M. Alsubaiyel, Sabina Yasmin, Kumar Venkatesan, Ahmed Salah Al-Shati, Enhancing drugs bioavailability using nanomedicine approach: Predicting solubility of Tolmetin in supercritical solvent via advanced computational techniques, Volume 365, 2022, ISSN 0167-7322.
- Zheng Liu and Jiayuan Song. 2022. Comparison of Tree-based Feature Selection Algorithms on Biological Omics Dataset. In 2021 The 5th International Conference on Advances in Artificial Intelligence (ICAAI) (ICAAI 2021). Association for Computing Machinery, New York, NY, USA, 165–169.
- Xuewei Li, Kai Huang, Lei Xu, "Hybrid Model of Machine Learning Refractory Data Prediction Based on IoT Smart Cities", *Wireless Communications and Mobile Computing*, vol. 2022, Article ID 5430622, 10 pages, 2022.
- Credit Scoring Active Telegram Channels Offering Stock Signals, Babak Sohrabi, Ahmad Khalili Jafarabad, Saba Orfi, *Iranian Journal of Finance*, 2022, Vol. 6, No.3, pp. 142-164 Received: January 26, 2022.
- Intelligent Internet of Things for Healthcare and Industry. Editors: Uttam Ghosh, Chinmay Chakraborty, Lalit Garg, and Gautam Srivastava. Springer, Cham, 2021. <https://doi.org/10.1007/978-3-030-81473-1>
- T. G. Altundogan and M. Karakose, "Image Processing and Deep Neural Image Classification Based Physical Feature Determiner for Traffic Stakeholders," 2019 7th International Istanbul Smart Grids and Cities Congress and Fair (ICSG), 2019, pp. 169-173, doi: 10.1109/SGCF.2019.8782371.
- S, Kirubakaran & Santhosh, S & Tamilselvan, S & Varunika, G & Vishnu, K. (2021). Smart Traffic Control Scheduling in Smart City Signal Control. *Journal of Physics: Conference Series*. 1916. 012192. 10.1088/1742-6596/1916/1/012192.
- M. Razavi, M. Hamidkhani and R. Sadeghi, "Smart Traffic Light Scheduling in Smart City Using Image and Video Processing," 2019 3rd International Conference on Internet of Things and Applications (IoT), 2019, pp. 1-4, doi: 10.1109/IICITA.2019.8808836.
- Muhammad Saleem, Sagheer Abbas, Taher M. Ghazal, Muhammad Adnan Khan, Nizar Sahawneh, Munir Ahmad, Smart cities: Fusion-based intelligent traffic congestion control system for vehicular networks using machine learning techniques, *Egyptian Informatics Journal*, Volume 23, Issue 3, 2022.

- Adeeb A. Kutty, Tadesse G. Wakjira, Murat Kucukvar, Galal M. Abdella, Nuri C. Onat, Urban resilience and livability performance of European smart cities: A novel machine learning approach, *Journal of Cleaner Production*, Volume 378, 2022, 134203, ISSN 0959-6526.
- Hybrid Model of Machine Learning Refractory Data Prediction Based on IoT Smart Cities, Xuewei Li, Kai Huang, and Lei Xu (iD), School of Civil Engineering, Dalian Minzu University, Dalian, Published 23 February 2022
- Energy consumption prediction of air-conditioning systems in eco- buildings using hunger games search optimization-based artificial neural network model, Rui Liang b , Tien Le-Hung d, Trung Nguyen-Thoi e, Record 20 August 2022.
- Muhammad Shafiq, Zhihong Tian, Ali Kashif Bashir, Alireza Jolfaei, Xiangzhan Yu, *Data Mining and Machine Learning Methods for Sustainable Smart Cities Traffic Classification: A Survey*, *Sustainable Cities and Society*, 2020.
- Sharma A, Singh PK, Kumar Y, *An Integrated Fire Detection System using IoT and Image Processing Technique for Smart Cities*, *Sustainable Cities and Society* 2020.
- Phil Hoad, *From Watch-Dogs to GTA V, why video games are going to shape our smart cities*, 2014.
- L. Wang, Z. X. Pan, and J. J. Wang, "A review of reinforcement learning based intelligent optimization for manufacturing scheduling," *Complex System Modeling and Simulation*, vol. 1, no. 4, pp. 257–270, 2021.
- J. Laufs, H. Borrion, and B. Bradford, "Security and the smart city: a systematic review," *Sustainable Cities and Society*, vol. 55, Article ID 102023, 2020.